

Page 1 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 11.01.2012 / 0005 Replaces revision of / Version: 19.01.2011 / 0004 Valid from: 11.01.2012 PDF print date: 31.05.2012 Chrom-Glanz-Creme 250 mL Art.: 1529

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

(GB)

Chrom-Glanz-Creme 250 mL Art.: 1529

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Cleaning product Polishing liquid Sector of use [SU]: SU 3 - Industrial uses: Uses of substances as such or in preparations at industrial sites SU21 - Consumer uses: Private households (=general public = consumers) SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Chemical product category [PC]: PC31 - Polishes and wax blends PC35 - Washing and cleaning products (including solvent based products) Process category [PROC]: PROC 8a - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities PROC 8b - Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities PROC 9 - Transfer of substance or preparation into small containers (dedicated filling line, including weighing) PROC10 - Roller application or brushing PROC19 - Hand-mixing with intimate contact and only PPE available Article Categories [AC]: AC99 - Not required. Environmental Release Category [ERC]: ERC 4 - Industrial use of processing aids in processes and products, not becoming part of articles ERC 7 - Industrial use of substances in closed systems ERC 8a - Wide dispersive indoor use of processing aids in open systems ERC 8d - Wide dispersive outdoor use of processing aids in open systems Uses advised against: No information available at present.

1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH, Jerg-Wieland-Straße 4, D-89081 Ulm-Lehr Telephone (+49) 0731-1420-0, Fax (+49) 0731-1420-88

E-mail address of the competent person: info@chemical-check.de, k.schnurbusch@chemical-check.de

1.4 Emergency telephone Advisory office in case of poisoning:

Telephone number of the company in case of emergencies:

Tel.: (+49) 0731-1420-0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) 1272/2008 (CLP)

Not determined

2.1.2 Classification according to Directives 67/548/EEC and 1999/45/EC (including amendments).



Page 2 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 11.01.2012 / 0005 Replaces revision of / Version: 19.01.2011 / 0004 Valid from: 11.01.2012 PDF print date: 31.05.2012 Chrom-Glanz-Creme 250 mL Art.: 1529

The mixture is not classified as dangerous in the terms of the directive 1999/45/EC. 2.2 Label elements 2.2.1 Labeling according to Regulation (EC) 1272/2008 (CLP) Not determined 2.2.2 Labeling according to Directives 67/548/EEC and 1999/45/EC (including amendments).

Symbols: Not applicable Indications of danger: ---R-phrases:

S-phrases:

(GB)

Additions: Safety data sheet available for professional user on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006.

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006.

REGULATION (EC) No 648/2004

15 % or over but less than 30 % aliphatic hydrocarbons less than 5 % non-ionic surfactants

FORMALDEHYDE METHYLCHLOROISOTHIAZOLINONE/ METHYLISOTHIAZOLINONE TETRAMETHYLOLGLYCOLURIL

SECTION 3: Composition/information on ingredients

3.1 Substance

n.a. 3.2 Mixture

| IT List-No.) |
|--------------|
| |
| |
| |
| |
| |
| |

For the text of the R-phrases / H-phrases and classification codes (GHS/CLP), see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Normally not irritating to skin.

Wash thoroughly with soap and water.



Page 3 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 11.01.2012 / 0005 Replaces revision of / Version: 19.01.2011 / 0004 Valid from: 11.01.2012 PDF print date: 31.05.2012 Chrom-Glanz-Creme 250 mL Art.: 1529

Remove contaminated clothing immediately.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. The following may occur: Irritation of the eyes

Product removes fat.

4.3 Indication of any immediate medical attention and special treatment needed

n.c.

(GB)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water jet spray / alcohol resistant foam / CO2 / dry extinguisher

Unsuitable extinguishing media

n.c.

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of nitrogen Toxic gases 5 3 Advice for firefighters

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required. Avoid contact with eyes or skin. If applicable, caution - risk of slipping

6.2 Environmental precautions

If leakage occurs, dam up.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin. Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace



Page 4 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 11.01.2012 / 0005 Replaces revision of / Version: 19.01.2011 / 0004 Valid from: 11.01.2012 PDF print date: 31.05.2012 Chrom-Glanz-Creme 250 mL Art.: 1529

General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells. Store product closed and only in original packing. Protect from frost.

7.3 Specific end use(s)

(GB)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limit (WEL) of the total hydrocarbon solvent content of the mixture (RCP method according to EH40): 800 mg/m3

| Chemical Name | Hydrocarbons, C10 | -C13, n-alkanes, isoalkanes, cyc | lics, < 2% aromatics | | Content %:10-20 |
|---------------------------------|-------------------|----------------------------------|-----------------------------|-----------|-----------------|
| WEL-TWA: 800 mg/m3 | | WEL-STEL: | | | |
| BMGV: | | | Other information: EH40) | (WEL acc. | to RCP-method, |
| Chemical Name | Aluminium oxide | | | | Content %: |
| WEL-TWA: 10 mg/m3 (total inhal. | dust), 4 mg/m3 | WEL-STEL: | | | |
| (resp. dust) (aluminium oxides) | | | | | |
| BMGV: | | | Other information: | | |

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

| Aluminium oxide | | | | | | |
|---------------------|--|------------------|------------|-------|-----------------|------|
| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
| Consumer | Human - oral | Long term | DNEL | 6,22 | mg/kg bw/day | |
| Industrial | Human - inhalation | Long term | DNEL | 3 | mg/m3 | |
| Commercial | Human - inhalation | Long term | DNEL | 3 | mg/m3 | |
| | Environment - sewage treatment plant | | PNEC | 20 | mg/l | |

8.2 Exposure controls8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles (EN 166) with side protection, with danger of projections.



Page 5 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 11.01.2012 / 0005 Replaces revision of / Version: 19.01.2011 / 0004 Valid from: 11.01.2012 PDF print date: 31.05.2012 Chrom-Glanz-Creme 250 mL Art.: 1529

Skin protection - Hand protection: Normally not necessary. Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments)

Respiratory protection: Normally not necessary. If OES or MEL is exceeded. Filter A2 P2 (EN 14387), code colour brown, white Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

GB

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state: | Liquid |
|--|-------------------------------|
| Colour: | White |
| Odour: | Characteristic |
| | |
| Odour threshold: | Not determined |
| pH-value: | 8,5 (20°C) |
| Melting point/freezing point: | Not determined |
| Initial boiling point and boiling range: | 100 °C |
| Flash point: | 70 °C |
| Evaporation rate: | Not determined |
| Flammability (solid, gas): | n.a. |
| Lower explosive limit: | 0,7 Vol-% |
| Upper explosive limit: | 6,0 Vol-% |
| Vapour pressure: | 23 hPa (20°C) |
| Vapour density (air = 1): | Not determined |
| Density: | 1,11 g/cm3 (20°C) |
| Bulk density: | n.a. |
| Solubility(ies): | Not determined |
| Water solubility: | Mixable |
| Partition coefficient (n-octanol/water): | Not determined |
| Auto-ignition temperature: | 235 °C (Ignition temperature) |
| Decomposition temperature: | Not determined |
| Viscosity: | 21 mPas (20°C) |
| Explosive properties: | Product is not explosive. |
| Oxidising properties: | No |
| 9.2 Other information | |
| Miscibility: | Not determined |
| Fat solubility / solvent: | Not determined |
| Conductivity: | Not determined |
| Surface tension: | Not determined |
| Solvents content: | 16,4 % |
| | |



Page 6 of 11

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 11.01.2012 / 0005 Replaces revision of / Version: 19.01.2011 / 0004 Valid from: 11.01.2012 PDF print date: 31.05.2012 Chrom-Glanz-Creme 250 mL Art.: 1529

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

None known

10.5 Incompatible materials None known

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

| Chrom-Glanz-Creme 250 mL | | | | | | |
|----------------------------------|---------|-------|------|----------|-------------|---------------------------|
| Art.: 1529 | | | | | | |
| Toxicity/effect | Endpoin | Value | Unit | Organism | Test method | Notes |
| - | t | | | | | |
| Acute toxicity, by oral route: | | | | | | n.d.a. |
| Acute toxicity, by dermal route: | | | | | | n.d.a. |
| Acute toxicity, by inhalation: | | | | | | n.d.a. |
| Skin corrosion/irritation: | | | | | | n.d.a. |
| Serious eye damage/irritation: | | | | | | n.d.a. |
| Respiratory or skin | | | | | | n.d.a. |
| sensitisation: | | | | | | |
| Germ cell mutagenicity: | | | | | | n.d.a. |
| Carcinogenicity: | | | | | | n.d.a. |
| Reproductive toxicity: | | | | | | n.d.a. |
| Specific target organ toxicity - | | | | | | n.d.a. |
| single exposure (STOT-SE): | | | | | | |
| Specific target organ toxicity - | | | | | | n.d.a. |
| repeated exposure (STOT-RE): | | | | | | |
| Aspiration hazard: | | | | | | n.d.a. |
| Respiratory tract irritation: | | | | | | n.d.a. |
| Repeated dose toxicity: | | | | | | n.d.a. |
| Symptoms: | | | | | | n.d.a. |
| Other information: | | | | | | Classification according |
| | | | | | | to calculation procedure. |

| Toxicity/effect | Endpoin t | Value | Unit | Organism | Test method | Notes |
|----------------------------------|--------------|-------|--------------|----------|--|--------------------------------------|
| Acute toxicity, by oral route: | LD50 | >5000 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | Analogous conclusion |
| Acute toxicity, by dermal route: | LD50 | >5000 | mg/kg | Rabbit | OECD 402 (Acute Dermal Toxicity) | Analogous conclusion |
| Acute toxicity, by dermal route: | LD50 | >2000 | mg/kg | Rat | OECD 402 (Acute Dermal Toxicity) | Analogous conclusion |
| Acute toxicity, by inhalation: | LC50 | >4951 | mg/m3/4 h | Rat | OECD 403 (Acute Inhalation Toxicity) | Analogous conclusion |
| Skin corrosion/irritation: | | | | | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant, Analogous conclusion |
| Serious eye damage/irritation: | | | | | OECD 405 (Acute Eye Irritation/Corrosion) | Mild irritant (Analogous conclusion) |



manufacturer.

| - 68 | | | | | | | | |
|---|------------------------------------|-------------|---------|-----------|--------------|-----------------|---|---|
| Page 7 of 11 Safety data sheet accordi Revised on / Version: 11. Replaces revision of / Ver Valid from: 11.01.2012 PDF print date: 31.05.201 | 01.2012 / 00 sion: 19.01.2 2 | 05 011 / | | 1907/200 | 06, Annex | Ι | | |
| Chrom-Glanz-Creme 250 | mL Art.: 152 | 9 | | | | | | |
| Serious eye damage/irrita | tion: | | | | | | OECD 405 (Acute Eye Irritation/Corrosion) | Not irritant, Repeated exposure may cause skin dryness or cracking. |
| Respiratory or skin | | | | | | | | No indications of such an |
| sensitisation: | | | | | | | | effect. |
| Respiratory or skin sensitisation: | | | | | | | OECD 406 (Skin Sensitisation) | Not sensitizising |
| Germ cell mutagenicity: | | | | | | | OECD 471 (Bacterial | Negative, Analogous |
| Commodel matagementy. | | | | | | | Reverse Mutation Test) | |
| Carcinogenicity: | | | | | | | OECD 453 (Combined Chronic Toxicity/Carcinogenicit y Studies) | Negative, Analogous conclusion |
| Reproductive toxicity: Specific target organ toxic | sity - | | | | | | OECD 421 (Reproduction/Develop mental Toxicity Screening Test) | Negative, Analogous conclusion No indications of such an |
| single exposure (STOT-S | E): | | | | | | | effect. |
| Specific target organ toxic repeated exposure (STO | | | | | | | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | No indications of such an effect., Analogous conclusion |
| Aspiration hazard: | | | | | | | | Yes |
| Symptoms: | | | | | | | | unconsciousness, |
| | | | | | | | | headaches, dizziness |
| Teratogenicity: | | | | | | | OECD 414 (Prenatal Developmental Toxicity Study) | Negative, Analogous conclusion |
| Aluminium oxide | | | | | | | | |
| Toxicity/effect | End | dpoin | Val | ue | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral rout | e: LD | 50 | >50 | 00 | mg/kg | Rat | | |
| Symptoms: | | | | | | | | constipation |
| | | | | | | | | |
| | | Ş | SEC | TION ' | 12: Eco | logical info | ormation | |
| Possibly more information | | nental | effects | s, see Se | ction 2.1 (c | lassification). | | |
| Chrom-Glanz-Creme 25 |) mL | | | | | | | |
| Art.: 1529 | F inding in t | T : | | Value | l lucit | Ormoniom | Test math ad | Notoo |
| Toxicity/effect Toxicity to fish: | Endpoint | | me | Value | Unit | Organism | Test method | Notes n.d.a. |
| Toxicity to daphnia: | | | | | | | | n.d.a. |
| Toxicity to algae: | | | | | | | | n.d.a. |
| Persistence and | | | | | | | | The surfactant(s) |
| degradability: | | | | | | | | contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents., Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct |
| | | | | | | | | request or at the request of a detergent |



Page 8 of 11

B

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 11.01.2012 / 0005 Replaces revision of / Version: 19.01.2011 / 0004 Valid from: 11.01.2012 PDF print date: 31.05.2012 Chrom-Glanz-Creme 250 mL Art.: 1529

| Bioaccumulative | | n.d.a. |
|------------------------|--|---|
| potential: | | |
| Mobility in soil: | | n.d.a. |
| Results of PBT and | | n.d.a. |
| vPvB assessment | | |
| Other adverse effects: | | n.d.a. |
| Other information: | | According to the recipe, contains no AOX. |

| Toxicity/effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|---------------------------------------|----------|------|---------|------|------------------------------------|--|-------------------------------------|
| Toxicity to fish: | NOELR | 28d | 0,10 | mg/l | (Oncorhynchus mykiss) | | |
| Toxicity to fish: | LL50 | 24h | >1000 | mg/l | | OECD 203 (Fish, Acute Toxicity Test) | |
| Toxicity to fish: | LC50 | 96h | >100 | mg/l | | | |
| Toxicity to daphnia: | NOELR | 21d | 0,18 | mg/l | (Daphnia magna) | | |
| Toxicity to daphnia: | EL50 | 48h | >1000 | mg/l | | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| Toxicity to algae: | EL50 | 72h | >1000 | mg/l | | OECD 201 (Alga, Growth Inhibition Test) | |
| Toxicity to algae: | EL0 | 72h | 1000 | mg/l | (Pseudokirchneriell a subcapitata) | , | |
| Persistence and degradability: | | 28d | >80 | % | | | Biodegradable |
| Bioaccumulative potential: | Log Pow | | 5,5-7,2 | | | | |
| Mobility in soil: | Log Koc | | >3 | | | | |
| Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| Other adverse effects: | | | | | | | No PBT substance, No vPvB substance |
| Water solubility: | | | ~10 | mg/l | | | Slight |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC) 12 01 21 spent grinding bodies and grinding materials other than those mentioned in 12 01 20 Recommendation: Pay attention to local and national official regulations E.g. dispose at suitable refuse site. E.g. suitable incineration plant.

For contaminated packing material

Pay attention to local and national official regulations

Empty container completely.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

Uncontaminated packaging can be recycled.

Recommended cleaner: Water

Cleaning product 15 01 02 plastic packaging



Page 9 of 11

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 11.01.2012 / 0005 Replaces revision of / Version: 19.01.2011 / 0004 Valid from: 11.01.2012 PDF print date: 31.05.2012 Chrom-Glanz-Creme 250 mL Art.: 1529

SECTION 14: Transport information

n.a.

n.a.

n.a.

n.a.

n.a.

n.a.

n.a.

n.a.

n.a

n.a. n a

Not applicable

Not applicable

Not applicable

General statements UN number:

Transport by road/by rail (ADR/RID) UN proper shipping name: Transport hazard class(es): Packing group: Classification code: LQ (ADR 2011): LQ (ADR 2009): Environmental hazards: Tunnel restriction code: Transport by sea (IMDG-code) UN proper shipping name: Transport hazard class(es):

Marine Pollutant: Environmental hazards:

Packing group:

Transport by air (IATA)

| UN proper shipping name: | |
|-----------------------------|--|
| Transport hazard class(es): | |
| Packing group: | |
| Environmental hazards: | |

Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

For classification and labelling see Section 2. Observe restrictions: VOC (1999/13/EC):

n.a. ~ 16,4% w/w

15.2 Chemical safety assessment A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

These details refer to the product as it is delivered. Revised sections:

3, 5, 8, 9, 10, 13, 15, 16

The following statements are the indicated R-phrases / H-phrases and classification codes (GHS/CLP) for the ingredients (listed in Section 3). 65 Harmful: may cause lung damage if swallowed.

66 Repeated exposure may cause skin dryness or cracking.

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

Asp. Tox.-Aspiration hazard

Any abbreviations and acronyms used in this document:

AC Article Categories acc., acc. to according, according to ACGIH American Conference of Governmental Industrial Hygienists ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)



Page 10 of 11 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 11.01.2012 / 0005 Replaces revision of / Version: 19.01.2011 / 0004 Valid from: 11.01.2012 PDF print date: 31.05.2012 Chrom-Glanz-Creme 250 mL Art.: 1529 AOEL Acceptable Operator Exposure Level AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP) ATE BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BAuA **Bioconcentration factor** BCF Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation) BGV BHT Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) BMGV Biological monitoring guidance value (EH40, UK) BOD Biochemical oxygen demand BSEF Bromine Science and Environmental Forum body weight bw CAS **Chemical Abstracts Service** CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques CIPAC Collaborative International Pesticides Analytical Council CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic COD Chemical oxygen demand CTFA Cosmetic, Toiletry, and Fragrance Association DMEL Derived Minimum Effect Level DNEL Derived No Effect Level Dissolved organic carbon DOC DT50 Dwell Time - 50% reduction of start concentration DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes) dw drv weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EC European Community ECHA European Chemicals Agency EEA European Economic Area European Economic Community EEC European Inventory of Existing Commercial Chemical Substances EINECS ELINCS European List of Notified Chemical Substances ΕN European Norms EPA United States Environmental Protection Agency (United States of America) FRC **Environmental Release Categories** ES Exposure scenario etc. et cetera FU **European Union** EWC European Waste Catalogue Fax. Fax number general gen. Globally Harmonized System of Classification and Labelling of Chemicals GHS GWP Global warming potential HET-CAM Hen's Egg Test - Chorionallantoic Membrane HGWP Halocarbon Global Warming Potential IARC International Agency for Research on Cancer IATA International Air Transport Association IBC Intermediate Bulk Container IBC (Code) International Bulk Chemical (Code) IC Inhibitory concentration IMDG-code International Maritime Code for Dangerous Goods including, inclusive incl. IUCLID International Uniform ChemicaL Information Database LC lethal concentration LC50 lethal concentration 50 percent kill LCLo lowest published lethal concentration LD Lethal Dose of a chemical LD50 Lethal Dose, 50% kill LDLo Lethal Dose Low LOAEL Lowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration

(GB)



| -088 |
|--|
| Safety data sheet according to Regulation (EC) No 1907/2006, Annex II |
| Revised on / Version: 11.01.2012 / 0005 |
| Replaces revision of / Version: 19.01.2011 / 0004 |
| Valid from: 11.01.2012 |
| PDF print date: 31.05.2012 |
| Chrom-Glanz-Creme 250 mL Art.: 1529 |
| |
| LOEL Lowest Observed Effect Level |
| LQ Limited Quantities |
| MARPOL International Convention for the Prevention of Marine Pollution from Ships |
| n.a. not applicable |
| n.av. not available |
| n.c. not checked |
| n.d.a. no data available |
| NIOSH National Institute of Occupational Safety and Health (United States of America) |
| NOAECNo Observed Adverse Effective Concentration |
| NOAEL No Observed Adverse Effect Level |
| NOEC No Observed Effect Concentration |
| NOEL No Observed Effect Level |
| ODP Ozone Depletion Potential |
| OECD Organisation for Economic Co-operation and Development |
| org. organic |
| PAH polycyclic aromatic hydrocarbon |
| PBT persistent, bioaccumulative and toxic |
| PC Chemical product category |
| PE Polyethylene |
| PNEC Predicted No Effect Concentration |
| POCP Photochemical ozone creation potential |
| ppm parts per million |
| PROC Process category |
| PTFE Polytetrafluorethylene |
| REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, |
| Evaluation, Authorisation and Restriction of Chemicals) |
| REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List |
| Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. |
| RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International |
| Carriage of Dangerous Goods by Rail) |
| SADT Self-Accelerating Decomposition Temperature |
| SAR Structure Activity Relationship |
| SU Sector of use |
| SVHC Substances of Very High Concern |
| Tel. Telephone |
| ThOD Theoretical oxygen demand |
| TOC Total organic carbon |
| TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances) |
| VbF Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria)) |
| VOC Volatile organic compounds |
| vPvB very persistent and very bioaccumulative |
| WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) |
| reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK). |
| WHO World Health Organization |
| wwt weight |
| |
| The statements made here should describe the product with regard to the necessary safety precautions - they are |
| not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. |
| No responsibility. |

No responsibility.

These statements were made by: Chemical Check GmbH, Wöbbeler Straße 2-4, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.