

Page 1 of 3

FG3680-350A Original Car Wax

Revision 0

Revision date

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name FG3680-350A Original Car Wax

Company Turtle Wax Limited

East Gillibrands Skelmersdale Lancashire WN8 9TX England

MSDS@turtlewax.ltd.uk www.turtlewaxeurope.com

Telephone +44 (0)1695 722161 Fax +44 (0)1695 716621

Emergency telephone

number

+44 (0)1695 722161 (Daytime)

Intended use Car Care Product.

2 HAZARDS IDENTIFICATION.

Main hazards No Significant Hazard

3. COMPOSITION / INFORMATION ON INGREDIENTS.

4. FIRST AID MEASURES

Skin contact Wash off immediately with plenty of soap and water. Remove contaminated clothing.

Seek medical attention if irritation or symptoms persist.

Eye contact May cause irritation to eyes. Contact lenses should be removed. Rinse immediately with

plenty of water for 15 minutes holding the eyelids open. Seek medical attention if

irritation or symptoms persist.

Inhalation Considered to be not hazardous by inhalation.

Ingestion Rinse mouth thoroughly. DO NOT INDUCE VOMITING. Seek medical attention if

irritation or symptoms persist.

5. FIRE FIGHTING MEASURES

Extinguishing mediaUse extinguishing media appropriate to the surrounding fire conditions.

Fire hazards carbon oxides may be formed in fire conditions.

Protective equipment Wear suitable respiratory equipment when necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation of the working area. Surfaces contaminated with the

product will become slippery.

Environmental

precautions

Do not allow product to enter drains. Prevent further spillage if safe.

Clean up methods Absorb with inert, absorbent material. Transfer to suitable, labelled containers for

disposal. Clean spillage area thoroughly with plenty of water.

Print date 8-Feb-2008

FG3680-350A Original Car Wax

Revision Revision date

7. HANDLING AND STORAGE

Handling Ensure adequate ventilation of the working area. Adopt best Manual Handling

considerations when handling, carrying and dispensing.

Storage Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in

correctly labelled containers. Store at temperatures between 5 °C and 35 °C.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ensure adequate ventilation of the working area. **Engineering measures**

Occupational exposure

Wash hands after handling the product.

controls

9. PHYSICAL AND CHEMICAL PROPERTIES

Description Viscous liquid.

Colour Green.

Characteristic. Odour

8.5 pН **Boiling point** 100°C 1.045 Relative density

Viscosity Kinematic Viscosity in 10-6 m²/s at 40°C (ISO 3219) - 350

<0.1 n-butyl acetate = 1.0 **Evaporation rate**

0°C **Melting point**

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Conditions to avoid Do NOT allow to freeze. Store at temperatures below 35 °C.

Materials to avoid None. **Hazardous** None.

decomposition products

11. TOXICOLOGICAL INFORMATION

Toxicological information No known adverse health effects.

12. ECOLOGICAL INFORMATION

Ecotoxicity No known adverse environmental effects.

Mobility Viscous liquid.

Degradability Readily biodegradable. Does not bioaccumulate. Bioaccumulation

13. DISPOSAL CONSIDERATIONS

Dispose of in compliance with all local and national regulations. Do not allow product to **General information**

enter drains.

Disposal methods Dispose of in compliance with all local and national regulations.

Disposal of packaging Empty containers can be sent for disposal or recycling.

14. TRANSPORT INFORMATION

ADR/RID Not applicable. **IMDG** Not applicable. IATA Not applicable.

Further information The product is not classifed as dangerous for carriage.

FG3680-350A Original Car Wax

Revision 0

Revision date

15. REGULATORY INFORMATION

Risk phrases NSH - No Significant Hazard.

Safety phrases S2 - Keep out of the reach of children.

Further information Safety data sheet available for professional user on request.

16. OTHER INFORMATION

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Print date 8-Feb-2008