

Page 1 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 27.05.2020 / 0015 Replacing version dated / version: 20.03.2019 / 0014 Valid from: 27.05.2020 PDF print date: 28.05.2020 Felgen Reiniger Spezial 1 L Art.: 1597

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Felgen Reiniger Spezial 1 L

Art.: 1597

അ

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Vehicle cleansing Uses advised against: No information available at present.

1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies: +49 (0) 700 / 24 112 112 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) 1272/2008 (CLP)Hazard classHazard categoryHazard statementAcute Tox.4H302-Harmful if swallowed.Skin Sens.1H317-May cause an allergic skin reaction.

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)



Page 2 of 14

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 27.05.2020 / 0015 Replacing version dated / version: 20.03.2019 / 0014 Valid from: 27.05.2020 PDF print date: 28.05.2020 Felgen Reiniger Spezial 1 L Art.: 1597



Warning

H302-Harmful if swallowed. H317-May cause an allergic skin reaction.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children. P261-Avoid breathing vapours or spray. P270-Do not eat, drink or smoke when using this product. P280-Wear protective gloves / protective clothing.

P302+P352-IF ON SKIN: Wash with plenty of water and soap. P333+P313-If skin irritation or rash occurs: Get medical advice / attention. P362+P364-Take off contaminated clothing and wash it before reuse.

P501-Dispose of contents / container to an approved waste disposal facility.

Sodium mercaptoacetate

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substance

n.a. **3.2 Mixture**

| Sodium mercaptoacetate | |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| Registration number (REACH) | |
| Index | |
| EINECS, ELINCS, NLP | 206-696-4 |
| CAS | 367-51-1 |
| content % | 1-<10 |
| Classification according to Regulation (EC) 1272/2008 (CLP) | Met. Corr. 1, H290 |
| | Acute Tox. 3, H301 |
| | Acute Tox. 4, H312 |
| | Skin Sens. 1, H317 |
| | |
| | , |
| Alcohols, C12-14, ethoxylated, sulfates, sodium salts | Substance with specific conc. limit(s) acc. to REACh- |
| Alcohols, C12-14, ethoxylated, sulfates, sodium salts | |
| · · · · · | Substance with specific conc. limit(s) acc. to REACh- |
| Alcohols, C12-14, ethoxylated, sulfates, sodium salts Registration number (REACH) Index | Substance with specific conc. limit(s) acc. to REACh- registration |
| Registration number (REACH) | Substance with specific conc. limit(s) acc. to REACh- registration |
| Registration number (REACH) Index EINECS, ELINCS, NLP | Substance with specific conc. limit(s) acc. to REACh- registration |
| Registration number (REACH) Index EINECS, ELINCS, NLP | Substance with specific conc. limit(s) acc. to REACh- registration 500-234-8 (NLP) |
| Registration number (REACH) Index EINECS, ELINCS, NLP CAS content % | Substance with specific conc. limit(s) acc. to REACh- registration 500-234-8 (NLP) 68891-38-3 |
| Registration number (REACH) Index EINECS, ELINCS, NLP CAS | Substance with specific conc. limit(s) acc. to REACh- registration 500-234-8 (NLP) 68891-38-3 1-<5 |

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.



Page 3 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 27.05.2020 / 0015 Replacing version dated / version: 20.03.2019 / 0014 Valid from: 27.05.2020 PDF print date: 28.05.2020 Felgen Reiniger Spezial 1 L Art.: 1597

The substances named in this section are given with their actual, appropriate classification! For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

ആ

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Wash thoroughly using copious water - remove contaminated clothing immediately. If skin irritation occurs (redness etc.), consult doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

n.c.

Rinse the mouth thoroughly with water. Do not induce vomiting.

Call doctor immediately - have Data Sheet available. Give water to drink.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours. Irritation of the eyes With long-term contact: Dermatitis (skin inflammation) Reddening Pain Allergic reaction **4.3 Indication of any immediate medical attention and special treatment needed**

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire. Water jet spray / alcohol resistant foam / CO2 / dry extinguisher.

Unsuitable extinguishing media

High volume water jet

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of sulphur Oxides of nitrogen Toxic gases

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures



Page 4 of 14

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 27.05.2020 / 0015 Replacing version dated / version: 20.03.2019 / 0014 Valid from: 27.05.2020 PDF print date: 28.05.2020 Felgen Reiniger Spezial 1 L Art.: 1597

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air. Avoid contact with eyes or skin. If applicable, caution - risk of slipping.

6.2 Environmental precautions

If leakage occurs, dam up. Resolve leaks if this possible without risk. Prevent surface and ground-water infiltration, as well as ground penetration. Prevent from entering drainage system. If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13. Flush residue using copious water.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid aerosol formation. Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals. Store product closed and only in original packing. Not to be stored in gangways or stair wells. Do not store over 25°C.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Sodium mercaptoacetate | | | | | | |
|------------------------|--------------------------|--------------------------------|------------|-------|--------|------|
| Area of application | Exposure route / | Effect on health | Descriptor | Value | Unit | Note |
| | Environmental | | | | | |
| | compartment | | | | | |
| | Environment - freshwater | | PNEC | 38 | µg/l | |
| | Environment - marine | | PNEC | 3,8 | µg/l | |
| | Environment - sewage | | PNEC | 3,2 | mg/l | |
| | treatment plant | | | | | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 0,348 | mg/m3 | |
| Consumer | Human - dermal | Long term, local effects | DNEL | 0,004 | mg/cm2 | |



Page 5 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 27.05.2020 / 0015 Replacing version dated / version: 20.03.2019 / 0014 Valid from: 27.05.2020 PDF print date: 28.05.2020 Felgen Reiniger Spezial 1 L Art.: 1597

GB

| Consumer | Human - oral | Long term, systemic effects | DNEL | 0,002 | mg/kg body weight/day |
|---------------------|--------------------|--------------------------------|------|-------|-----------------------------|
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 1,41 | mg/m3 |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 2,06 | mg/kg body weight/day |
| Workers / employees | Human - dermal | Long term, local effects | DNEL | 0,004 | mg/cm2 |

| Area of application | Exposure route / | Effect on health | Descriptor | Value | Unit | Note |
|-----------------------------|--------------------------------------------------|--------------------------------|------------|-------|---------------------|------|
| | Environmental | | | | | |
| | compartment | | | | | |
| | Environment - freshwater | | PNEC | 0,24 | mg/l | |
| | Environment - periodic release | | PNEC | 0,13 | mg/l | |
| | Environment - marine | | PNEC | 0,024 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 5,45 | mg/kg dry weight | |
| | Environment - sediment, marine | | PNEC | 0,545 | mg/kg dry weight | |
| | Environment - sewage treatment plant | | PNEC | 10000 | mg/l | |
| | Environment - soil | | PNEC | 0,946 | mg/kg dry weight | |
| | Environment - sporadic (intermittent) release | | PNEC | 0,071 | mg/l | |
| | Environment - sediment, freshwater | Short term | PNEC | 0,917 | mg/kg | |
| | Environment - sediment, marine | Short term | PNEC | 0,092 | mg/kg | |
| | Environment - soil | Short term | PNEC | 7,5 | mg/kg | |
| Consumer | Human - dermal | Long term, local effects | DNEL | 0,079 | mg/cm2 | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 15 | mg/kg bw/day | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 1650 | mg/kg bw/day | |
| Consumer Human - inhalation | | Long term, systemic effects | DNEL | 52 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 2750 | mg/kg bw/day | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 175 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, local effects | DNEL | 0,132 | mg/cm2 | |

8.2 Exposure controls8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.



Page 6 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 27.05.2020 / 0015 Replacing version dated / version: 20.03.2019 / 0014 Valid from: 27.05.2020 PDF print date: 28.05.2020 Felgen Reiniger Spezial 1 L Art.: 1597

Skin protection - Hand protection: Chemical resistant protective gloves (EN 374). Recommended Protective gloves made of butyl (EN 374). Minimum layer thickness in mm: > 0,6 Permeation time (penetration time) in minutes: > 480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Ensure sufficient ventilation. Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

ആ

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Dhuning Latertary | |
|------------------------------------------|------------------------------|
| Physical state: | Liquid |
| Colour: | Yellow |
| Odour: | Characteristic |
| Odour threshold: | Not determined |
| pH-value: | 7-8 |
| Melting point/freezing point: | Not determined |
| Initial boiling point and boiling range: | 100 °C |
| Flash point: | >90 °C |
| Evaporation rate: | Not determined |
| Flammability (solid, gas): | Not determined |
| Lower explosive limit: | n.a. |
| Upper explosive limit: | n.a. |
| Vapour pressure: | 23 hPa |
| Vapour density (air = 1): | Not determined |
| Density: | 1,08-1,09 (relative density) |
| Bulk density: | n.a. |
| Solubility(ies): | Not determined |
| Water solubility: | Mixable |
| Partition coefficient (n-octanol/water): | Not determined |
| Auto-ignition temperature: | No |
| Decomposition temperature: | Not determined |
| Viscosity: | |
| Explosive properties: | Product is not explosive. |
| Oxidising properties: | No |
| 9.2 Other information | |
| | |



Page 7 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 27.05.2020 / 0015 Replacing version dated / version: 20.03.2019 / 0014 Valid from: 27.05.2020 PDF print date: 28.05.2020 Felgen Reiniger Spezial 1 L Art.: 1597

Miscibility: Fat solubility / solvent: Conductivity: Surface tension: Solvents content:

GB

_

Not determined Not determined Not determined Not determined Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling. 10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

Avoid increases in temperature.

Keep away from sources of ignition - Do not smoke.

10.5 Incompatible materials

Avoid contact with strong oxidizing agents. Avoid contact with other chemicals.

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|----------------------------------|----------|--------|-------|-----------|-------------|------------------|
| Acute toxicity, by oral route: | ATE | 625 | mg/kg | organishi | | calculated value |
| Acute toxicity, by dermal route: | ATE | >2000 | mg/kg | | | calculated value |
| Acute toxicity, by inhalation: | | . 2000 | | | | n.d.a. |
| Skin corrosion/irritation: | | | | | | n.d.a. |
| Serious eye damage/irritation: | | | | | | n.d.a. |
| Respiratory or skin | | | | | | n.d.a. |
| sensitisation: | | | | | | |
| Germ cell mutagenicity: | | | | | | n.d.a. |
| Carcinogenicity: | | | | | | n.d.a. |
| Reproductive toxicity: | | | | | | n.d.a. |
| Specific target organ toxicity - | | | | | | n.d.a. |
| single exposure (STOT-SE): | | | | | | |
| Specific target organ toxicity - | | | | | | n.d.a. |
| repeated exposure (STOT-RE): | | | | | | |
| Aspiration hazard: | | | | | | n.d.a. |
| Symptoms: | | | | | | n.d.a. |

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|----------------------------------|----------|-------|---------|----------|------------------------|----------------|
| Acute toxicity, by oral route: | LD50 | 50 | mg/kg | Rat | OECD 423 (Acute Oral | |
| | | | | | Toxicity - Acute Toxic | |
| | | | | | Class Method) | |
| Acute toxicity, by oral route: | ATE | 350 | mg/kg | | | calculated |
| | | | | | | value46% |
| | | | | | | solution |
| Acute toxicity, by dermal route: | LD50 | 1000 | mg/kg | Rat | OECD 402 (Acute | |
| | | | | | Dermal Toxicity) | |
| Acute toxicity, by inhalation: | LC50 | >2729 | mg/l/4h | Rat | OECD 403 (Acute | AerosolCalcium |
| | | | | | Inhalation Toxicity) | thioglycolate |
| | | | | | | trihydrate |



Page 8 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 27.05.2020 / 0015 Replacing version dated / version: 20.03.2019 / 0014 Valid from: 27.05.2020 PDF print date: 28.05.2020 Felgen Reiniger Spezial 1 L Art.: 1597

œ.

| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute | Slightly irritant |
|----------------------------------|------|------|-------|-------------|--------------------------|--------------------|
| | | | | | Dermal | |
| | | | | | Irritation/Corrosion) | |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye | Slightly irritant |
| , , | | | | | Irritation/Corrosion) | |
| Respiratory or skin | | | | Mouse | OECD 429 (Skin | Sensitising (skin |
| sensitisation: | | | | | Sensitisation - Local | contact) |
| | | | | | Lymph Node Assay) | , |
| Germ cell mutagenicity: | | | | Mouse | OECD 474 (Mammalian | Negative |
| 0, | | | | | Erythrocyte | |
| | | | | | Micronucleus Test) | |
| Germ cell mutagenicity: | | | | Salmonella | OECD 471 (Bacterial | Negative |
| 5 , | | | | typhimurium | Reverse Mutation Test) | |
| Carcinogenicity: | | | | Mouse | , | Negative |
| Reproductive toxicity: | NOEL | 100 | mg/kg | Rat | | <u> </u> |
| Reproductive toxicity: | NOEL | 20 | mg/kg | Rat | OECD 416 (Two- | |
| | | | bw/d | | generation | |
| | | | | | Reproduction Toxicity | |
| | | | | | Study) | |
| Symptoms: | | | | | | headaches, |
| | | | | | | mucous |
| | | | | | | membrane |
| | | | | | | irritation, nausea |
| | | | | | | and vomiting. |
| Specific target organ toxicity - | NOEL | 7 | mg/kg | Rat | OECD 408 (Repeated | Ŭ |
| repeated exposure (STOT-RE), | | | bw/d | | Dose 90-Day Oral | |
| oral: | | | | | Toxicity Study in | |
| | | | | | Rodents) | |
| Specific target organ toxicity - | NOEL | 22,5 | mg/kg | Rat | OECD 411 (Subchronic | |
| repeated exposure (STOT-RE), | | | bw/d | | Dermal Toxicity - 90-day | |
| dermal: | | | | | Study) | |

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|----------------------------------|----------|-------|-------|------------|------------------------|-------------------|
| Acute toxicity, by oral route: | LD50 | 4100 | mg/kg | Rat | OECD 401 (Acute Oral | |
| | | | | | Toxicity) | |
| Acute toxicity, by dermal route: | LD50 | >2000 | mg/kg | Rat | OECD 402 (Acute | |
| | | | | | Dermal Toxicity) | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute | Skin Irrit. 2 |
| | | | | | Dermal | |
| | | | | | Irritation/Corrosion) | |
| Serious eye damage/irritation: | | >=10 | % | Rabbit | OECD 405 (Acute Eye | Eye Dam. 1 |
| | | | | | Irritation/Corrosion) | - |
| Serious eye damage/irritation: | | >=5 | % | Rabbit | OECD 405 (Acute Eye | Eye Irrit. 2 |
| | | | | | Irritation/Corrosion) | - |
| Respiratory or skin | | | | Guinea pig | OECD 406 (Skin | Not sensitizising |
| sensitisation: | | | | | Sensitisation) | - |
| Germ cell mutagenicity: | | | | | OECD 471 (Bacterial | Negative |
| | | | | | Reverse Mutation Test) | - |
| Germ cell mutagenicity: | | | | | OECD 475 (Mammalian | Negative |
| | | | | | Bone Marrow | |
| | | | | | Chromosome | |
| | | | | | Aberration Test) | |
| Germ cell mutagenicity: | | | | | OECD 476 (In Vitro | Negative |
| | | | | | Mammalian Cell Gene | |
| | | | | | Mutation Test) | |
| Reproductive toxicity: | NOAEL | >1000 | mg/kg | Rat | OECD 414 (Prenatal | Negative, |
| | | | | | Developmental Toxicity | References |
| | | | | | Study) | |
| Reproductive toxicity: | NOAEL | >300 | mg/kg | Rat | OECD 416 (Two- | Negative, |
| | | | | | generation | References |
| | | | | | Reproduction Toxicity | |
| | | | | | Study) | |



Page 9 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 27.05.2020 / 0015 Replacing version dated / version: 20.03.2019 / 0014 Valid from: 27.05.2020 PDF print date: 28.05.2020 Felgen Reiniger Spezial 1 L Art.: 1597

œ

| Aspiration hazard: | | | | | | No |
|---------------------------------------------------------------------------|-------|------|-------|-----|-------------------------------------------------------------------------|---------------------------------------|
| Symptoms: | | | | | | mucous membrane irritation |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL | >225 | mg/kg | Rat | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | Target organ(s): liver, References |

SECTION 12: Ecological information

| Felgen Reiniger Spezial Art.: 1597 | 1 L | | | | | | |
|---------------------------------------|----------|------|-------|------|----------|-------------|--------------------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | • | | | | | | n.d.a. |
| 12.1. Toxicity to daphnia: | | | | | | | n.d.a. |
| 12.1. Toxicity to algae: | | | | | | | n.d.a. |
| 12.2. Persistence and | | | | | | | The surfactant(s |
| degradability: | | | | | | | contained in this |
| | | | | | | | mixture |
| | | | | | | | complies(comply |
| | | | | | | | with the |
| | | | | | | | biodegradability |
| | | | | | | | criteria as laid |
| | | | | | | | down in |
| | | | | | | | Regulation (EC) |
| | | | | | | | No.648/2004 on |
| | | | | | | | detergents. Data |
| | | | | | | | to support this |
| | | | | | | | assertion are |
| | | | | | | | held at the |
| | | | | | | | disposal of the |
| | | | | | | | competent |
| | | | | | | | authorities of the |
| | | | | | | | Member States |
| | | | | | | | and will be made |
| | | | | | | | available to |
| | | | | | | | them, at their |
| | | | | | | | direct request or |
| | | | | | | | at the request of |
| | | | | | | | a detergent |
| | | | | | | | manufacturer. |
| 12.3. Bioaccumulative | | | | | | | n.d.a. |
| potential: | | | | | | | |
| 12.4. Mobility in soil: | | | | | | | n.d.a. |
| 12.5. Results of PBT | | | | | | | n.d.a. |
| and vPvB assessment | | | | | | | |
| 12.6. Other adverse | | | | | | | n.d.a. |
| effects: | | | | | | | |
| Other information: | AOX | | | | | | According to the |
| | | | | | | | recipe, contains |
| | | | | | | | no AOX. |

| Sodium mercaptoacetate | | | | | | | | | | | |
|----------------------------|----------|------|-------|------|------------------------|--------------------------------------------|------------------------|--|--|--|--|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes | | | | |
| 12.1. Toxicity to fish: | LC50 | 96h | >100 | mg/l | Oncorhynchus mykiss | OECD 203 (Fish, Acute Toxicity Test) | mercaptoacetic acid | | | | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 38 | mg/l | Daphnia magna | 84/449/EEC C.2 | mercaptoacetic acid | | | | |



Page 10 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 27.05.2020 / 0015 Replacing version dated / version: 20.03.2019 / 0014 Valid from: 27.05.2020 PDF print date: 28.05.2020 Felgen Reiniger Spezial 1 L Art.: 1597

œ.

| 12.1. Toxicity to algae: | EC50 | 72h | >100 | mg/l | Desmodesmus | OECD 201 (Alga, | Diammonium |
|--------------------------|-----------|-----|---------|------|------------------|-------------------------------|-------------------|
| | | | | | subspicatus | Growth Inhibition | Dithiodiglycolate |
| | | | | | | Test) | |
| 12.2. Persistence and | | | 60 | % | | OECD 301 B | mercaptoacetic |
| degradability: | | | | | | (Ready | acid |
| | | | | | | Biodegradability - | |
| | | | | | | Co2 Evolution | |
| | | | 2.00 | | | Test) | Natio ha |
| 12.3. Bioaccumulative | Log Kow | | -2,99 | | | OECD 107 | Not to be |
| potential: | | | | | | (Partition Coefficient (n- | expected@20°C |
| | | | | | | octanol/water) - | |
| | | | | | | Shake Flask | |
| | | | | | | Method) | |
| 12.5. Results of PBT | | | | | | wethod) | No PBT |
| and vPvB assessment | | | | | | | substance, No |
| | | | | | | | vPvB substance |
| Toxicity to bacteria: | EC50 | 3h | 530 | mg/l | activated sludge | OECD 209 | ammonium |
| | | | | U U | | (Activated Sludge, | mercaptoacetate |
| | | | | | | Respiration | |
| | | | | | | Inhibition Test | |
| | | | | | | (Carbon and | |
| | | | | | | Ammonium | |
| | | | | | | Oxidation)) | |
| Other information: | H (Henry) | | 0,00000 | | | | mercaptoacetic |
| | | | 1 | | | | acid |
| Water solubility: | | | 609 | g/l | | | @20°C |

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|--------------------------------------|-----------|------|-------|------|----------------------------|--------------------------------------------------------------------------------|--------------------------|
| 12.1. Toxicity to fish: | LC50 | 96h | 7,1 | mg/l | Brachydanio rerio | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to fish: | NOEC/NOEL | 28d | 0,1 | mg/l | Oncorhynchus mykiss | OECD 204 (Fish, Prolonged Toxicity Test - 14-Day Study) | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 0,27 | mg/l | Daphnia magna | OECD 211 (Daphnia magna Reproduction Test) | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 7,2 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 96h | 0,95 | mg/l | | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.1. Toxicity to algae: | EC50 | 72h | 27,7 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | | 28d | 95 | % | | OECD 301 E (Ready Biodegradability - Modified OECD Screening Test) | Readily biodegradable |
| 12.2. Persistence and degradability: | | 28d | >70 | % | | OECD 301 A (Ready Biodegradability - DOC Die-Away Test) | Readily biodegradable |



Page 11 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 27.05.2020 / 0015 Replacing version dated / version: 20.03.2019 / 0014 Valid from: 27.05.2020 PDF print date: 28.05.2020 Felgen Reiniger Spezial 1 L Art.: 1597

| 12.2. Persistence and degradability: | DOC | 28d | 100 | % | activated sludge | Regulation (EC) 440/2008 C.4-C (DETERMINATIO N OF 'READY' BIODEGRADABILI TY - CO2 EVOLUTION TEST) | Readily biodegradable |
|---------------------------------------------|------|-----|-------|-----|-----------------------|------------------------------------------------------------------------------------------------------------------------|--------------------------|
| 12.3. Bioaccumulative potential: | BCF | | -1,38 | | | | Low |
| 12.4. Mobility in soil: | Koc | | 191 | | | | calculated value |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance |
| Toxicity to bacteria: | EC50 | 16h | >10 | g/l | Pseudomonas putida | DIN 38412 T.8 | Substance |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

œ

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

07 06 01 aqueous washing liquids and mother liquors

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled. Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

| General statements | n.a. |
|-------------------------------------|----------------|
| Transport by road/by rail (ADR/RID) | n.a. |
| 14.2. UN proper shipping name: | |
| 14.3. Transport hazard class(es): | n.a. |
| 14.4. Packing group: | n.a. |
| Classification code: | n.a. |
| LQ: | n.a. |
| 14.5. Environmental hazards: | Not applicable |
| Tunnel restriction code: | |
| Transport by sea (IMDG-code) | |
| 14.2. UN proper shipping name: | |
| 14.3. Transport hazard class(es): | n.a. |
| 14.4. Packing group: | n.a. |
| Marine Pollutant: | n.a |
| 14.5. Environmental hazards: | Not applicable |
| Transport by air (IATA) | |
| 14.2. UN proper shipping name: | |
| 14.3. Transport hazard class(es): | n.a. |
| 14.4. Packing group: | n.a. |



Page 12 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 27.05.2020 / 0015 Replacing version dated / version: 20.03.2019 / 0014 Valid from: 27.05.2020 PDF print date: 28.05.2020 Felgen Reiniger Spezial 1 L Art.: 1597

14.5. Environmental hazards:

ആ

Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)! Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)! Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): REGULATION (EC) No 648/2004

less than 5 % anionic surfactants

perfumes LIMONENE CITRAL

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections: 1 These details refer to the product as it is delivered. Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

| Classification in accordance with regulation | Evaluation method used |
|----------------------------------------------|----------------------------------------------------|
| (EC) No. 1272/2008 (CLP) | |
| Acute Tox. 4, H302 | Classification according to calculation procedure. |
| Skin Sens. 1, H317 | Classification according to calculation procedure. |

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3). H290 May be corrosive to metals. H301 Toxic if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects. Acute Tox. — Acute toxicity - oral Skin Sens. — Skin sensitization Met. Corr. — Substance or mixture corrosive to metals

Met. Corr. — Substance or mixture corrosive to metals Acute Tox. — Acute toxicity - dermal Skin Irrit. — Skin irritation Eye Dam. — Serious eye damage Aquatic Chronic — Hazardous to the aquatic environment - chronic < 0,1 %



Page 13 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 27.05.2020 / 0015 Replacing version dated / version: 20.03.2019 / 0014 Valid from: 27.05.2020 PDF print date: 28.05.2020 Felgen Reiniger Spezial 1 L Art.: 1597

അ

Any abbreviations and acronyms used in this document:

according, according to acc., acc. to Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the ADR International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BSEF The International Bromine Council body weight bw CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level dry weight dw for example (abbreviation of Latin 'exempli gratia'), for instance e.g. European Community EC ECHA European Chemicals Agency EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances **European Norms** FN EPA United States Environmental Protection Agency (United States of America) etc. et cetera EU **European Union** EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number gen. general Globally Harmonized System of Classification and Labelling of Chemicals GHS GWP Global warming potential IARC International Agency for Research on Cancer International Air Transport Association IATA IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods incl. including, inclusive IUCLID International Uniform Chemical Information Database Limited Quantities 10 MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. not available n.av. not checked n.c. n.d.a. no data available OECD Organisation for Economic Co-operation and Development organic org. PBT persistent, bioaccumulative and toxic ΡE Polyethylene PNEC Predicted No Effect Concentration parts per million ppm **PVC** Polyvinylchloride REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern



Page 14 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 27.05.2020 / 0015 Replacing version dated / version: 20.03.2019 / 0014 Valid from: 27.05.2020 PDF print date: 28.05.2020 Felgen Reiniger Spezial 1 L Art.: 1597

Tel. Telephone UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wet weight wwt

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

œ

These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.