Valvoline	Page: 1
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS\_GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Tectyl® MULTIPURPOSE WATERBASED

**RUST PREVENTATIVE** 

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Corrosion inhibitor

1.3 Details of	the suppl	lier of th	he saf	ety data
sheet				

Ellis Enterprises B.V., an affiliate of Valvoline

Wieldrechtseweg 39 3316 BG Dordrecht

Netherlands

+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person

## 1.4 Emergency telephone number

00-800-825-8654 / 001-859-202-3865, or contact your local emergency telephone number at 112

## **Product Information**

+31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person

SDS@valvoline.com

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1 H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

<b>Valvoline</b>	Page: 2
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

Hazard pictograms





Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements : P101 If medical advice is needed, have product

container or label at hand.

P102 Keep out of reach of children.

Prevention:

P210 Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other

ignition source.

P251 Do not pierce or burn, even after use.

Storage:

P410 + P412 Protect from sunlight. Do not expose to

temperatures exceeding 50 °C/ 122 °F.

#### **Additional Labelling:**

EUH208 Contains Cobalt bis(2-ethylhexanoate). May produce an allergic reaction.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Additional advice

No information available.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

## **Hazardous components**

Chemical name	CAS-No.	Classification	Concentration (%)
	EC-No.	(REGULATION (EC)	
	Registration number	No 1272/2008)	
2-butoxyethanol	111-76-2	Acute Tox.4; H302	>= 10,00 - < 15,00
	203-905-0	Acute Tox.4; H332	
	01-2119475108-36-xxxx	Acute Tox.3; H311	

Valvoline	Page: 3
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

		Skin Irrit.2; H315 Eye Irrit.2; H319			
Butan-2-ol	78-92-2 201-158-5	Flam. Liq.3; H226 Eye Irrit.2; H319 STOT SE3; H336 STOT SE3; H335	>= 1,00 - < 2,50		
1-Butoxypropan-2-ol	5131-66-8 225-878-4	Flam. Liq.3; H226 Skin Irrit.2; H315 Eye Irrit.2; H319	>= 1,00 - < 2,50		
Ammonia, aqueous solution	1336-21-6 215-647-6	Acute Tox.4; H302 Skin Corr.1B; H314 STOT SE3; H335 Aquatic Acute1; H400 Aquatic Chronic2; H411	>= 0,10 - < 0,25		
Cobalt bis(2- ethylhexanoate)	136-52-7 205-250-6	Eye Irrit.2; H319 Skin Sens.1A; H317 Repr.1B; H360F	>= 0,00 - < 0,10		
Substances with a workplace exposure limit :					
dimethyl ether	115-10-6 204-065-8 01-2119472128-37-0005	Flam. Gas1; H220 Press. GasLiquefied gas; H280	>= 50,00 - < 60,00		

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If breathed in, move person into fresh air.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Remove contaminated clothing. If irritation develops, get

medical attention.

If on skin, rinse well with water.

Wash contaminated clothing before re-use.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses.

Valvoline	Page: 4
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

Protect unharmed eye.

If swallowed : Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

Risks : Causes skin irritation.

Causes serious eye irritation.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Water spray

Foam

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

## 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Never use welding or cutting torch on or near drum (even

empty) because product (even just residue) can ignite

explosively.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

: carbon dioxide and carbon monoxide

Hydrocarbons Aldehydes Ketones Organic acids

Valvoline	Page: 5
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

## 5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing

methods

: Product is compatible with standard fire-fighting agents.

Further information : Use a water spray to cool fully closed containers.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

> Remove all sources of ignition. Use personal protective equipment.

Ensure adequate ventilation.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Comply with all applicable federal, state, and local regulations.

### 6.2 Environmental precautions

**Environmental precautions** : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

### 6.3 Methods and material for containment and cleaning up

#### 6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling Open drum carefully as content may be under pressure.

Provide sufficient air exchange and/or exhaust in work rooms.

Do not breathe vapours/dust.

Do not smoke.

Container hazardous when empty.

Take precautionary measures against static discharges.

Avoid contact with skin and eyes.

<b>Valvoline</b>	Page: 6
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Advice on protection against

fire and explosion

: Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition. Use

only explosion-proof equipment.

Hygiene measures : Wash hands before breaks and at the end of workday. When

using do not eat or drink. When using do not smoke.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. No smoking.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
dimethyl ether	115-10-6	TWA	1.000 ppm 1.920 mg/m3	2000/39/EC
		TWA	400 ppm 766 mg/m3	GB EH40
		STEL	500 ppm 958 mg/m3	GB EH40
2-butoxyethanol	111-76-2	TWA	20 ppm 98 mg/m3	2000/39/EC
		STEL	50 ppm 246 mg/m3	2000/39/EC
		TWA	25 ppm	GB EH40

Valvoline	Page: 7
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

		STEL	50 ppm	GB EH40
Butan-2-ol	78-92-2	TWA	100 ppm 308 mg/m3	GB EH40
		STEL	150 ppm 462 mg/m3	GB EH40
Cobalt bis(2- ethylhexanoate)	136-52-7	TWA	0,1 mg/m3 (Cobalt)	GB EH40

### **Biological occupational exposure limits**

Substance name	CAS-No.	Control parameters	Sampling time	Basis
ETHYLENE GLYCOL	111-76-2	butoxyacetic acid:	After shift	GB EH40
MONOBUTYL ETHER		240		BAT
		Millimoles per mole		
		Creatinine		
		(Urine)		

## Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

dimethyl ether : End Use: Workers

**Exposure routes: Inhalation** 

Potential health effects: Long-term systemic effects

Value: 1894 mg/m3 End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 471 mg/m3

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

### 8.2 Exposure controls

#### **Engineering measures**

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

### Personal protective equipment

Valvoline	Page: 8
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

Eye protection : Wear chemical splash goggles when there is the potential for

exposure of the eyes to liquid, vapor or mist.

Hand protection

Remarks : butyl-rubber

The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Wear as appropriate:

Impervious clothing

Safety shoes

Flame-resistant clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place. Discard gloves that show tears, pinholes, or signs of wear.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance : aerosol

Colour : transparent

Odour : No data available

Odour Threshold : No data available

pH : Not applicable

Melting point/freezing point : No data available

Boiling point/boiling range : No data available

Flash point : < 0 °C

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Valvoline	Page: 9
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : ca. 0,835 g/cm3 (20 °C)

Solubility(ies)

Water solubility : partly soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

9.2 Other information

Self-ignition : No data available

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No decomposition if stored and applied as directed.

## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Do not allow evaporation to dryness.

Exposure to air or moisture over prolonged periods.

Valvoline	Page: 10
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

## 10.5 Incompatible materials

Materials to avoid : Acids

aluminium hydride

Amines Ammonia Bases

Carbon monoxide

chlorates Chlorine halogens

lithium aluminum hydride

peroxides

salts of strong bases

strong alkalis

Strong oxidizing agents

## 10.6 Hazardous decomposition products

Hazardous decomposition

products

: No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Information on likely routes of : Inhalation

exposure

: Inhalation Skin contact

Eye Contact Ingestion

#### **Acute toxicity**

Not classified based on available information.

## Product:

Acute oral toxicity : Acute toxicity estimate : > 2.000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 2.000 mg/kg

Method: Calculation method

#### **Components:**

#### ETHYLENE GLYCOL MONOBUTYL ETHER:

Valvoline	Page: 11
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

Acute oral toxicity : LD50 (Guinea pig): 1.200 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2,17 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The component/mixture is classified as acute

inhalation toxicity, category 4.

Acute dermal toxicity : LD50 (Rabbit): 400 - 500 mg/kg

## Components:

## **BUTYL ALCOHOL SECONDARY:**

Acute oral toxicity : LD50 (Rat): 2.193 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2 g/kg

Assessment: No adverse effect has been observed in acute

dermal toxicity tests.

Acute toxicity (other routes of : LD50 (Guinea pig): 1,1 g/kg

administration)

**Application Route: Intraperitoneal** 

LD50 (Hamster): 1,2 g/kg

**Application Route: Intraperitoneal** 

LD50 (Rat): 1,2 g/kg

Application Route: Intraperitoneal

LD50 (Mouse): 0,76 g/kg

Application Route: Intraperitoneal

LD50 (Rabbit): 0,28 g/kg

Application Route: Intraperitoneal

### Components:

#### PROPYLENE GLYCOL MONOBUTYL ETHER:

: LD50 (Rat): 2.500 mg/kg Acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 651 ppm

> Exposure time: 4 h Test atmosphere: vapour

Method: OECD Test Guideline 403

Assessment: No adverse effect has been observed in acute

inhalation toxicity tests.

: LD50 (Rat): > 2.000 mg/kg Acute dermal toxicity

Method: OECD Test Guideline 402

GLP: yes

Assessment: No adverse effect has been observed in acute

Valvoline	Page: 12
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

dermal toxicity tests.

## **Components:**

## AMMONIUM HYDROXIDE ((NH4)(OH)):

Acute oral toxicity : LD50 (Rat): 350 mg/kg

## **Components:**

## **COBALT 2-ETHYLHEXANOATE:**

Acute oral toxicity : LD50 (Rat, female): ca. 3.129 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 10 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Assessment: Not classified as acutely toxic by inhalation

under GHS.

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

### Components:

## **DIMETHYL ETHER:**

Acute inhalation toxicity : LC50 (Mouse): 494,36 mg/l

Exposure time: 15 min Test atmosphere: gas

LC50 (Mouse): 385,94 mg/l Exposure time: 30 min Test atmosphere: gas

LC50 (Rat): 164000 ppm Exposure time: 4 h Test atmosphere: gas

#### Skin corrosion/irritation

Causes skin irritation.

### **Product:**

Result: Repeated exposure may cause skin dryness or cracking.

Remarks: May cause skin irritation and/or dermatitis.

### **Components:**

### ETHYLENE GLYCOL MONOBUTYL ETHER:

Species: Rabbit

Result: Irritating to skin.

### **BUTYL ALCOHOL SECONDARY:**

Valvoline	Page: 13
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

Result: Slight, transient irritation

#### PROPYLENE GLYCOL MONOBUTYL ETHER:

Result: Irritating to skin.

## AMMONIUM HYDROXIDE ((NH4)(OH)):

Result: Corrosive to skin

#### **COBALT 2-ETHYLHEXANOATE:**

Result: No skin irritation

## Serious eye damage/eye irritation

Causes serious eye irritation.

#### **Product:**

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin., Causes serious eye irritation.

#### **Components:**

#### ETHYLENE GLYCOL MONOBUTYL ETHER:

Species: Rabbit

Result: Irritating to eyes.

#### **BUTYL ALCOHOL SECONDARY:**

Result: Irritating to eyes.

## PROPYLENE GLYCOL MONOBUTYL ETHER:

Result: Irritating to eyes.

### AMMONIUM HYDROXIDE ((NH4)(OH)):

Result: Corrosive

## **COBALT 2-ETHYLHEXANOATE:**

Species: Rabbit

Method: OECD Test Guideline 405

Result: Irritating to eyes.

### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

## **Components:**

#### ETHYLENE GLYCOL MONOBUTYL ETHER:

Test Type: Maximisation Test

Species: Guinea pig

Assessment: Does not cause skin sensitisation.

Method: OECD Test Guideline 406

<b>Valvoline</b>	Page: 14
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

#### PROPYLENE GLYCOL MONOBUTYL ETHER:

Species: Guinea pig

Assessment: Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 406

### **COBALT 2-ETHYLHEXANOATE:**

Test Type: Local lymph node assay

Species: Mouse

Assessment: The product is a skin sensitiser, sub-category 1A.

Method: OECD Test Guideline 429

Remarks: Information given is based on data obtained from similar substances.

#### **DIMETHYL ETHER:**

Remarks: Not applicable

## Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

### ETHYLENE GLYCOL MONOBUTYL ETHER:

Genotoxicity in vitro : Test Type: Ames test

Test species: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

## PROPYLENE GLYCOL MONOBUTYL ETHER:

Genotoxicity in vitro : Test Type: Ames test

Test species: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

### **COBALT 2-ETHYLHEXANOATE:**

Genotoxicity in vitro : Test Type: Ames test

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Result: negative

### **DIMETHYL ETHER:**

Genotoxicity in vitro : Test Type: Ames test

Result: negative

: Test Type: Chromosome aberration test in vitro

Result: negative

: Test Type: In vitro mammalian cell gene mutation test

Result: negative

Valvoline	Page: 15
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

: Test Type: unscheduled DNA synthesis assay

Result: negative

Genotoxicity in vivo : Test species: Drosophila melanogaster (vinegar fly)

Result: negative

### Carcinogenicity

Not classified based on available information.

#### Components:

#### **DIMETHYL ETHER:**

Species: Rat

Application Route: inhalation (vapour)

NOAEL: No observed adverse effect level: 47,106 mg/l

Result: negative

## Reproductive toxicity

Not classified based on available information.

### **Components:**

## **COBALT 2-ETHYLHEXANOATE:**

Reproductive toxicity - : Clear evidence of adverse effects on sexual function and

Assessment fertility, based on animal experiments.

#### **DIMETHYL ETHER:**

Effects on fertility : Application Route: inhalation (gas)

Result: Animal testing did not show any effects on fertility.

Effects on foetal : Application Route: inhalation (vapour) development : Method: OECD Test Guideline 414

Method: OECD Test Guideline 414
Result: No teratogenic effects

GLP: yes

### STOT - single exposure

Not classified based on available information.

#### Components:

### **BUTYL ALCOHOL SECONDARY:**

Assessment: May cause respiratory irritation., May cause drowsiness or dizziness.

## AMMONIUM HYDROXIDE ((NH4)(OH)):

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

## STOT - repeated exposure

Not classified based on available information.

Valvoline	Page: 16
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

## Repeated dose toxicity

## **Components:**

## **DIMETHYL ETHER:**

Species: Rat

No observed adverse effect level: 47,106 g/m3

Application Route: inhalation (vapour)
Method: OECD Test Guideline 452

### **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

**Product:** 

Remarks: No data available

## **SECTION 12: Ecological information**

## 12.1 Toxicity

## **Components:**

2-butoxvethanol

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.474 mg/l

Exposure time: 96 h
Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 1.550 mg/l

Exposure time: 48 h
Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 911

mg/l

End point: Growth inhibition Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Toxicity to fish (Chronic

toxicity)

: NOEC: > 100 mg/l Exposure time: 21 d

Species: Danio rerio (zebra fish) Test Type: semi-static test

Method: OECD Test Guideline 204

<b>Valvoline</b>	Page:	17
SAFETY DATA SHEET	Revision Date: 26.09.20	)18
	Print Date: 12.02.20	)19
	SDS Number: 0000002263	369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version:	3.0
887111		

Butan-2-ol

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 3.380 - 3.990

mg/l

Exposure time: 96 h

Test Type: flow-through test

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1.859 - 7.143 mg/l

Exposure time: 48 h
Test Type: static test

1-Butoxypropan-2-ol

aquatic invertebrates

Toxicity to fish : LC50 (Guppy (Poecilia reticulata)): > 560 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 1.000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): >

1.000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

GLP: yes

Ammonia, aqueous solution

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8,5 mg/l

Exposure time: 96 h

Cobalt bis(2-ethylhexanoate)

M-Factor (Short-term (acute) :

aquatic hazard)

: 1

**Ecotoxicology Assessment** 

Short-term (acute) aquatic

hazard

: Acute aquatic toxicity Category 1

Long-term (chronic) aquatic

hazard

: Chronic aquatic toxicity Category 3

dimethyl ether

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 4,1 g/l

Exposure time: 96 h

Test Type: semi-static test

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other : EC50 (Daphnia magna Straus): > 4,4 g/l

Valvoline	Page: 18
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

aquatic invertebrates Exposure time: 48 h

Test Type: static test

Remarks: No toxicity at the limit of solubility

Toxicity to algae : EC50 : 155 mg/l

Exposure time: 96 h Remarks: QSAR

Toxicity to bacteria : EC10 (Pseudomonas putida): > 1.600 mg/l

### 12.2 Persistence and degradability

## Components:

2-butoxyethanol

Biodegradability : Result: Readily biodegradable.

Biodegradation: 90,4 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Butan-2-ol

Biochemical Oxygen : Biochemical oxygen demand within 5 days

Demand (BOD) 2,15 g/kg

Chemical Oxygen Demand

(COD)

2,49 g/kg

1-Butoxypropan-2-ol

Biodegradability : Result: Readily biodegradable.

Biodegradation: 90 % Exposure time: 28 d

Method: OECD Test Guideline 301E

Cobalt bis(2-ethylhexanoate)

Biodegradability : Result: Readily biodegradable.

Biodegradation: 60 % Exposure time: 10 d

Method: OECD Test Guideline 301B

dimethyl ether

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Concentration: 2 mg/l

Result: Not readily biodegradable.

Biodegradation: 5 %

Method: OECD Test Guideline 301D

Remarks: According to the results of tests of biodegradability

this product is not readily biodegradable.

Valvoline	Page: 19
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

## 12.3 Bioaccumulative potential

## **Components:**

2-butoxyethanol

Partition coefficient: n- : log Pow: 0,83

octanol/water

Butan-2-ol

Partition coefficient: n- : log Pow: 0,61

octanol/water

dimethyl ether

Partition coefficient: n- : log Pow: 0,10

octanol/water

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

**Components:** 

dimethyl ether

Assessment : This substance is not considered to be very persistent and

very bioaccumulating (vPvB).. This substance is not

considered to be persistent, bioaccumulating and toxic (PBT)..

#### 12.6 Other adverse effects

**Product:** 

Additional ecological

information

: No data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Valvoline	Page: 20
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

## **SECTION 14: Transport information**

## 14.1 UN number

ADN : UN 1950
ADR : UN 1950
RID : UN 1950
IMDG : UN 1950
IATA : UN 1950

## 14.2 UN proper shipping name

ADN : AEROSOLS
ADR : AEROSOLS
RID : AEROSOLS
IMDG : AEROSOLS
IATA : AEROSOLS

## 14.3 Transport hazard class(es)

ADN : 2
ADR : 2
RID : 2
IMDG : 2.1
IATA : 2.1

## 14.4 Packing group

# ADN

Packing group : Not assigned by regulation

Classification Code : 5F Labels : 2.1

## **ADR**

Packing group : Not assigned by regulation

Classification Code : 5F Labels : 2.1 Tunnel restriction code : (D)

Valvoline.	Page: 21
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

RID

Packing group : Not assigned by regulation

Classification Code : 5F
Hazard Identification Number : 23
Labels : 2.1

**IMDG** 

Packing group : Not assigned by regulation

Labels : 2.1 EmS Code : F-D, S-U

IATA (Cargo)

Packing instruction (cargo : 203

aircraft)

Packing instruction (LQ) : Y203

Packing group : Not assigned by regulation

Labels : Flammable gas

IATA (Passenger)

Packing instruction : 203

(passenger aircraft)

Packing instruction (LQ) : Y203

Packing group : Not assigned by regulation

Labels : Flammable gas

#### 14.5 Environmental hazards

**ADN** 

Environmentally hazardous : no

**ADR** 

Environmentally hazardous : no

rid

Environmentally hazardous : no

**IMDG** 

Marine pollutant : no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

Valvoline	Page: 22
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

## **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1005/2009 on substances that : Not applicable

deplete the ozone layer

Regulation (EC) No 850/2004 on persistent organic

pollutants

: Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

: Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 57).

: Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and

import of dangerous chemicals

: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

P3a FLAMMABLE AEROSOLS 150 t 500 t

Volatile organic compounds : Directive 2004/42/EC

Volatile organic compounds (VOC) content: 525 g/l

Other regulations : Young people under 18 years old are not allowed to work with

this product according to the EU Directive 94/33/EC on the

protection of young people at work.

## The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS Not in compliance with the inventory

ENCS Not in compliance with the inventory

KECI On the inventory, or in compliance with the inventory

PICCS Not in compliance with the inventory

Valvoline	Page: 23
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

IECSC On the inventory, or in compliance with the inventory

TCSI Not in compliance with the inventory

TSCA On TSCA Inventory

#### **Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

### 15.2 Chemical safety assessment

No data available

### **SECTION 16: Other information**

### **Further information**

Revision Date: 26.09.2018

#### **Full text of H-Statements**

H220	Extremely flammable gas.
H226	Flammable liquid and vapour.
LICON	Cantaina naa'undar nraaaurau

**H280** Contains gas under pressure; may explode if heated.

H302 Harmful if swallowed.H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

**H315** Causes skin irritation.

**H317** May cause an allergic skin reaction.

**H319** Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.H336 May cause drowsiness or dizziness.

H360F May damage fertility. **H400** Very toxic to aquatic life.

**H411** Toxic to aquatic life with long lasting effects.

Other information : The information accumulated herein is believed to be accurate

but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department

('+31 (0)78 654 3500).

23 / 25

<b>Valvoline</b>	Page: 24
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

Sources of key data used to compile the Safety Data Sheet Valvoline internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet:

ACGIH: American Conference of Industrial Hygienists

BEI: Biological Exposure Index

CAS: Chemical Abstracts Service (Division of the American Chemical Society).

CMR: Carcinogenic, Mutagenic or Toxic for Reproduction

FG: Food grade

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization

ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"

IMDG: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

logPow: octanol-water partition coefficient

LCxx: Lethal Concentration, for xx percent of test population

LDxx: Lethal Dose, for xx percent of test population. ICxx: Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit
P-Statement : Precautionary Statement
PBT : Persistent , Bioaccumulative and Toxic

PPE: Personal Protective Equipment STEL: Short-term exposure limit STOT: Specific Target Organ Toxicity

TLV: Threshold Limit Value TWA: Time-weighted average

vPvB: Very Persistent and Very Bioaccumulative

WEL: Workplace Exposure Level

ABM: Water Hazard Class for the Netherlands

ADR: Agreement concerning the International Carriage of Dangerous Goods by Road.

ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine

CLP: Classification, Labelling and Packaging

CSA: Chemical Safety Assessment CSR: Chemical Safety Report

<b>Valvoline</b>	Page: 25
SAFETY DATA SHEET	Revision Date: 26.09.2018
	Print Date: 12.02.2019
	SDS Number: 000000226369
Tectyl® MULTIPURPOSE WATERBASED RUST PREVENTATIVE	Version: 3.0
887111	

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

ELINCS: European List of Notified Chemical Substances

PEC : Predicted Effect Concentration PEL : Permissible Exposure Limits

PNEC: Predicted No Effect Concentration

R-phrase: Risk phrase

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals RID: Regulation Concerning the International Transport of Dangerous Goods by Rail

S-phrase: Safety phrase

WGK: German Water Hazard Class