

Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-06-08

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Alternative number(s)

California Scents Car Scents Fresh Linen

76389000853049, 091400041540, 091400041595, 7638900850406, 7638900850314, 091400039929, 7638900435207, 7638900435122, 7638900435016, 091400039912, 7638900853049, 091400039899

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Consumer uses: Air Freshener

1.3 Details of the supplier of the safety data sheet

Energizer Trading Ltd. Sword House Totteridge Road High Wycombe HP13 6DG United Kingdom

Telephone: +44(0)88000353376 e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service

This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

Poison centre		
Name	Postal code/city	Telephone
UK poison centre		Product information has been sub- mitted to the UK National Poisons Information Service (NPIS) and is accessible to medical health pro- fessionals.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2)

Revision: 2022-06-08

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.4S	skin sensitisation	1	Skin Sens. 1	H317
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

- Signal word warning
- Pictograms

GHS07, GHS09



- Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.

- Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash hands thoroughly after handling.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P391	Collect spillage.
P501	Dispose of contents/container in accordance with national regulations.

- Hazardous ingredients for labelling

Patchouli ethanone, Dorisyl, Orange Terpenes, 2,4dimethylcyclohex-3-ene-1-carbaldehyde, Linalyl acetate

2.3 Other hazards

This material is combustible, but will not ignite readily.



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-06-08

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Patchouli ethanone	CAS No 54464-57-2	10-<25	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Aquatic Chronic 1 / H410	
Hexamethylindanopyran	CAS No 1222-05-5	5 - < 10	Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	
Methyl Ionone	CAS No 127-42-4	5 - < 10	Aquatic Chronic 2 / H411	Ł
Dorisyl	CAS No 32210-23-4	5 - < 10	Skin Sens. 1B / H317	()
Terpineol	CAS No 8000-41-7	5-<10	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319	(1)
Orange Terpenes	nge Terpenes CAS No 1 – < 5 68647-72-3 8028-48-6		Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	
Tricyclodecenyl propionate	CAS No 17511-60-3	1 - < 5	Eye Irrit. 2 / H319 Aquatic Chronic 2 / H411	
2-t-Butylcyclohexyl Acetate	CAS No 88-41-5	1-<5	Aquatic Chronic 2 / H411	
Benzyl acetate	CAS No 140-11-4	1 - < 5	Aquatic Chronic 3 / H412	
methyl 2-naphthyl ether	CAS No 93-04-9	1-<5	Eye Irrit. 2 / H319 Aquatic Chronic 2 / H411	
Anisic Aldehyde	CAS No 123-11-5	1 - < 5	Aquatic Chronic 3 / H412	
Aldehyde C-11	CAS No 112-45-8	1-<5	Skin Irrit. 2 / H315 Aquatic Chronic 2 / H411	



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-06-08

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Linalyl acetate	CAS No 115-95-7	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	(!)
2,4-dimethylcyclohex-3- ene-1-carbaldehyde	CAS No 68039-49-6	<1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Aquatic Chronic 2 / H411	(!)

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-06-08

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-06-08

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
GB	cellulose	9004-34- 6	WEL		10		20			i	EH40/ 2005
GB	cellulose	9004-34- 6	WEL		4					r	EH40/ 2005

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur i inhalable fraction r_____ respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours timeweighted average (unless otherwise specified)



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2)

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos-	Used in	Exposure tim
Stante		point		ure		
Hexamethylindan- opyran	1222-05-5	DNEL	13.5 mg/m ³	human, inhalatory	worker (industry)	chronic - system effects
Hexamethylindan- opyran	1222-05-5	DNEL	36.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Terpineol	8000-41-7	DNEL	44.8 mg/m ³	human, inhalatory	worker (industry)	chronic - system effects
Terpineol	8000-41-7	DNEL	6.35 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Orange Terpenes	68647-72-3 8028-48-6	DNEL	31.1 mg/m ³	human, inhalatory	worker (industry)	chronic - system effects
Orange Terpenes	68647-72-3 8028-48-6	DNEL	8.89 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Orange Terpenes	68647-72-3 8028-48-6	DNEL	185.8 µg/ cm²	human, dermal	worker (industry)	acute - local effe
Anisic Aldehyde	123-11-5	DNEL	5.88 mg/m ³	human, inhalatory	worker (industry)	chronic - system effects
Anisic Aldehyde	123-11-5	DNEL	3.33 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Benzyl acetate	140-11-4	DNEL	12.5 mg/kg	human, dermal	worker (industry)	acute - systemic fects
Benzyl acetate	140-11-4	DNEL	43.8 mg/m ³	human, inhalatory	worker (industry)	acute - systemic fects
Benzyl acetate	140-11-4	DNEL	9 mg/m ³	human, inhalatory	worker (industry)	chronic - system effects
Benzyl acetate	140-11-4	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Aldehyde C-11	112-45-8	DNEL	16.4 mg/m ³	human, inhalatory	worker (industry)	chronic - system effects
Aldehyde C-11	112-45-8	DNEL	4.67 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
methyl 2-naphthyl ether	93-04-9	DNEL	6.17 mg/m ³	human, inhalatory	worker (industry)	chronic - system effects
methyl 2-naphthyl ether	93-04-9	DNEL	1.75 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Linalyl acetate	115-95-7	DNEL	2.75 mg/m ³	human, inhalatory	worker (industry)	chronic - system



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2)

Relevant DNELs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time			
Linalyl acetate	115-95-7	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			
Linalyl acetate	115-95-7	DNEL	236.2 μg/ cm²	human, dermal	worker (industry)	chronic - local ef- fects			
Linalyl acetate	115-95-7	DNEL	236.2 μg/ cm²	human, dermal	worker (industry)	acute - local effects			

Relevant PNECs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time			
Hexamethylindan- opyran	1222-05-5	PNEC	6.8 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)			
Hexamethylindan- opyran	1222-05-5	PNEC	0.44 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)			
Hexamethylindan- opyran	1222-05-5	PNEC	1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)			
Hexamethylindan- opyran	1222-05-5	PNEC	2 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)			
Hexamethylindan- opyran	1222-05-5	PNEC	0.394 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)			
Hexamethylindan- opyran	1222-05-5	PNEC	1.5 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)			
Dorisyl	32210-23-4	PNEC	5.3 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)			
Dorisyl	32210-23-4	PNEC	0.53 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)			
Dorisyl	32210-23-4	PNEC	12.2 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)			
Dorisyl	32210-23-4	PNEC	2.01 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)			
Dorisyl	32210-23-4	PNEC	0.21 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)			
Dorisyl	32210-23-4	PNEC	66.67 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)			



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2)

Relevant PNECs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time		
Dorisyl	32210-23-4	PNEC	0.42 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		
Dorisyl	32210-23-4	PNEC	53 ^{µg} / _l	aquatic organ- isms	water	intermittent re- lease		
Terpineol	8000-41-7	PNEC	62 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)		
Terpineol	8000-41-7	PNEC	6.2 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)		
Terpineol	8000-41-7	PNEC	2.57 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
Terpineol	8000-41-7	PNEC	0.442 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
Terpineol	8000-41-7	PNEC	0.044 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)		
Terpineol	8000-41-7	PNEC	0.052 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		
Orange Terpenes	68647-72-3 8028-48-6	PNEC	5.77 ^{µg} / _l	aquatic organ- isms	water	intermittent re- lease		
Orange Terpenes	68647-72-3 8028-48-6	PNEC	5.4 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)		
Orange Terpenes	68647-72-3 8028-48-6	PNEC	0.54 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)		
Orange Terpenes	68647-72-3 8028-48-6	PNEC	2.1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
Orange Terpenes	68647-72-3 8028-48-6	PNEC	1.3 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
Orange Terpenes	68647-72-3 8028-48-6	PNEC	0.13 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)		
Orange Terpenes	68647-72-3 8028-48-6	PNEC	0.261 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		
Anisic Aldehyde	123-11-5	PNEC	811.1 ^{µg} / _l	aquatic organ- isms	water	intermittent re- lease		
Anisic Aldehyde	123-11-5	PNEC	13 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)		
Anisic Aldehyde	123-11-5	PNEC	1.3 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)		



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2)

Relevant PNECs of	Relevant PNECs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time			
Anisic Aldehyde	123-11-5	PNEC	8.5 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)			
Anisic Aldehyde	123-11-5	PNEC	0.06 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)			
Anisic Aldehyde	123-11-5	PNEC	0.006 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)			
Anisic Aldehyde	123-11-5	PNEC	0.004 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)			
Benzyl acetate	140-11-4	PNEC	0.04 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease			
Benzyl acetate	140-11-4	PNEC	0.018 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)			
Benzyl acetate	140-11-4	PNEC	0.002 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)			
Benzyl acetate	140-11-4	PNEC	8.55 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)			
Benzyl acetate	140-11-4	PNEC	0.526 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)			
Benzyl acetate	140-11-4	PNEC	0.053 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)			
Benzyl acetate	140-11-4	PNEC	0.094 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)			
Aldehyde C-11	112-45-8	PNEC	20.1 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)			
Aldehyde C-11	112-45-8	PNEC	2.01 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)			
Aldehyde C-11	112-45-8	PNEC	0.625 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)			
Aldehyde C-11	112-45-8	PNEC	94.5 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)			
Aldehyde C-11	112-45-8	PNEC	9.45 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)			
Aldehyde C-11	112-45-8	PNEC	18.9 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)			
methyl 2-naphthyl ether	93-04-9	PNEC	1.7 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)			



Г

California Scents Car Scents Fresh Linen

Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-06-08

5

Relevant PNECs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
methyl 2-naphthyl ether	93-04-9	PNEC	0.0114 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
methyl 2-naphthyl ether	93-04-9	PNEC	10.9 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
methyl 2-naphthyl ether	93-04-9	PNEC	1.09 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
methyl 2-naphthyl ether	93-04-9	PNEC	2.12 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
methyl 2-naphthyl ether	93-04-9	PNEC	0.212 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
methyl 2-naphthyl ether	93-04-9	PNEC	3.6 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.11 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Linalyl acetate	115-95-7	PNEC	0.011 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.001 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	1 ^{mg} /l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.609 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.061 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Linalyl acetate	115-95-7	PNEC	0.115 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-06-08

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material
- >120 minutes (permeation: level 4)
- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	cream
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	160 °C at 1,026 hPa
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	86 °C



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-06-08

Auto-ignition temperature	470 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	300 Pa at 20 °C
-----------------	-----------------

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)	
Other information		

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-06-08

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-06-08

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (chronic) of components of the mixture							
Name of substance	CAS No	Endpoint	Value	Species	Exposure time		
Hexamethylindan- opyran	1222-05-5	LC50	>0.14 ^{mg} / _l	fish	36 d		
Hexamethylindan- opyran	1222-05-5	EC50	0.282 ^{mg} / _l	aquatic invertebrates	21 d		
Dorisyl	32210-23-4	EC50	302 ^{mg} / _l	microorganisms	3 h		
Terpineol	8000-41-7	LC50	80 ^{mg} / _l	fish	24 h		
Orange Terpenes	68647-72-3 8028-48-6	EL50	1.4 ^{mg} / _l	aquatic invertebrates	24 h		
Anisic Aldehyde	123-11-5	LC50	1.47 ^{mg} / _l	aquatic invertebrates	21 d		
Anisic Aldehyde	123-11-5	EC50	1.22 ^{mg} / _l	aquatic invertebrates	21 d		
Benzyl acetate	140-11-4	EC50	855 ^{mg} / _l	microorganisms	3 h		
methyl 2-naphthyl eth- er	93-04-9	EC50	5.89 ^{mg} / _l	aquatic invertebrates	21 d		
Linalyl acetate	115-95-7	LC50	11.14 ^{mg} / _l	fish	20 h		

12.2 Persistence and degradability

Degradability of components of the mixture						
Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Hexamethyl- indanopyran	1222-05-5	carbon dioxide generation	1 %	28 d		ECHA
Dorisyl	32210-23-4	carbon dioxide generation	75 %	29 d		ECHA
Anisic Aldehyde	123-11-5	DOC removal	97 %	6 d		ECHA



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-06-08

Degradability of components of the mixture						
Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Benzyl acetate	140-11-4	carbon dioxide generation	100.9 %	28 d		ECHA
methyl 2-naph- thyl ether	93-04-9	oxygen deple- tion	50.38 %	28 d		ECHA
Linalyl acetate	115-95-7	oxygen deple- tion	≥0 – ≤10 %	1 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture							
Name of substance	CAS No	BCF	Log KOW	BOD5/COD			
Hexamethylindanopyran	1222-05-5	1,635	5.3 (pH value: 7, 25 °C)				
Dorisyl	32210-23-4	234	4.8 (25 °C)				
Terpineol	8000-41-7	24.13					
Orange Terpenes	68647-72-3 8028-48-6	32 - 156	2.78 - 4.88				
Anisic Aldehyde	123-11-5		1.56 (25 °C)				
Benzyl acetate	140-11-4	8	1.96 (pH value: 7, 25 °C)				
Aldehyde C-11	112-45-8		4.672				
methyl 2-naphthyl ether	93-04-9	90	3.318 (pH value: 5.9, 25 °C)				
Linalyl acetate	115-95-7	174	3.9 (25 °C)				
2,4-dimethylcyclohex-3-ene-1-car- baldehyde	68039-49-6		2.34				

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Information on this property is not available.



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-06-08

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECT	TON 14: Transport information	
14.1	UN number or ID number	
	ADR/RID	UN 3082
	IMDG-Code	UN 3082
	ICAO-TI	UN 3082
14.2	UN proper shipping name	
	ADR/RID	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI- QUID, N.O.S.
	IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI- QUID, N.O.S.
	ICAO-TI	Environmentally hazardous substance, liquid, n.o.s.
	Technical name (hazardous ingredients)	Patchouli ethanone, Hexamethylindanopyran
14.3	Transport hazard class(es)	
	ADR/RID	9
	IMDG-Code	9
	ICAO-TI	9
14.4	Packing group	
	ADR/RID	III
	IMDG-Code	III
	ICAO-TI	III



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2)

14.5 Environmental hazards

Environmentally hazardous substance (aquatic environment)

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following: DOT: 171.4(2) ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197, DOT

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Particulars in the transport document	UN3082, ENVIRONMENTALLY HAZARDOUS SUB- STANCE, LIQUID, N.O.S., (contains: Patchouli ethan- one, Hexamethylindanopyran), 9, III, (-)
Classification code	M6
Danger label(s)	9, fish and tree
Environmental hazards	Yes (hazardous to the aquatic environment)
Special provisions (SP)	274, 335, 375, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	-
Hazard identification No	90
Emergency Action Code	3Z
Regulations concerning the International Carriag information	e of Dangerous Goods by Rail (RID) - Additional
Classification code	M6
Danger label(s)	9, fish and tree

Revision: 2022-06-08

hazardous to the aquatic environment

Patchouli ethanone, Hexamethylindanopyran



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2)

A

Environmental hazards	Yes (hazardous to water)
Special provisions (SP)	274, 335, 375, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Hazard identification No	90
International Maritime Dangerous Goods Code (Il	MDG) - Additional information
Particulars in the shipper's declaration	UN3082, ENVIRONMENTALLY HAZARDOUS SUB- STANCE, LIQUID, N.O.S., (contains: Patchouli ethan- one, Hexamethylindanopyran), 9, III
Marine pollutant	YES (hazardous to the aquatic environment) (Patchouli ethanone)
Danger label(s)	9, fish and tree
Special provisions (SP)	274, 335, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-F
Stowage category	A
International Civil Aviation Organization (ICAO-IA	TA/DGR) - Additional information
Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, li- quid, n.o.s., (contains: Patchouli ethanone, Hexa- methylindanopyran), 9, III
Environmental hazards	Yes (hazardous to the aquatic environment)
Danger label(s)	9, fish and tree
Special provisions (SP)	A97, A158, A197, A215
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-06-08

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
Hexamethylindanopyran		a)	
Anisic Aldehyde		a)	

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
California Scents Car Scents Fresh Linen	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC		3
Orange Terpenes	flammable / pyrophoric		40



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-06-08

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

Legenu	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-06-08

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2		- Pictograms: change in the listing (table)	yes
2.2		- Hazard statements: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes
2.2	- Hazardous ingredients for labelling: Cyclamal, Linalool, 2,4-dimethylcyclohex-3-ene-1- carbaldehyde, Dodecanal	- Hazardous ingredients for labelling: Patchouli ethanone, Dorisyl, Orange Terpenes, 2,4-dimethylcyclohex-3-ene-1-carbaldehyde, Linalyl acetate	yes
2.2.1.7	Labelling of packages where the contents do not exceed 125 ml		yes
2.2.1.7	- Signal word: warning		yes
2.2.1.7		- Hazard pictogram(s): change in the listing (table)	yes
2.2.1.7		- Hazard statements: change in the listing (table)	yes
2.2.1.7		- Precautionary statements: change in the listing (table)	yes
2.2.1.7	- Contains: Cyclamal, Linalool, 2,4-dimethylcyclohex-3-ene-1- carbaldehyde, Dodecanal		yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.		yes
3.2		Description of the mixture: change in the listing (table)	yes
2.3	Other hazards	Other hazards: This material is combustible, but will not ignite readily.	yes
3.2		Description of the mixture: change in the listing (table)	yes



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
6.2	Environmental precautions: Keep away from drains, surface and ground wa- ter. Retain contaminated washing water and dis- pose of it.	Environmental precautions: Keep away from drains, surface and ground wa- ter. Retain contaminated washing water and dis- pose of it. If substance has entered a water course or sewer, inform the responsible author- ity.	yes
7.2		- Packaging compatibilities: Only packagings which are approved (e.g. acc. to ADR) may be used.	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
9.1	Colour: acc. to product description	Colour: cream	yes
9.1	Boiling point or initial boiling point and boiling range: 193 °C at 100.9 kPa	Boiling point or initial boiling point and boiling range: 160 °C at 1,026 hPa	yes
9.1	Flash point: >94 °C	Flash point: 86 °C	yes
9.1	Auto-ignition temperature: 250 °C (auto-ignition temperature (liquids and gases))	Auto-ignition temperature: 470 °C (auto-ignition temperature (liquids and gases))	yes
9.1	Vapour pressure: 10 kPa at 143.6 °C	Vapour pressure: 300 Pa at 20 °C	yes
9.1	Vapour density: this information is not available		yes
9.1	Relative vapour density: Information on this property is not available not relevant (liquid)	Relative vapour density: information on this property is not available	yes
9.1	Particle characteristics: no data available	Particle characteristics: not relevant (liquid)	yes
9.2	Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards):	Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant	yes
9.2	Other safety characteristics	Other safety characteristics: there is no additional information	yes
9.2	Temperature class (EU, acc. to ATEX): T3 (maximum permissible surface temperature on the equipment: 200°C)		yes



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
11.1	Acute toxicity: Shall not be classified as acutely toxic.GHS of the United Nations, annex 4: May be harmful if in- haled.	Acute toxicity: Shall not be classified as acutely toxic.	yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
11.1	Serious eye damage/eye irritation: Causes serious eye irritation.	Serious eye damage/eye irritation: Shall not be classified as seriously damaging to the eye or eye irritant.	yes
12.1	Toxicity: Harmful to aquatic life with long lasting effects.	Toxicity: Toxic to aquatic life with long lasting effects.	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
12.2		Degradability of components of the mixture: change in the listing (table)	yes
12.3		Bioaccumulative potential of components of the mixture: change in the listing (table)	yes
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Information on this property is not available.	yes
13.1	Waste treatment of containers/packagings: Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	Waste treatment of containers/packagings: It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	yes
14.1	UN number: not subject to transport regulations	UN number or ID number	yes
14.1		ADR/RID: UN 3082	yes
14.1		IMDG-Code: UN 3082	yes
14.1		ICAO-TI: UN 3082	yes
14.2	UN proper shipping name: not assigned	UN proper shipping name	yes
14.2		ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI- QUID, N.O.S.	yes



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.2		IMDG-Code: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI- QUID, N.O.S.	yes
14.2		ICAO-TI: Environmentally hazardous substance, liquid, n.o.s.	yes
14.2		Technical name (hazardous ingredients): Patchouli ethanone, Hexamethylindanopyran	yes
14.3	Transport hazard class(es): none	Transport hazard class(es)	yes
14.3		ADR/RID: 9	yes
14.3		IMDG-Code: 9	yes
14.3		ICAO-TI: 9	yes
14.4	Packing group: not assigned	Packing group	yes
14.4		ADR/RID: III	yes
14.4		IMDG-Code: III	yes
14.4		ICAO-TI: III	yes
14.5	Environmental hazards: non-environmentally hazardous acc. to the dan- gerous goods regulations	Environmental hazards: hazardous to the aquatic environment	yes
14.5		Environmentally hazardous substance (aquatic environment): Patchouli ethanone, Hexamethylindanopyran	yes
14.6	Special precautions for user: There is no additional information.	Special precautions for user: Provisions for dangerous goods (ADR) should be complied within the premises.	yes
14.7	Information for each of the UN Model Regula- tions: DOT	Information for each of the UN Model Regula- tions: Not regulated when carried in single or combina- tion packaging containing a net quantity of 5L or less or 5 kg or less per the following: DOT: 171.4(2) ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197, DOT	yes



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.7	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional in- formation: not assigned	Agreement concerning the International Car- riage of Dangerous Goods by Road (ADR) - Addi- tional information	yes
14.7		Particulars in the transport document: UN3082, ENVIRONMENTALLY HAZARDOUS SUB- STANCE, LIQUID, N.O.S., (contains: Patchouli eth- anone, Hexamethylindanopyran), 9, III, (-)	yes
14.7		Classification code: M6	yes
14.7		Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Environmental hazards: yes (hazardous to the aquatic environment)	yes
14.7		Special provisions (SP): 274, 335, 375, 601	yes
14.7		Excepted quantities (EQ): E1	yes
14.7		Limited quantities (LQ): 5 L	yes
14.7		Transport category (TC): 3	yes
14.7		Tunnel restriction code (TRC): -	yes
14.7		Hazard identification No: 90	yes
14.7		Emergency Action Code: 3Z	yes
14.7		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID) - Addition- al information	yes
14.7		Classification code: M6	yes
14.7		Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes



Revision: 2022-06-08

Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.7		Environmental hazards: yes (hazardous to water)	yes
14.7		Special provisions (SP): 274, 335, 375, 601	yes
14.7		Excepted quantities (EQ): E1	yes
14.7		Limited quantities (LQ): 5 L	yes
14.7		Transport category (TC): 3	yes
14.7		Hazard identification No: 90	yes
14.7	International Maritime Dangerous Goods Code (IMDG) - Additional information: Not subject to IMDG.	International Maritime Dangerous Goods Code (IMDG) - Additional information	yes
14.7		Particulars in the shipper's declaration: UN3082, ENVIRONMENTALLY HAZARDOUS SUB- STANCE, LIQUID, N.O.S., (contains: Patchouli eth- anone, Hexamethylindanopyran), 9, III	yes
14.7		Marine pollutant: yes (hazardous to the aquatic environment) (Patchouli ethanone)	yes
14.7		Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Special provisions (SP): 274, 335, 969	yes
14.7		Excepted quantities (EQ): E1	yes
14.7		Limited quantities (LQ): 5 L	yes
14.7		EmS: F-A, S-F	yes
14.7		Stowage category: A	yes
14.7	International Civil Aviation Organization (ICAO- IATA/DGR) - Additional information: Not subject to ICAO-IATA.	International Civil Aviation Organization (ICAO- IATA/DGR) - Additional information	yes



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.7		Particulars in the shipper's declaration: UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: Patchouli ethanone, Hexa- methylindanopyran), 9, III	yes
14.7		Environmental hazards: yes (hazardous to the aquatic environment)	yes
14.7		Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Special provisions (SP): A97, A158, A197, A215	yes
14.7		Excepted quantities (EQ): E1	yes
14.7		Limited quantities (LQ): 30 kg	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list: none of the ingredients are listed		yes
15.1	Water Framework Directive (WFD): none of the ingredients are listed	Water Framework Directive (WFD)	yes
15.1		List of pollutants (WFD): change in the listing (table)	yes
15.1		Regulation on the marketing and use of explos- ives precursors: none of the ingredients are listed	yes
15.1		Regulation on drug precursors: none of the ingredients are listed	yes
15.1		Regulation on persistent organic pollutants (POP): None of the ingredients are listed.	yes
15.1		National regulations (GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: none of the ingredients are listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-06-08

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-06-08

Abbr.	Descriptions of used abbreviations
Flam. Liq.	Flammable liquid
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).



Version number: GHS 3.0 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-06-08

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.