

Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Alternative number(s)

California Scents Palms Monterey Vanilla

091400039332, 091400039479

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Consumer uses: Air Freshener

1.3 Details of the supplier of the safety data sheet

Energizer Trading Ltd. Sword House Totteridge Road High Wycombe HP13 6DG United Kingdom

Telephone: +44(0)88000353376 e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service

This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

Poison centre		
Name	Postal code/city	Telephone
UK poison centre		Product information has been sub- mitted to the UK National Poisons Information Service (NPIS) and is accessible to medical health pro- fessionals.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
3.4S	skin sensitisation	1	Skin Sens. 1	H317
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16.



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

- Labelling
- Signal word warning
- Pictograms

GHS07

- Hazard statements H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.
- Precautionary stater	nents
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with national regulations.

- Hazardous ingredients for labelling

allyl 3-cyclohexylpropionate, Coumarin, Aldehyde C-16, Linalool, 3,7-dimethylnona-1,6-dien-3-ol

2.3 Other hazards

of no significance

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
(2- methoxymethylethoxy)pro panol	CAS No 34590-94-8 EC No 252-104-2	1-<5		



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7)

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Benzyl benzoate	CAS No 120-51-4 EC No 204-402-9 Index No 607-085-00-9	1-<5	Acute Tox. 4 / H302 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411	<u>!</u>
allyl 3-cyclohexylpropion- ate	CAS No 2705-87-5 EC No 220-292-5	1-<5	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Skin Sens. 1B / H317 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411	
Coumarin	CAS No 91-64-5 EC No 202-086-7	1-<5	Acute Tox. 4 / H302 Skin Sens. 1 / H317 Aquatic Chronic 3 / H412	()
2-t-Butylcyclohexyl Acetate	CAS No 88-41-5 EC No 201-828-7	1-<5	Aquatic Chronic 2 / H411	× ×
Allyl Caproate	CAS No 123-68-2 EC No 204-642-4	1-<5	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Aquatic Acute 1 / H400 Aquatic Chronic 3 / H412	
Allyl heptanoate	CAS No 142-19-8 EC No 205-527-1	1-<5	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Aquatic Acute 1 / H400 Aquatic Chronic 3 / H412	
Aldehyde C-16	CAS No 77-83-8 EC No 201-061-8	<1	Skin Sens. 1B / H317 Aquatic Chronic 2 / H411	
Undecan-2-one	CAS No 112-12-9 EC No 203-937-5	<1	Skin Irrit. 2 / H315 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	
3,7-dimethylnona-1,6-dien- 3-ol	CAS No 10339-55-6 EC No 233-732-6	<1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Linalool	CAS No 78-70-6	< 1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	
	EC No 201-134-4			•
	Index No 603-235-00-2			

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Benzyl benzoate	-	-	500 ^{mg} / _{kg}	oral
allyl 3-cyclohexylpropion- ate	-	-	500 ^{mg} / _{kg} 1,600 ^{mg} / _{kg}	oral dermal
Coumarin	-	-	500 ^{mg} / _{kg}	oral
Allyl Caproate	-	-	100 ^{mg} / _{kg} 820 ^{mg} / _{kg} 3 ^{mg} / _l /4h	oral dermal inhalation: vapour
Allyl heptanoate	-	-	218 ^{mg} / _{kg} 810 ^{mg} / _{kg}	oral dermal

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water, Foam, ABC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
EU	(2-methoxy- methylethoxy)pr opanol	34590- 94-8	IOELV	50	308					Н	2000/ 39/EC
GB	(2-methoxy- methylethoxy)pr opanol	34590- 94-8	WEL	50	308						EH40/ 2005
GB	cellulose	9004-34- 6	WEL		10		20			i	EH40/ 2005
GB	cellulose	9004-34- 6	WEL		4					r	EH40/ 2005



Safety Data Sheet acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Palms Monterey Vanilla

Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
Н	absorbed through the skin
i	inhalable fraction
r	respirable fraction
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period
	(unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time- weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

	•					
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Benzyl benzoate	120-51-4	DNEL	14.1 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Benzyl benzoate	120-51-4	DNEL	70.5 mg/m ³	human, inhalatory	worker (industry)	acute - systemic ef- fects
Benzyl benzoate	120-51-4	DNEL	4 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
(2-methoxymethyl- ethoxy)propanol	34590-94-8	DNEL	308 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
(2-methoxymethyl- ethoxy)propanol	34590-94-8	DNEL	283 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
allyl 3-cyclohexylpro- pionate	2705-87-5	DNEL	21.13 mg/ m ³	human, inhalatory	worker (industry)	chronic - systemic effects
allyl 3-cyclohexylpro- pionate	2705-87-5	DNEL	5.99 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
allyl 3-cyclohexylpro- pionate	2705-87-5	DNEL	17.97 mg/ kg bw/day	human, dermal	worker (industry)	acute - systemic ef- fects
Coumarin	91-64-5	DNEL	6.78 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Coumarin	91-64-5	DNEL	0.79 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Allyl Caproate	123-68-2	DNEL	15 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Allyl Caproate	123-68-2	DNEL	4.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Allyl heptanoate	142-19-8	DNEL	2.97 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Allyl heptanoate	142-19-8	DNEL	0.84 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

_

Relevant DNELs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time		
Aldehyde C-16	77-83-8	DNEL	17.63 mg/ m³	human, inhalatory	worker (industry)	chronic - systemic effects		
Aldehyde C-16	77-83-8	DNEL	35.26 mg/ m ³	human, inhalatory	worker (industry)	acute - systemic ef- fects		
Aldehyde C-16	77-83-8	DNEL	44.08 mg/ m ³	human, inhalatory	worker (industry)	chronic - local ef- fects		
Aldehyde C-16	77-83-8	DNEL	88.16 mg/ m ³	human, inhalatory	worker (industry)	acute - local effects		
Aldehyde C-16	77-83-8	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
Aldehyde C-16	77-83-8	DNEL	10 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic ef- fects		
3,7-dimethylnona- 1,6-dien-3-ol	10339-55-6	DNEL	3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects		
3,7-dimethylnona- 1,6-dien-3-ol	10339-55-6	DNEL	18 mg/m ³	human, inhalatory	worker (industry)	acute - systemic ef- fects		
3,7-dimethylnona- 1,6-dien-3-ol	10339-55-6	DNEL	2.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		
3,7-dimethylnona- 1,6-dien-3-ol	10339-55-6	DNEL	5.5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic ef- fects		
Linalool	78-70-6	DNEL	16.5 mg/m ³	human, inhalatory	worker (industry)	acute - systemic ef- fects		
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic ef- fects		
Linalool	78-70-6	DNEL	24.58 mg/ m ³	human, inhalatory	worker (industry)	chronic - systemic effects		
Linalool	78-70-6	DNEL	3.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		

elevant PNECs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time			
Benzyl benzoate	120-51-4	PNEC	0.003 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)			



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7)

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Benzyl benzoate	120-51-4	PNEC	0.322 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
Benzyl benzoate	120-51-4	PNEC	100 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Benzyl benzoate	120-51-4	PNEC	2.043 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
Benzyl benzoate	120-51-4	PNEC	0.204 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
Benzyl benzoate	120-51-4	PNEC	0.406 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	190 ^{mg} / _l	aquatic organ- isms	water	intermittent re lease
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	19 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	1.9 ^{mg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	4,168 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	70.2 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	7.02 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
(2-methoxymethyl- ethoxy)propanol	34590-94-8	PNEC	2.74 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)
illyl 3-cyclohexylpro- pionate	2705-87-5	PNEC	143 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (sing instance)
illyl 3-cyclohexylpro- pionate	2705-87-5	PNEC	1.3 ^{µg} / _l	aquatic organ- isms	water	intermittent re- lease
llyl 3-cyclohexylpro- pionate	2705-87-5	PNEC	1.28 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
llyl 3-cyclohexylpro- pionate	2705-87-5	PNEC	0.128 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
llyl 3-cyclohexylpro- pionate	2705-87-5	PNEC	0.2 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
llyl 3-cyclohexylpro- pionate	2705-87-5	PNEC	237.5 ^{µg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7)

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
allyl 3-cyclohexylpro- pionate	2705-87-5	PNEC	23.75 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (singl instance)
allyl 3-cyclohexylpro- pionate	2705-87-5	PNEC	46.61 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)
Coumarin	91-64-5	PNEC	0.056 ^{mg} / _l	aquatic organ- isms	water	intermittent re lease
Coumarin	91-64-5	PNEC	19 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
Coumarin	91-64-5	PNEC	1.9 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
Coumarin	91-64-5	PNEC	6.4 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Coumarin	91-64-5	PNEC	0.15 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
Coumarin	91-64-5	PNEC	0.015 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
Coumarin	91-64-5	PNEC	0.018 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)
Allyl Caproate	123-68-2	PNEC	47.56 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (sing instance)
Allyl Caproate	123-68-2	PNEC	1.17 ^{µg} / _l	aquatic organ- isms	water	intermittent re lease
Allyl Caproate	123-68-2	PNEC	0.117 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
Allyl Caproate	123-68-2	PNEC	0.012 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
Allyl Caproate	123-68-2	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Allyl Caproate	123-68-2	PNEC	4.46 ^{µg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
Allyl Caproate	123-68-2	PNEC	0.446 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
Allyl Caproate	123-68-2	PNEC	0.825 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)
Allyl heptanoate	142-19-8	PNEC	51.78 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (sing instance)



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7)

Relevant PNECs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Allyl heptanoate	142-19-8	PNEC	1.2 ^{µg} / _l	aquatic organ- isms	water	intermittent re- lease
Allyl heptanoate	142-19-8	PNEC	0.12 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
Allyl heptanoate	142-19-8	PNEC	0.012 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
Allyl heptanoate	142-19-8	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Allyl heptanoate	142-19-8	PNEC	0.012 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
Allyl heptanoate	142-19-8	PNEC	0.001 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
Allyl heptanoate	142-19-8	PNEC	0.002 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)
Aldehyde C-16	77-83-8	PNEC	23.3 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (sing instance)
Aldehyde C-16	77-83-8	PNEC	0.084 ^{mg} / _l	aquatic organ- isms	water	intermittent re lease
Aldehyde C-16	77-83-8	PNEC	0.008 ^{mg} /l	aquatic organ- isms	freshwater	short-term (sing instance)
Aldehyde C-16	77-83-8	PNEC	8.4 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
Aldehyde C-16	77-83-8	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Aldehyde C-16	77-83-8	PNEC	0.214 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
Aldehyde C-16	77-83-8	PNEC	0.021 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
Aldehyde C-16	77-83-8	PNEC	0.038 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)
3,7-dimethylnona- 1,6-dien-3-ol	10339-55-6	PNEC	8.53 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (sing instance)
3,7-dimethylnona- 1,6-dien-3-ol	10339-55-6	PNEC	0.23 ^{mg} / _l	aquatic organ- isms	water	intermittent re lease
3,7-dimethylnona- 1,6-dien-3-ol	10339-55-6	PNEC	0.023 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)



Г

California Scents Palms Monterey Vanilla

Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

5

Relevant PNECs of	fcomponent	s of the m	nixture			
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
3,7-dimethylnona- 1,6-dien-3-ol	10339-55-6	PNEC	0.002 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
3,7-dimethylnona- 1,6-dien-3-ol	10339-55-6	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
3,7-dimethylnona- 1,6-dien-3-ol	10339-55-6	PNEC	0.223 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
3,7-dimethylnona- 1,6-dien-3-ol	10339-55-6	PNEC	0.022 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
3,7-dimethylnona- 1,6-dien-3-ol	10339-55-6	PNEC	0.031 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Linalool	78-70-6	PNEC	7.8 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Linalool	78-70-6	PNEC	2 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Linalool	78-70-6	PNEC	0.2 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Linalool	78-70-6	PNEC	0.02 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Linalool	78-70-6	PNEC	10 ^{mg} /l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Linalool	78-70-6	PNEC	2.22 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Linalool	78-70-6	PNEC	0.222 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.327 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material
- >120 minutes (permeation: level 4)
- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Colour	violet
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	186.8 °C at 1,013 hPa
Flammability	non-combustible
Lower and upper explosion limit	1.1 vol% - 14 vol%
Flash point	94 °C



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

Auto-ignition temperature	480 °C
Decomposition temperature	not relevant
pH (value)	not applicable
Kinematic viscosity	not relevant
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	10 mmHg at 75.1 °C
-----------------	--------------------

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	no data available
Other information	

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.



Safety Data Sheet acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Palms Monterey Vanilla

Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed.

Name of substance	CAS No	Exposure route	ATE		
Benzyl benzoate	120-51-4	oral	500 ^{mg} / _{kg}		
allyl 3-cyclohexylpropionate	2705-87-5	oral	500 ^{mg} / _{kg}		
allyl 3-cyclohexylpropionate	2705-87-5	dermal	1,600 ^{mg} / _{kg}		
Coumarin	91-64-5	oral	500 ^{mg} / _{kg}		
Allyl Caproate	123-68-2	oral	100 ^{mg} / _{kg}		
Allyl Caproate	123-68-2	dermal	820 ^{mg} / _{kg}		
Allyl Caproate	123-68-2	inhalation: vapour	3 ^{mg} / _l /4h		
Allyl heptanoate	142-19-8	oral	218 ^{mg} / _{kg}		
Allyl heptanoate	142-19-8	dermal	810 ^{mg} / _{kg}		



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Г

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (chronic) of components of the mixture						
Name of substance	CAS No	Endpoint	Value	Species	Exposure time	
Benzyl benzoate	120-51-4	LC50	11 ^{mg} / _l	aquatic invertebrates	24 h	
Benzyl benzoate	120-51-4	EC50	>10,000 ^{mg} / _l	microorganisms	3 h	
(2-methoxymethyleth- oxy)propanol	34590-94-8	LC50	>1,000 ^{mg} / _l	aquatic invertebrates	24 h	
allyl 3-cyclohexylpropi- onate	2705-87-5	EC50	7.7 ^{mg} / _l	aquatic invertebrates	24 h	



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

Aquatic toxicity (chronic) of components of the mixture						
Name of substance	CAS No	Endpoint	Value	Species	Exposure time	
Aldehyde C-16	77-83-8	EC50	95 ^{mg} /l	aquatic invertebrates	24 h	
3,7-dimethylnona-1,6- dien-3-ol	10339-55-6	EC50	59 ^{mg} / _l	aquatic invertebrates	24 h	
3,7-dimethylnona-1,6- dien-3-ol	10339-55-6	LC50	28 ^{mg} / _l	fish	3 h	
Linalool	78-70-6	LC50	27.8 ^{mg} / _l	fish	24 h	
Linalool	78-70-6	EC50	>100 ^{mg} / _l	microorganisms	30 min	

12.2 Persistence and degradability

Degradability of components of the mixture						
Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Benzyl ben- zoate	120-51-4	oxygen deple- tion	94 %	28 d		ECHA
(2-methoxy- methylethoxy)p ropanol	34590-94-8	oxygen deple- tion	75 %	10 d		ECHA
(2-methoxy- methylethoxy)p ropanol	34590-94-8	DOC removal	96 %	28 d		ECHA
(2-methoxy- methylethoxy)p ropanol	34590-94-8	carbon dioxide generation	76 %	28 d		ECHA
allyl 3-cyclo- hexylpropion- ate	2705-87-5	oxygen deple- tion	60 %	7 d		ECHA
Coumarin	91-64-5	oxygen deple- tion	87 %	14 d		ECHA
Allyl Caproate	123-68-2	oxygen deple- tion	19 %	2 d		ECHA
Allyl heptanoate	142-19-8	oxygen deple- tion	15 %	2 d		ECHA
Aldehyde C-16	77-83-8	oxygen deple- tion	11 %	5 d		ECHA



Г

California Scents Palms Monterey Vanilla

Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

Degradability of components of the mixture						
Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
3,7-dimethyl- nona-1,6-dien- 3-ol	10339-55-6	oxygen deple- tion	6 %	4 d		ECHA
Linalool	78-70-6	oxygen deple- tion	40.9 %	5 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture						
Name of substance	CAS No	BCF	Log KOW	BOD5/COD		
Benzyl benzoate	120-51-4	193.4	3.97 (25 °C)			
(2-methoxymethylethoxy)propanol	34590-94-8		0.004 (25 °C)			
allyl 3-cyclohexylpropionate	2705-87-5	307.8	4.28 (pH value: ~5.3, 20 °C)			
Coumarin	91-64-5		1.39 (pH value: 7, 25 °C)			
Allyl Caproate	123-68-2	59.2	3.191 (pH value: ~5, 20 °C)			
Allyl heptanoate	142-19-8	193.2	3.97 (pH value: 5.3, 20 °C)			
Aldehyde C-16	77-83-8		2.4 (25 °C)			
3,7-dimethylnona-1,6-dien-3-ol	10339-55-6		3.3 (20 °C)			
Undecan-2-one	112-12-9		3.69			
Linalool	78-70-6		2.9 (pH value: 7, 20 °C)			

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

not relevant

not assigned

ous goods regulations

none

not subject to transport regulations

non-environmentally hazardous acc. to the danger-

SECTION 14: Transport information

- 14.1 UN number or ID number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DOT

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	CAS No	Listed in	Remarks	
Linalool		a)		

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)					
Name of substance	Name acc. to inventory	CAS No	No		
Undecan-2-one	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC		3		
2-t-Butylcyclohexyl Acetate	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC		3		



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7)

Revision: 2022-09-19

Dangerous substances with restrictions (GB REACH, Annex 17)				
Name of substance	Name acc. to inventory	CAS No	No	
allyl 3-cyclohexylpropionate	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC		3	
Allyl Caproate	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC		3	
Linalool	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC		3	
Aldehyde C-16	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC		3	
(2-methoxymethylethoxy)propanol	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC		3	
Allyl heptanoate	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC		3	
3,7-dimethylnona-1,6-dien-3-ol	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC		3	
Benzyl benzoate	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC		3	

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

Country	Inventory	Status
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2		- Pictograms: change in the listing (table)	yes
2.2		- Hazard statements: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
6.2	Environmental precautions: Keep away from drains, surface and ground wa- ter. Retain contaminated washing water and dis- pose of it. If substance has entered a water course or sewer, inform the responsible author- ity.	Environmental precautions: Keep away from drains, surface and ground wa- ter. Retain contaminated washing water and dis- pose of it.	yes
7.2	- Packaging compatibilities: Only packagings which are approved (e.g. acc. to ADR) may be used.		yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
12.1	Toxicity: Toxic to aquatic life with long lasting effects.	Toxicity: Harmful to aquatic life with long lasting effects.	yes
13.1	Waste treatment of containers/packagings: It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	Waste treatment of containers/packagings: Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.	yes
14.1	UN number or ID number	UN number or ID number: not subject to transport regulations	yes
14.1	ADR/RID: UN 3077		yes
14.1	IMDG-Code: UN 3077		yes
14.1	ICAO-TI: UN 3077		yes
14.2	ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.		yes
14.2	IMDG-Code: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.		yes
14.2	ICAO-TI: Environmentally hazardous substance, solid, n.o.s.		yes



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.2	Technical name (hazardous ingredients): Benzyl benzoate, allyl 3-cyclohexylpropionate		yes
14.3	ADR/RID: 9		yes
14.3	IMDG-Code: 9		yes
14.3	ICAO-TI: 9		yes
14.4	ADR/RID: III		yes
14.4	IMDG-Code: III		yes
14.4	ICAO-TI: III		yes
14.5	Environmentally hazardous substance (aquatic environment): Benzyl benzoate, allyl 3-cyclohexylpropionate		yes
14.7	Agreement concerning the International Car- riage of Dangerous Goods by Road (ADR) - Addi- tional information		yes
14.7	Particulars in the transport document: UN3077, ENVIRONMENTALLY HAZARDOUS SUB- STANCE, SOLID, N.O.S., (contains: Benzyl ben- zoate, allyl 3-cyclohexylpropionate), 9, III, (-)		yes
14.7	Classification code: M7		yes
14.7	Danger label(s): 9, fish and tree		yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Environmental hazards: yes (hazardous to the aquatic environment)		yes
14.7	Special provisions (SP): 274, 335, 375, 601		yes
14.7	Excepted quantities (EQ): E1		yes
14.7	Limited quantities (LQ): 5 kg		yes



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7)

Section	Former entry (text/value)	Actual entry (text/value)	Safety relev- ant
14.7	Transport category (TC): 3		yes
14.7	Tunnel restriction code (TRC): -		yes
14.7	Hazard identification No: 90		yes
14.7	Emergency Action Code: 2Z		yes
14.7	Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID) - Addition- al information		yes
14.7	Classification code: M7		yes
14.7	Danger label(s): 9, fish and tree		yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Environmental hazards: yes (hazardous to water)		yes
14.7	Special provisions (SP): 274, 335, 375, 601		yes
14.7	Excepted quantities (EQ): E1		yes
14.7	Limited quantities (LQ): 5 kg		yes
14.7	Transport category (TC): 3		yes
14.7	Hazard identification No: 90		yes
14.7	Particulars in the shipper's declaration: UN3077, ENVIRONMENTALLY HAZARDOUS SUB- STANCE, SOLID, N.O.S., (contains: Benzyl ben- zoate, allyl 3-cyclohexylpropionate), 9, III		yes
14.7	Marine pollutant: yes (hazardous to the aquatic environment) (Ben- zyl benzoate)		yes
14.7	Danger label(s): 9, fish and tree		yes



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7)

Section	Former entry (text/value)	Actual entry (text/value)	Safety relev ant
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): 274, 335, 966, 967, 969		yes
14.7	Excepted quantities (EQ): E1		yes
14.7	Limited quantities (LQ): 5 kg		yes
14.7	EmS: F-A, S-F		yes
14.7	Stowage category: A		yes
14.7	Particulars in the shipper's declaration: UN3077, Environmentally hazardous substance, solid, n.o.s., (contains: Benzyl benzoate, allyl 3- cyclohexylpropionate), 9, III		yes
14.7	Environmental hazards: yes (hazardous to the aquatic environment)		yes
14.7	Danger label(s): 9, fish and tree		yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): A97, A158, A179, A197, A215		yes
14.7	Excepted quantities (EQ): E1		yes
14.7	Limited quantities (LQ): 30 kg		yes
14.2	UN proper shipping name	UN proper shipping name: not relevant	yes
14.3	Transport hazard class(es)	Transport hazard class(es): none	yes
14.4	Packing group	Packing group: not assigned	yes
14.5	Environmental hazards: hazardous to the aquatic environment	Environmental hazards: non-environmentally hazardous acc. to the dan- gerous goods regulations	yes



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.6	Special precautions for user: Provisions for dangerous goods (ADR) should be complied within the premises.	Special precautions for user: There is no additional information.	yes
14.7	Information for each of the UN Model Regula- tions: Not regulated when carried in single or combina- tion packaging containing a net quantity of 5L or less or 5 kg or less per the following: DOT: 171.4(2) ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197, DOT	Information for each of the UN Model Regula- tions: DOT	yes
14.7	International Maritime Dangerous Goods Code (IMDG) - Additional information	International Maritime Dangerous Goods Code (IMDG) - Additional information: Not subject to IMDG.	yes
14.7	International Civil Aviation Organization (ICAO- IATA/DGR) - Additional information	International Civil Aviation Organization (ICAO- IATA/DGR) - Additional information: Not subject to ICAO-IATA.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementa- tion of Council Directive 98/24/EC
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7)

Abbr.	Descriptions of used abbreviations
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifie of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) N 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin



Version number: GHS 8.0 Replaces version of: 2022-07-15 (GHS 7) Revision: 2022-09-19

Abbr.	Descriptions of used abbreviations
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.