

acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18 Replaces version of: 2020-12-15 (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name California Scents Car Scents Laguna Breeze

Alternative number(s) 76389000853087, 7638900850437, 091400039721, 091400002114, 091400039721, 091400002114, 0914000039714, 7638900850772

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer uses: Air Freshener

1.3 Details of the supplier of the safety data sheet

Energizer Trading Ltd. Sword House Totteridge Road High Wycombe HP13 6DG United Kingdom

Telephone: +44(0)88000353376

e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
3.45	skin sensitisation	1	Skin Sens. 1	H317
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

United Kingdom: en Page: 1 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18 Replaces version of: 2020-12-15 (GHS 2)

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with national regulations.

- Hazardous ingredients for labelling

Aldehyde C-16, Anisyl acetate, Orange Terpenes, Cinnamal

2.3 Other hazards

This material is combustible, but will not ignite readily.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Benzyl acetate	CAS No 140-11-4	10 - < 25	Aquatic Chronic 3 / H412	
Aldehyde C-16	CAS No 77-83-8	1-<5	Skin Sens. 1B / H317 Aquatic Chronic 2 / H411	! ₺

United Kingdom: en Page: 2 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18 Replaces version of: 2020-12-15 (GHS 2)

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Methyl Ionone	CAS No 127-51-5	1-<5	Aquatic Chronic 2 / H411	\$
Orange Terpenes	CAS No 68647-72-3 8028-48-6	<1	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	(1) (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
Cinnamal	CAS No 104-55-2	<1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Chronic 3 / H412	<u>(1)</u>
Anisyl acetate	CAS No 104-21-2	<1	Skin Sens. 1B / H317	1

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom: en Page: 3 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18 Replaces version of: 2020-12-15 (GHS 2)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom: en Page: 4 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18 Replaces version of: 2020-12-15 (GHS 2)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
GB	cellulose	9004-34- 6	WEL		10		20			i	EH40/ 2005
GB	cellulose	9004-34- 6	WEL		4					r	EH40/ 2005

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

i inhalable fraction r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (upless otherwise specified)

weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Benzyl acetate	140-11-4	DNEL	12.5 mg/kg	human, dermal	worker (industry)	acute - systemic ef- fects

United Kingdom: en Page: 5 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18 Replaces version of: 2020-12-15 (GHS 2)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Benzyl acetate	140-11-4	DNEL	43.8 mg/m³	human, inhalatory	worker (industry)	acute - systemic ef- fects
Benzyl acetate	140-11-4	DNEL	9 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Benzyl acetate	140-11-4	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	17.63 mg/ m³	human, inhalatory	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	35.26 mg/ m³	human, inhalatory	worker (industry)	acute - systemic ef- fects
Aldehyde C-16	77-83-8	DNEL	44.08 mg/ m³	human, inhalatory	worker (industry)	chronic - local ef- fects
Aldehyde C-16	77-83-8	DNEL	88.16 mg/ m³	human, inhalatory	worker (industry)	acute - local effects
Aldehyde C-16	77-83-8	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	10 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic ef- fects
Methyl Ionone	127-51-5	DNEL	8.22 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Methyl Ionone	127-51-5	DNEL	0.375 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Orange Terpenes	68647-72-3 8028-48-6	DNEL	31.1 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Orange Terpenes	68647-72-3 8028-48-6	DNEL	8.89 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Orange Terpenes	68647-72-3 8028-48-6	DNEL	185.8 μg/ cm²	human, dermal	worker (industry)	acute - local effects
Cinnamal	104-55-2	DNEL	2.513 mg/ kg	human, dermal	worker (industry)	chronic - systemic effects
Cinnamal	104-55-2	DNEL	2.204 mg/ m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Anisyl acetate	104-21-2	DNEL	2.468 mg/ m³	human, inhalatory	worker (industry)	chronic - systemic effects
Anisyl acetate	104-21-2	DNEL	0.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

United Kingdom: en Page: 6 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18 Replaces version of: 2020-12-15 (GHS 2)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Benzyl acetate	140-11-4	PNEC	0.04 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Benzyl acetate	140-11-4	PNEC	0.018 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Benzyl acetate	140-11-4	PNEC	0.002 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Benzyl acetate	140-11-4	PNEC	8.55 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Benzyl acetate	140-11-4	PNEC	0.526 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Benzyl acetate	140-11-4	PNEC	0.053 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Benzyl acetate	140-11-4	PNEC	0.094 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	23.3 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.084 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Aldehyde C-16	77-83-8	PNEC	0.008 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	8.4 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.214 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.021 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.038 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Methyl Ionone	127-51-5	PNEC	1.43 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Methyl Ionone	127-51-5	PNEC	0.143 ^{µg} / _I	aquatic organ- isms	marine water	short-term (single instance)
Methyl Ionone	127-51-5	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)

United Kingdom: en Page: 7 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18 Replaces version of: 2020-12-15 (GHS 2)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Methyl Ionone	127-51-5	PNEC	0.443 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Methyl Ionone	127-51-5	PNEC	44.3 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Methyl Ionone	127-51-5	PNEC	87.8 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Orange Terpenes	68647-72-3 8028-48-6	PNEC	5.77 ^{µg} / _l	aquatic organ- isms	water	intermittent re- lease
Orange Terpenes	68647-72-3 8028-48-6	PNEC	5.4 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Orange Terpenes	68647-72-3 8028-48-6	PNEC	0.54 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Orange Terpenes	68647-72-3 8028-48-6	PNEC	2.1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Orange Terpenes	68647-72-3 8028-48-6	PNEC	1.3 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Orange Terpenes	68647-72-3 8028-48-6	PNEC	0.13 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Orange Terpenes	68647-72-3 8028-48-6	PNEC	0.261 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Cinnamal	104-55-2	PNEC	1.004 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Cinnamal	104-55-2	PNEC	0.1004 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Cinnamal	104-55-2	PNEC	13.12 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Cinnamal	104-55-2	PNEC	159.2 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Cinnamal	104-55-2	PNEC	159.2 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Cinnamal	104-55-2	PNEC	0.0003333 mg/ _{kg}	aquatic organ- isms	water	short-term (single instance)
Cinnamal	104-55-2	PNEC	56.08 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Cinnamal	104-55-2	PNEC	1.004 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease

United Kingdom: en Page: 8 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18 Replaces version of: 2020-12-15 (GHS 2)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	light blue
Odour	characteristic
Melting point/freezing point	not determined

United Kingdom: en Page: 9 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18 Replaces version of: 2020-12-15 (GHS 2)

Boiling point or initial boiling point and boiling range	196.2 °C at 101.3 kPa
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	89 °C
Auto-ignition temperature	460 °C
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
Vapour pressure	23.5 Pa at 25 °C

Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

United Kingdom: en Page: 10 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18

Replaces version of: 2020-12-15 (GHS 2)

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

United Kingdom: en Page: 11 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18 Replaces version of: 2020-12-15 (GHS 2)

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Benzyl acetate	140-11-4	EC50	855 ^{mg} / _l	microorganisms	3 h
Aldehyde C-16	77-83-8	EC50	95 ^{mg} / _l	aquatic invertebrates	24 h
Orange Terpenes	68647-72-3 8028-48-6	EL50	1.4 ^{mg} / _l	aquatic invertebrates	24 h
Cinnamal	104-55-2	LC50	100.4 ^{mg} / _l	fish	96 h
Cinnamal	104-55-2	EC50	0.402 ^{mg} / _l	aquatic invertebrates	21 d
Anisyl acetate	104-21-2	EC50	52 ^{mg} / _l	aquatic invertebrates	24 h

United Kingdom: en Page: 12 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18 Replaces version of: 2020-12-15 (GHS 2)

12.2 Persistence and degradability

Degradability of components of the mixture

Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Benzyl acetate	140-11-4	carbon dioxide generation	100.9 %	28 d		ECHA
Aldehyde C-16	77-83-8	oxygen deple- tion	11 %	5 d		ECHA
Methyl Ionone	127-51-5	oxygen deple- tion	42.51 %	28 d		ECHA
Cinnamal	104-55-2	carbon dioxide generation	89 %	7 d		ECHA
Anisyl acetate	104-21-2	oxygen deple- tion	78 %	21 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Benzyl acetate	140-11-4	8	1.96 (pH value: 7, 25 °C)	
Aldehyde C-16	77-83-8		2.4 (25 °C)	
Methyl Ionone	127-51-5		4.288 (pH value: 4.7, 25 °C)	
Orange Terpenes	68647-72-3 8028-48-6	32 – 156	2.78 - 4.88	
Cinnamal	104-55-2	8	2.107 (25 °C)	
Anisyl acetate	104-21-2		1.9 (35 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

United Kingdom: en Page: 13 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18 Replaces version of: 2020-12-15 (GHS 2)

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 ON NUMBER OF 1D NUMBER THE HOLSUPIECE TO TRANSPORT FEGURAL	14.1	UN number or ID number	not subject to transport regulation
---	------	------------------------	-------------------------------------

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DO

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

United Kingdom: en Page: 14 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18 Replaces version of: 2020-12-15 (GHS 2)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

none of the ingredients are listed

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
California Scents Car Scents Laguna Breeze	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC		3
Orange Terpenes	flammable / pyrophoric		40

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed

United Kingdom: en Page: 15 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18

Replaces version of: 2020-12-15 (GHS 2)

Country	Inventory	Status
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	not all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AIIC Australian Inventory of Industrial Chemicals CICR Chemical Inventory and Control Regulation

List of Existing and New Chemical Substances (CSCL-ENCS) **CSCL-ENCS**

DSL

ECSI

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China **IECSC**

INSQ

National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory ISHA-ENCS

KECI

NZIoC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	- Hazardous ingredients for labelling: Aldehyde C-16, Orange Terpenes, Anisyl acetate	- Hazardous ingredients for labelling: Aldehyde C-16, Anisyl acetate, Orange Terpenes, Cinnamal	yes

United Kingdom: en Page: 16 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18 Replaces version of: 2020-12-15 (GHS 2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Other hazards	Other hazards: This material is combustible, but will not ignite readily.	yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.		yes
3.2		Description of the mixture: change in the listing (table)	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
9.1	Colour: various	Colour: light blue	yes
9.1	Flash point: >94 °C	Flash point: 89 °C	yes
9.1	Vapour density: this information is not available		yes
9.1	Relative vapour density: Information on this property is not available not relevant (liquid)	Relative vapour density: information on this property is not available	yes
9.1	Particle characteristics: no data available	Particle characteristics: not relevant (liquid)	yes
9.2	Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards):	Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant	yes
9.2	Other safety characteristics	Other safety characteristics: there is no additional information	yes
9.2	Temperature class (EU, acc. to ATEX): T1 (maximum permissible surface temperature on the equipment: 450°C)		yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
12.2		Degradability of components of the mixture: change in the listing (table)	yes
12.3		Bioaccumulative potential of components of the mixture: change in the listing (table)	yes

United Kingdom: en Page: 17 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18 Replaces version of: 2020-12-15 (GHS 2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.2	UN proper shipping name: not assigned	UN proper shipping name: not relevant	yes
14.7	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information: not assigned		yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list: none of the ingredients are listed		yes
15.1		Regulation on the marketing and use of explosives precursors: none of the ingredients are listed	yes
15.1		Regulation on drug precursors: none of the ingredients are listed	yes
15.1		Regulation on persistent organic pollutants (POP): None of the ingredients are listed.	yes
15.1		National regulations (GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: none of the ingredients are listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard

United Kingdom: en Page: 18 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18 Replaces version of: 2020-12-15 (GHS 2)

Abbr.	Descriptions of used abbreviations
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration

United Kingdom: en Page: 19 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Laguna Breeze

Version number: GHS 3.1 Revision: 2022-07-18

Replaces version of: 2020-12-15 (GHS 2)

Abbr.	Descriptions of used abbreviations
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 20 / 20