

Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-07-15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name Alternative number(s)

#### **California Scents Car Scents Ice**

7638900853063, 091400041502, 091400041557, 7638900850420, 7638900851212, 091400039851, 091400000486, 7638900435221, 7638900435115, 091400039929, 091400019259, 091400039691, 091400043285, 091400043131

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Consumer uses: Air Freshener

#### 1.3 Details of the supplier of the safety data sheet

Energizer Trading Ltd. Sword House Totteridge Road High Wycombe HP13 6DG United Kingdom

Telephone: +44(0)88000353376 e-mail: ConsumerServiceEU@energizer.com

#### 1.4 Emergency telephone number

Emergency information service

This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

Poison centre		
Name	Postal code/city	Telephone
UK poison centre		Product information has been sub- mitted to the UK National Poisons Information Service (NPIS) and is accessible to medical health pro- fessionals.

#### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS



### California Scents Car Scents Ice

#### Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2)

Revision: 2022-07-15

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4S	skin sensitisation	1	Skin Sens. 1	H317
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

Labelling

- Signal word warning
- Pictograms

GHS07, GHS09



- Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects

- Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash hands thoroughly after handling.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container in accordance with national regulations.

- Supplemental hazard information
- EUH006 Explosive with or without contact with air.
- Hazardous ingredients for labelling

Orange Terpenes, Linalool, Acetyl cedrene, Lavandin Oil, Eugenol, Fir needle oil, Canadian, Linalyl acetate, 2,2,6-trimethyl- $\alpha$ -propylcyclohexanepropanol, Peppermint oil



### California Scents Car Scents Ice

Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-07-15

#### 2.3 Other hazards

This material is combustible, but will not ignite readily.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not relevant (mixture)

#### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Dihydromyrcenol	CAS No 18479-58-8	5 - < 10	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319	()
Orange Terpenes	CAS No 68647-72-3 8028-48-6	1-<5	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	
Linalool	CAS No 78-70-6	1-<5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	()
Ambercore	CAS No 139504-68-0	1-<5	Eye Irrit. 2 / H319 Aquatic Chronic 2 / H411	! *
Acetyl cedrene	CAS No 32388-55-9	1-<5	Skin Sens. 1B / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	
Lavandin Oil	CAS No 91722-69-9 8022-15-9 93455-97-1	1-<5	Eye Irrit. 2 / H319 Skin Sens. 1B / H317 Aquatic Chronic 3 / H412	()
Hexamethylindanopyran	CAS No 1222-05-5	1-<5	Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	×
Phenol, 2-methoxy-, reac- tion products with 2,2-di- methyl-3-methylenebi- cyclo[2.2.1]heptane, hydro- genated	CAS No 70955-71-4	1-<5	Aquatic Chronic 2 / H411	× V
Linalyl acetate	CAS No 115-95-7	<1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	



Version number: GHS 3.1	
Replaces version of: 2020-12-15 (GHS 2)	

Revision: 2022-07-15

Identifier	Wt%	Classification acc. to GHS	Pictograms
CAS No 97-53-0	<1	Eye Irrit. 2 / H319 Skin Sens. 1B / H317	()
CAS No 8021-28-1	< 1	Flam. Liq. 3 / H226 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	
CAS No 1506-02-1	< 1	Acute Tox. 4 / H302 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	
CAS No 70788-30-6	<1	Skin Sens. 1 / H317	()
CAS No 8006-90-4 84082-70-2	<1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Aquatic Chronic 3 / H412	(!)
	CAS No 97-53-0 CAS No 8021-28-1 CAS No 1506-02-1 CAS No 70788-30-6 CAS No 8006-90-4	CAS No         < 1           97-53-0         < 1	CAS No         <1         Eye Irrit. 2 / H319         Skin Sens. 1B / H317           CAS No         <1

Name of substance	Specific Conc. Limits	<b>M-Factors</b>	ATE	Exposure route
Fixolide	-	-	920 <sup>mg</sup> / <sub>kg</sub>	oral

For full text of abbreviations: see SECTION 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.



Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-07-15

# **4.2** Most important symptoms and effects, both acute and delayed Symptoms and effects are not known to date.

# **4.3** Indication of any immediate medical attention and special treatment needed none

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

#### Appropriate containment techniques

Use of adsorbent materials.



### **California Scents Car Scents Ice**

Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-07-15

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Occup	oational exposur	e limit valı	ues (Wo	orkplace	Exposure	e Limits)					
Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
GB	cellulose	9004-34- 6	WEL		10		20			i	EH40/ 2005
GB	cellulose	9004-34- 6	WEL		4					r	EH40/ 2005

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

inhalable fraction

respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)



# Safety Data Sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

### California Scents Car Scents Ice

Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-07-15

٦

#### Notation TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours timeweighted average (unless otherwise specified)

Relevant DNELs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time	
Dihydromyrcenol	18479-58-8	DNEL	24.7 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects	
Dihydromyrcenol	18479-58-8	DNEL	7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
Orange Terpenes	68647-72-3 8028-48-6	DNEL	31.1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemio effects	
Orange Terpenes	68647-72-3 8028-48-6	DNEL	8.89 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
Orange Terpenes	68647-72-3 8028-48-6	DNEL	185.8 µg/ cm²	human, dermal	worker (industry)	acute - local effect	
Linalool	78-70-6	DNEL	16.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic e fects	
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic e fects	
Linalool	78-70-6	DNEL	24.58 mg/ m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects	
Linalool	78-70-6	DNEL	3.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemio effects	
Ambercore	139504-68-0	DNEL	17.6 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects	
Ambercore	139504-68-0	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
Acetyl cedrene	32388-55-9	DNEL	1.17 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects	
Acetyl cedrene	32388-55-9	DNEL	0.333 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
Lavandin Oil	91722-69-9 8022-15-9 93455-97-1	DNEL	0.877 mg/ m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemi effects	
Lavandin Oil	91722-69-9 8022-15-9 93455-97-1	DNEL	0.249 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	



### California Scents Car Scents Ice

	fcomponent					
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Hexamethylindan- opyran	1222-05-5	DNEL	13.5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemi effects
Hexamethylindan- opyran	1222-05-5	DNEL	36.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Phenol, 2-methoxy-, reaction products with 2,2-dimethyl-3- methylenebicyclo[2. 2.1]heptane, hydro- genated	70955-71-4	DNEL	1.16 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemi effects
Phenol, 2-methoxy-, reaction products with 2,2-dimethyl-3- methylenebicyclo[2. 2.1]heptane, hydro- genated	70955-71-4	DNEL	0.16 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Eugenol	97-53-0	DNEL	21.2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - system effects
Eugenol	97-53-0	DNEL	6 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Fixolide	1506-02-1	DNEL	0.525 mg/ m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local e fects
Fixolide	1506-02-1	DNEL	1.8 mg/kg	human, dermal	worker (industry)	chronic - local e fects
Fixolide	1506-02-1	DNEL	0.175 mg/ m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - system effects
Fixolide	1506-02-1	DNEL	0.525 mg/ m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic o fects
Fixolide	1506-02-1	DNEL	0.61 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Linalyl acetate	115-95-7	DNEL	2.75 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - system effects
Linalyl acetate	115-95-7	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - system effects
Linalyl acetate	115-95-7	DNEL	236.2 μg/ cm²	human, dermal	worker (industry)	chronic - local e fects
Linalyl acetate	115-95-7	DNEL	236.2 μg/ cm²	human, dermal	worker (industry)	acute - local effe



### California Scents Car Scents Ice

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure tim
Peppermint oil	8006-90-4 84082-70-2	DNEL	35.3 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systen effects
Peppermint oil	8006-90-4 84082-70-2	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systen effects
elevant PNECs o	f components	s of the n	nixture			
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure tim
Dihydromyrcenol	18479-58-8	PNEC	111 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	water	short-term (sing instance)
Dihydromyrcenol	18479-58-8	PNEC	0.278 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	water	intermittent re lease
Dihydromyrcenol	18479-58-8	PNEC	27.8 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (sing instance)
Dihydromyrcenol	18479-58-8	PNEC	2.78 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (sing instance)
Dihydromyrcenol	18479-58-8	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Dihydromyrcenol	18479-58-8	PNEC	0.594 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
Dihydromyrcenol	18479-58-8	PNEC	0.059 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (sing instance)
Dihydromyrcenol	18479-58-8	PNEC	0.103 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (sing instance)
Orange Terpenes	68647-72-3 8028-48-6	PNEC	5.77 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	water	intermittent re lease
Orange Terpenes	68647-72-3 8028-48-6	PNEC	5.4 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (sing instance)
Orange Terpenes	68647-72-3 8028-48-6	PNEC	0.54 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (sing instance)
Orange Terpenes	68647-72-3 8028-48-6	PNEC	2.1 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Orange Terpenes	68647-72-3 8028-48-6	PNEC	1.3 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)



### California Scents Car Scents Ice

Revision: 2022-07-15

\_

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure tim
Orange Terpenes	68647-72-3 8028-48-6	PNEC	0.13 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (sing instance)
Orange Terpenes	68647-72-3 8028-48-6	PNEC	0.261 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (sing instance)
Linalool	78-70-6	PNEC	7.8 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	water	short-term (sin instance)
Linalool	78-70-6	PNEC	2 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	water	intermittent re lease
Linalool	78-70-6	PNEC	0.2 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (sin instance)
Linalool	78-70-6	PNEC	0.02 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (sin instance)
Linalool	78-70-6	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (sin instance)
Linalool	78-70-6	PNEC	2.22 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (sin instance)
Linalool	78-70-6	PNEC	0.222 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (sin instance)
Linalool	78-70-6	PNEC	0.327 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (sin instance)
Ambercore	139504-68-0	PNEC	0.022 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (sin instance)
Ambercore	139504-68-0	PNEC	0.002 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (sin instance)
Ambercore	139504-68-0	PNEC	1 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (sin instance)
Ambercore	139504-68-0	PNEC	0.218 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (sin instance)
Ambercore	139504-68-0	PNEC	0.022 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (sin instance)
Ambercore	139504-68-0	PNEC	2 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (sin instance)
Acetyl cedrene	32388-55-9	PNEC	1.74 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (sin instance)
Acetyl cedrene	32388-55-9	PNEC	0.174 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (sin instance)



### California Scents Car Scents Ice

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Acetyl cedrene	32388-55-9	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Acetyl cedrene	32388-55-9	PNEC	24.4 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
Acetyl cedrene	32388-55-9	PNEC	2.44 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (sing instance)
Acetyl cedrene	32388-55-9	PNEC	4.87 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (sing instance)
Hexamethylindan- opyran	1222-05-5	PNEC	6.8 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (sing instance)
Hexamethylindan- opyran	1222-05-5	PNEC	0.44 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (sing instance)
Hexamethylindan- opyran	1222-05-5	PNEC	1 <sup>mg</sup> /ı	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Hexamethylindan- opyran	1222-05-5	PNEC	2 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
Hexamethylindan- opyran	1222-05-5	PNEC	0.394 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (sing instance)
Hexamethylindan- opyran	1222-05-5	PNEC	1.5 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (sing instance)
henol, 2-methoxy-, reaction products vith 2,2-dimethyl-3- nethylenebicyclo[2. .1]heptane, hydro- genated	70955-71-4	PNEC	13.6 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (sing instance)
henol, 2-methoxy-, reaction products vith 2,2-dimethyl-3- nethylenebicyclo[2. .1]heptane, hydro- genated	70955-71-4	PNEC	1.36 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (sing instance)
henol, 2-methoxy-, reaction products vith 2,2-dimethyl-3- nethylenebicyclo[2. .1]heptane, hydro- genated	70955-71-4	PNEC	31.8 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)



### **California Scents Car Scents Ice**

Relevant PNECs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time	
Phenol, 2-methoxy-, reaction products with 2,2-dimethyl-3- methylenebicyclo[2. 2.1]heptane, hydro- genated	70955-71-4	PNEC	10.5 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Phenol, 2-methoxy-, reaction products with 2,2-dimethyl-3- methylenebicyclo[2. 2.1]heptane, hydro- genated	70955-71-4	PNEC	1.05 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)	
Phenol, 2-methoxy-, reaction products with 2,2-dimethyl-3- methylenebicyclo[2. 2.1]heptane, hydro- genated	70955-71-4	PNEC	1.84 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)	
Eugenol	97-53-0	PNEC	11.3 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	water	intermittent re- lease	
Eugenol	97-53-0	PNEC	1.13 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)	
Eugenol	97-53-0	PNEC	0.113 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)	
Eugenol	97-53-0	PNEC	0.081 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Eugenol	97-53-0	PNEC	0.008 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)	
Eugenol	97-53-0	PNEC	0.015 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)	
Fixolide	1506-02-1	PNEC	6.1 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	water	intermittent re- lease	
Fixolide	1506-02-1	PNEC	2.2 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)	
Fixolide	1506-02-1	PNEC	0.22 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)	
Fixolide	1506-02-1	PNEC	2.2 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Fixolide	1506-02-1	PNEC	1.72 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	



Г

### Safety Data Sheet acc. to Regulation (EC) No. 1907/2006 (REACH)

### California Scents Car Scents Ice

Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-07-15

Relevant PNECs of components of the mixture							
Name of sub- stance					Environmental compartment	Exposure time	
Fixolide	1506-02-1	PNEC	0.345 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)	
Fixolide	1506-02-1	PNEC	0.01 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)	
Linalyl acetate	115-95-7	PNEC	0.11 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	water	intermittent re- lease	
Linalyl acetate	115-95-7	PNEC	0.011 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)	
Linalyl acetate	115-95-7	PNEC	0.001 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)	
Linalyl acetate	115-95-7	PNEC	1 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Linalyl acetate	115-95-7	PNEC	0.609 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Linalyl acetate	115-95-7	PNEC	0.061 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)	
Linalyl acetate	115-95-7	PNEC	0.115 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)	

#### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm



### **California Scents Car Scents Ice**

Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-07-15

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	black
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	141.5 °C at 101.3 kPa
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	79 °C
Auto-ignition temperature	440 °C
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined



Version number: GHS 3.1
Replaces version of: 2020-12-15 (GHS 2)

Revision: 2022-07-15

# Partition coefficient Partition coefficient n-octanol/water (log value) this information is not available

Vapour pressure	0.25 kPa at 25 °C
-----------------	-------------------

#### Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)	

#### 9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

#### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

#### If exposed to air:

Danger of explosion.

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### **10.5** Incompatible materials

Oxidisers



### **California Scents Car Scents Ice**

Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-07-15

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### **Classification acc. to GHS**

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

Acute toxicity estimate (ATE) of components of the mixture					
Name of substance	CAS No	Exposure route	ATE		
Fixolide	1506-02-1	oral	920 <sup>mg</sup> / <sub>kg</sub>		

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).



### **California Scents Car Scents Ice**

Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-07-15

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### 11.2 Information on other hazards

There is no additional information.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (chronic) of components of the mixtur	re
--	----

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Dihydromyrcenol	18479-58-8	EC50	17 <sup>mg</sup> /l	aquatic invertebrates	21 d
Orange Terpenes	68647-72-3 8028-48-6	EL50	1.4 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	24 h
Linalool	78-70-6	LC50	27.8 <sup>mg</sup> / <sub>l</sub>	fish	24 h
Linalool	78-70-6	EC50	>100 <sup>mg</sup> / <sub>l</sub>	microorganisms	30 min
Ambercore	139504-68-0	EC50	2.4 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	21 d
Acetyl cedrene	32388-55-9	EC50	0.32 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	21 d
Lavandin Oil	91722-69-9 8022-15-9 93455-97-1	EC50	1,230 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h
Hexamethylindan- opyran	1222-05-5	LC50	>0.14 <sup>mg</sup> / <sub>l</sub>	fish	36 d
Hexamethylindan- opyran	1222-05-5	EC50	0.282 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	21 d
Phenol, 2-methoxy-, re- action products with 2,2-dimethyl-3-methyl- enebicyclo[2.2.1]hepta ne, hydrogenated	70955-71-4	LC50	1.36 <sup>mg</sup> / <sub>l</sub>	fish	7 d
Phenol, 2-methoxy-, re- action products with 2,2-dimethyl-3-methyl- enebicyclo[2.2.1]hepta ne, hydrogenated	70955-71-4	EC50	>1,000 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h
Eugenol	97-53-0	LC50	13 <sup>mg</sup> / <sub>l</sub>	fish	24 h
Fixolide	1506-02-1	LC50	100 <sup>µg</sup> / <sub>l</sub>	fish	36 d



Revision: 2022-07-15

Aquatic toxicity (chr	onic) of compone	nts of the mixtur	e		
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Fixolide	1506-02-1	EC50	>800 <sup>µg</sup> /I	aquatic invertebrates	3 d
Linalyl acetate	115-95-7	LC50	11.14 <sup>mg</sup> / <sub>l</sub>	fish	20 h

#### 12.2 Persistence and degradability

Degradability of components of the mixture

Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Dihydromyrcen- ol	18479-58-8	carbon dioxide generation	72 %	28 d		ECHA
Dihydromyrcen- ol	18479-58-8	DOC removal	100 %	28 d		ECHA
Linalool	78-70-6	oxygen deple- tion	40.9 %	5 d		ECHA
Acetyl cedrene	32388-55-9	oxygen deple- tion	-1 %	7 d		ECHA
Lavandin Oil	91722-69-9 8022-15-9 93455-97-1	carbon dioxide generation	108.3 %	28 d		ECHA
Hexamethyl- indanopyran	1222-05-5	carbon dioxide generation	1 %	28 d		ECHA
Phenol, 2-meth- oxy-, reaction products with 2,2-dimethyl-3- methylenebi- cyclo[2.2.1]hept ane, hydrogen- ated	70955-71-4	carbon dioxide generation	0 %	56 d		ECHA
Eugenol	97-53-0	oxygen deple- tion	50 %	7 d		ECHA
Linalyl acetate	115-95-7	oxygen deple- tion	≥0 – ≤10 %	1 d		ECHA

#### 12.3 Bioaccumulative potential

Data are not available.



### **California Scents Car Scents Ice**

Version number: GHS 3.1	
Replaces version of: 2020-12-15 (GHS 2)	

Revision: 2022-07-15

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Dihydromyrcenol	18479-58-8	64.8	3.25 (pH value: 7, 40 °C)	
Orange Terpenes	68647-72-3 8028-48-6	32 - 156	2.78 - 4.88	
Linalool	78-70-6		2.9 (pH value: 7, 20 °C)	
Ambercore	139504-68-0	173		
Acetyl cedrene	32388-55-9	3,920	≥5.6 - ≤5.9	
Hexamethylindanopyran	1222-05-5	1,635	5.3 (pH value: 7, 25 °C)	
Phenol, 2-methoxy-, reaction products with 2,2-dimethyl-3- methylenebicyclo[2.2.1]heptane, hydrogenated	70955-71-4		>3.85 - <5.51	
Eugenol	97-53-0		1.83 (pH value: 5.5, 30 °C)	
Fixolide	1506-02-1	596	5.7 (24 °C)	
Linalyl acetate	115-95-7	174	3.9 (25 °C)	
Peppermint oil	8006-90-4 84082-70-2		2.73 - 6.99	

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

Information on this property is not available.

#### 12.7 Other adverse effects

Data are not available.

#### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.



### **California Scents Car Scents Ice**

Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-07-15

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

14.1 UN number or ID number	
ADR/RID	UN 3082
IMDG-Code	UN 3082
ICAO-TI	UN 3082
14.2 UN proper shipping name	
ADR/RID	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI- QUID, N.O.S.
IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI- QUID, N.O.S.
ICAO-TI	Environmentally hazardous substance, liquid, n.o.s.
Technical name (hazardous ingredients)	Ambercore, Orange Terpenes
14.3 Transport hazard class(es)	
ADR/RID	9
IMDG-Code	9
ICAO-TI	9
ICAO-TI 14.4 Packing group	9
	9 III
14.4 Packing group	
<b>14.4 Packing group</b> ADR/RID	III
<b>14.4 Packing group</b> ADR/RID IMDG-Code	III III
14.4 Packing group ADR/RID IMDG-Code ICAO-TI	III III III hazardous to the aquatic environment

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.



**California Scents Car Scents Ice** 

Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-07-15

#### Information for each of the UN Model Regulations

Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following: DOT: 171.4(2) ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197, DOT

## Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Particulars in the transport document	UN3082, ENVIRONMENTALLY HAZARDOUS SUB- STANCE, LIQUID, N.O.S., (contains: Ambercore, Or- ange Terpenes), 9, III, (-)
Classification code	M6
Danger label(s)	9, fish and tree
Environmental hazards	<b>YES</b> (hazardous to the aquatic environment)
Special provisions (SP)	274, 335, 375, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	-
Hazard identification No	90
Emergency Action Code	3Z
Regulations concerning the International Carria information	ge of Dangerous Goods by Rail (RID) - Additional
Classification code	M6
Danger label(s)	9, fish and tree
Environmental hazards	<b>Yes</b> (hazardous to water)
Special provisions (SP)	274, 335, 375, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3



Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2)	Revision: 2022-07-15
Hazard identification No	90
International Maritime Dangerous Goods Code (	IMDG) - Additional information
Particulars in the shipper's declaration	UN3082, ENVIRONMENTALLY HAZARDOUS SUB- STANCE, LIQUID, N.O.S., (contains: Ambercore, Or- ange Terpenes), 9, III
Marine pollutant	<b>YES</b> (hazardous to the aquatic environment) (Orange Terpenes)
Danger label(s)	9, fish and tree
Special provisions (SP)	274, 335, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-F
Stowage category	A
International Civil Aviation Organization (ICAO-	IATA/DGR) - Additional information
Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, li- quid, n.o.s., (contains: Ambercore, Orange Terpenes), 9, III
Environmental hazards	<b>YES</b> (hazardous to the aquatic environment)
Danger label(s)	9, fish and tree
Special provisions (SP)	A97, A158, A197, A215
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

#### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed



Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-07-15

#### Water Framework Directive (WFD)

#### List of pollutants (WFD)

Name of substance	CAS No	Listed in	Remarks
Hexamethylindanopyran		a)	
Linalool		a)	

Legend A)

Indicative list of the main pollutants

#### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

#### **Regulation on drug precursors**

none of the ingredients are listed

#### **Regulation on persistent organic pollutants (POP)**

None of the ingredients are listed.

#### National regulations (GB)

#### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

#### **Restrictions according to GB REACH, Annex 17**

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
California Scents Car Scents Ice	this product meets the criteria for classifica- tion in accordance with Regulation No 1272/2008/EC		3
Orange Terpenes	flammable / pyrophoric		40
Fir needle oil, Canadian	flammable / pyrophoric		40

#### **National inventories**

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	all ingredients are listed



### **California Scents Car Scents Ice**

Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-07-15

Inventory	Status
ECSI	not all ingredients are listed
REACH Reg.	not all ingredients are listed
CSCL-ENCS	not all ingredients are listed
ISHA-ENCS	not all ingredients are listed
KECI	all ingredients are listed
INSQ	not all ingredients are listed
NZIoC	all ingredients are listed
PICCS	all ingredients are listed
CICR	not all ingredients are listed
TCSI	all ingredients are listed
TSCA	all ingredients are listed
	ECSI REACH Reg. CSCL-ENCS ISHA-ENCS KECI INSQ NZIOC PICCS CICR TCSI

#### Legend

Legena	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NDSL	Non-domestic Substances List (NDSL)
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### SECTION 16: Other information

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		- Supplemental hazard information: change in the listing (table)	yes



### California Scents Car Scents Ice

#### Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	- Hazardous ingredients for labelling: Orange Terpenes, Linalool, Acetyl cedrene, Lavandin Oil	- Hazardous ingredients for labelling: Orange Terpenes, Linalool, Acetyl cedrene, Lavandin Oil, Eugenol, Fir needle oil, Canadian, Linalyl acetate, 2,2,6-trimethyl-α-propylcyclohex- anepropanol, Peppermint oil	yes
2.2.1.7	Labelling of packages where the contents do not exceed 125 ml		yes
2.2.1.7	- Signal word: warning		yes
2.2.1.7		- Hazard pictogram(s): change in the listing (table)	yes
2.2.1.7		- Hazard statements: change in the listing (table)	yes
2.2.1.7		- Precautionary statements: change in the listing (table)	yes
2.2.1.7	- Contains: Orange Terpenes, Linalool, Acetyl cedrene, Lavandin Oil		yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.		yes
2.3	Other hazards	Other hazards: This material is combustible, but will not ignite readily.	yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
9.1	Colour: various	Colour: black	yes
9.1	Flash point: >94 °C	Flash point: 79 °C	yes
9.1	Vapour density: this information is not available		yes



### California Scents Car Scents Ice

#### Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
9.1	Relative vapour density: Information on this property is not available not relevant (liquid)	Relative vapour density: information on this property is not available	yes
9.1	Particle characteristics: no data available	Particle characteristics: not relevant (liquid)	yes
9.2	Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards):	Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant	yes
9.2	Other safety characteristics	Other safety characteristics: there is no additional information	yes
9.2	Temperature class (EU, acc. to ATEX): T2 (maximum permissible surface temperature on the equipment: 300°C)		yes
10.1		If exposed to air: Danger of explosion.	yes
11.1	Acute toxicity: Shall not be classified as acutely toxic.GHS of the United Nations, annex 4: May be harmful in con- tact with skin or if inhaled.	Acute toxicity: Shall not be classified as acutely toxic.GHS of the United Nations, annex 4: May be harmful in con- tact with skin.	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
12.2		Degradability of components of the mixture: change in the listing (table)	yes
12.3		Bioaccumulative potential of components of the mixture: change in the listing (table)	yes
12.6	Endocrine disrupting properties: The mixture contains substance(s) with an endo- crine disrupting potential.	Endocrine disrupting properties: Information on this property is not available.	yes
14.1	ADR/RID/ADN: 3082	ADR/RID: UN 3082	yes
14.1	IMDG-Code: 3082	IMDG-Code: UN 3082	yes
14.1	ICAO-TI: 3082	ICAO-TI: UN 3082	yes
14.7		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID) - Addition- al information	yes



### California Scents Car Scents Ice

Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety relev- ant
14.7		Classification code: M6	yes
14.7		Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7		Environmental hazards: yes (hazardous to water)	yes
14.7		Special provisions (SP): 274, 335, 375, 601	yes
14.7		Excepted quantities (EQ): E1	yes
14.7		Limited quantities (LQ): 5 L	yes
14.7		Transport category (TC): 3	yes
14.7		Hazard identification No: 90	yes
14.7	Special provisions (SP): A97, A158, A197	Special provisions (SP): A97, A158, A197, A215	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list: none of the ingredients are listed		yes
15.1	Water Framework Directive (WFD): none of the ingredients are listed	Water Framework Directive (WFD)	yes
15.1		List of pollutants (WFD): change in the listing (table)	yes
15.1		Regulation on the marketing and use of explos- ives precursors: none of the ingredients are listed	yes
15.1		Regulation on drug precursors: none of the ingredients are listed	yes
15.1		Regulation on persistent organic pollutants (POP): None of the ingredients are listed.	yes



### **California Scents Car Scents Ice**

Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-07-15

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		National regulations (GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: none of the ingredients are listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances



### California Scents Car Scents Ice

Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2)

Abbr.	Descriptions of used abbreviations
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
TWA	Time-weighted average



Version number: GHS 3.1 Replaces version of: 2020-12-15 (GHS 2) Revision: 2022-07-15

Abbr.	Descriptions of used abbreviations
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.