

## Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

### Top Tec 4310 OW-30

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses of the substance or mixture:

Lubricant

##### Uses advised against:

No information available at present.

#### 1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH  
Jerg-Wieland-Str. 4  
89081 Ulm-Lehr  
Tel.: (+49) 0731-1420-0  
Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

#### 1.4 Emergency telephone number

##### Emergency information services / official advisory body:

---

##### Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)  
+1 872 5888271 (LMR)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

#### 2.2 Label elements

##### Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH208-Contains Molybdenum polysulphide long chain alkyl dithiocarbamate complex, C14-16-18 Alkylphenol. May produce an allergic reaction.

EUH210-Safety data sheet available on request.

#### 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

Page 2 of 22  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 15.11.2021 / 0005  
 Replacing version dated / version: 28.04.2020 / 0004  
 Valid from: 15.11.2021  
 PDF print date: 04.08.2022  
 Top Tec 4310 OW-30

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

n.a.

### 3.2 Mixtures

|                                                                             |                                                                                            |
|-----------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| <b>Distillates (petroleum), hydrotreated heavy paraffinic</b>               |                                                                                            |
| Registration number (REACH)                                                 | 01-2119484627-25-XXXX                                                                      |
| Index                                                                       | 649-467-00-8                                                                               |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                      | 265-157-1                                                                                  |
| CAS                                                                         | 64742-54-7                                                                                 |
| content %                                                                   | 50-<70                                                                                     |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors      | Asp. Tox. 1, H304                                                                          |
| <b>1-decene, trimers, hydrogenated</b>                                      |                                                                                            |
| Registration number (REACH)                                                 | 01-2119493949-12-XXXX                                                                      |
| Index                                                                       | ---                                                                                        |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                      | 500-393-3                                                                                  |
| CAS                                                                         | 157707-86-3                                                                                |
| content %                                                                   | 10-<20                                                                                     |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors      | Asp. Tox. 1, H304                                                                          |
| <b>Distillates (petroleum), solvent-dewaxed light paraffinic</b>            |                                                                                            |
| Registration number (REACH)                                                 | 01-2119480132-48-XXXX                                                                      |
| Index                                                                       | 649-469-00-9                                                                               |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                      | 265-159-2                                                                                  |
| CAS                                                                         | 64742-56-9                                                                                 |
| content %                                                                   | 1-<5                                                                                       |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors      | Asp. Tox. 1, H304                                                                          |
| <b>Bis(nonylphenyl)amine</b>                                                |                                                                                            |
| Registration number (REACH)                                                 | ---                                                                                        |
| Index                                                                       | ---                                                                                        |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                      | 253-249-4                                                                                  |
| CAS                                                                         | 36878-20-3                                                                                 |
| content %                                                                   | 1-<5                                                                                       |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors      | Aquatic Chronic 4, H413                                                                    |
| Specific Concentration Limits and ATE                                       | ATE (oral): >10000 mg/kg<br>ATE (dermal): >5000 mg/kg<br>ATE (as inhalation, Aerosol): >20 |
| <b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based</b> |                                                                                            |
| Registration number (REACH)                                                 | 01-2119474889-13-XXXX                                                                      |
| Index                                                                       | 649-483-00-5                                                                               |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                      | 276-738-4                                                                                  |
| CAS                                                                         | 72623-87-1                                                                                 |
| content %                                                                   | 1-<5                                                                                       |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors      | Asp. Tox. 1, H304                                                                          |
| <b>Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based</b> |                                                                                            |
| Registration number (REACH)                                                 | 01-2119474878-16-XXXX                                                                      |
| Index                                                                       | 649-482-00-X                                                                               |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                      | 276-737-9                                                                                  |
| CAS                                                                         | 72623-86-0                                                                                 |
| content %                                                                   | 1-<5                                                                                       |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors      | Asp. Tox. 1, H304                                                                          |
| <b>Molybdenum polysulphide long chain alkyl dithiocarbamate complex</b>     |                                                                                            |
| Registration number (REACH)                                                 | 01-0000019337-66-XXXX                                                                      |
| Index                                                                       | ---                                                                                        |
| EINECS, ELINCS, NLP, REACH-IT List-No.                                      | 457-320-2                                                                                  |
| CAS                                                                         | ---                                                                                        |

Page 3 of 22  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 15.11.2021 / 0005  
 Replacing version dated / version: 28.04.2020 / 0004  
 Valid from: 15.11.2021  
 PDF print date: 04.08.2022  
 Top Tec 4310 OW-30

|                                                                               |                                                                      |
|-------------------------------------------------------------------------------|----------------------------------------------------------------------|
| <b>content %</b>                                                              | 0,1-<1                                                               |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP), M-factors</b> | Skin Irrit. 2, H315<br>Skin Sens. 1, H317<br>Aquatic Chronic 3, H412 |

|                                                                               |                                                |
|-------------------------------------------------------------------------------|------------------------------------------------|
| <b>C14-16-18 Alkylphenol</b>                                                  |                                                |
| <b>Registration number (REACH)</b>                                            | 01-2119498288-19-XXXX                          |
| <b>Index</b>                                                                  | ---                                            |
| <b>EINECS, ELINCS, NLP, REACH-IT List-No.</b>                                 | 931-468-2                                      |
| <b>CAS</b>                                                                    | ---                                            |
| <b>content %</b>                                                              | 0,1-<1                                         |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP), M-factors</b> | Skin Sens. 1B, H317<br>STOT RE 2, H373 (liver) |

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Unsuitable cleaning product:

Solvent

Thinners

#### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

The following may occur:

Irritation of the eyes

With long-term contact:

Drying of the skin.

Dermatitis (skin inflammation)

Oil acne

On vapour formation:

Irritation of the respiratory tract

Ingestion:

Gastrointestinal disturbances

Nausea

Vomiting

### 4.3 Indication of any immediate medical attention and special treatment needed

n.c.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 15.11.2021 / 0005

Replacing version dated / version: 28.04.2020 / 0004

Valid from: 15.11.2021

PDF print date: 04.08.2022

Top Tec 4310 OW-30

## Suitable extinguishing media

CO<sub>2</sub>

Foam

Dry extinguisher

## Unsuitable extinguishing media

High volume water jet

## 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Oxides of phosphorus

Oxides of nitrogen

Toxic gases

## 5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Cool container at risk with water.

Dispose of contaminated extinction water according to official regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Ensure sufficient supply of air.

Avoid formation of oil mist.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

#### 6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

### 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Oil binder

Do not wash away with water or watery cleaning agents.

### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

### 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Avoid formation of oil mist.

Ensure good ventilation.

Keep away from sources of ignition - Do not smoke.

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

GB

Page 5 of 22  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 15.11.2021 / 0005  
 Replacing version dated / version: 28.04.2020 / 0004  
 Valid from: 15.11.2021  
 PDF print date: 04.08.2022  
 Top Tec 4310 OW-30

Do not carry cleaning cloths soaked in product in trouser pockets.  
 Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.  
 Observe directions on label and instructions for use.

### 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.  
 Wash hands before breaks and at end of work.  
 Keep away from food, drink and animal feedingstuffs.  
 Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

### 7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.  
 Store product closed and only in original packing.  
 Under all circumstances prevent penetration into the soil.  
 Store at room temperature.  
 Store in a dry place.

### 7.3 Specific end use(s)

No information available at present.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

| Chemical Name                                                                     | Oil mist, mineral                    |     |
|-----------------------------------------------------------------------------------|--------------------------------------|-----|
| WEL-TWA: 5 mg/m <sup>3</sup> (Mineral oil, excluding metal working fluids, ACGIH) | WEL-STEL: ---                        | --- |
| Monitoring procedures:                                                            | - Draeger - Oil Mist 1/a (67 33 031) |     |
| BMGV: ---                                                                         | Other information: ---               |     |

| Distillates (petroleum), hydrotreated heavy paraffinic |                                            |                             |            |       |                   |      |
|--------------------------------------------------------|--------------------------------------------|-----------------------------|------------|-------|-------------------|------|
| Area of application                                    | Exposure route / Environmental compartment | Effect on health            | Descriptor | Value | Unit              | Note |
|                                                        | Environment - oral (animal feed)           |                             | PNEC       | 9,33  | mg/kg             |      |
| Consumer                                               | Human - inhalation                         | Long term, local effects    | DNEL       | 1,2   | mg/m <sup>3</sup> |      |
| Consumer                                               | Human - oral                               | Long term, systemic effects | DNEL       | 0,74  | mg/kg             |      |
| Workers / employees                                    | Human - inhalation                         | Long term, local effects    | DNEL       | 5,58  | mg/m <sup>3</sup> |      |
| Workers / employees                                    | Human - dermal                             | Long term, systemic effects | DNEL       | 0,97  | mg/kg             |      |
| Workers / employees                                    | Human - inhalation                         | Long term, systemic effects | DNEL       | 2,73  | mg/m <sup>3</sup> |      |

| Distillates (petroleum), solvent-dewaxed light paraffinic |                                            |                  |            |       |            |      |
|-----------------------------------------------------------|--------------------------------------------|------------------|------------|-------|------------|------|
| Area of application                                       | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit       | Note |
|                                                           | Environment - oral (animal feed)           |                  | PNEC       | 9,33  | mg/kg feed |      |

| Bis(nonylphenyl)amine |                                                      |                  |            |       |      |      |
|-----------------------|------------------------------------------------------|------------------|------------|-------|------|------|
| Area of application   | Exposure route / Environmental compartment           | Effect on health | Descriptor | Value | Unit | Note |
|                       | Environment - freshwater                             |                  | PNEC       | 0,1   | mg/l |      |
|                       | Environment - marine                                 |                  | PNEC       | 0,01  | mg/l |      |
|                       | Environment - water, sporadic (intermittent) release |                  | PNEC       | 1     | mg/l |      |

Page 6 of 22  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 15.11.2021 / 0005  
 Replacing version dated / version: 28.04.2020 / 0004  
 Valid from: 15.11.2021  
 PDF print date: 04.08.2022  
 Top Tec 4310 OW-30

|                     |                                      |                             |      |        |                   |  |
|---------------------|--------------------------------------|-----------------------------|------|--------|-------------------|--|
|                     | Environment - sewage treatment plant |                             | PNEC | 1      | mg/l              |  |
|                     | Environment - sediment, freshwater   |                             | PNEC | 132000 | mg/kg dw          |  |
|                     | Environment - sediment, marine       |                             | PNEC | 13200  | mg/kg dw          |  |
|                     | Environment - soil                   |                             | DNEL | 263000 | mg/kg dw          |  |
|                     | Environment - periodic release       |                             | PNEC | 1      | mg/kg             |  |
| Consumer            | Human - dermal                       | Long term, systemic effects | DNEL | 2,5    | mg/kg             |  |
| Consumer            | Human - oral                         | Long term, systemic effects | DNEL | 0,25   | mg/kg bw/day      |  |
| Consumer            | Human - inhalation                   | Long term, systemic effects | DNEL | 1,09   | mg/m <sup>3</sup> |  |
| Consumer            | Human - dermal                       | Long term, systemic effects | DNEL | 0,31   | mg/kg             |  |
| Workers / employees | Human - dermal                       | Long term, systemic effects | DNEL | 0,62   | mg/kg             |  |
| Workers / employees | Human - inhalation                   | Long term, systemic effects | DNEL | 4,37   | mg/m <sup>3</sup> |  |
| Workers / employees | Human - dermal                       | Long term, systemic effects | DNEL | 5      | mg/kg bw/day      |  |

**Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based**

| Area of application | Exposure route / Environmental compartment | Effect on health         | Descriptor | Value | Unit              | Note |
|---------------------|--------------------------------------------|--------------------------|------------|-------|-------------------|------|
|                     | Human - oral                               |                          | PNEC       | 9,33  | mg/kg feed        |      |
| Consumer            | Human - inhalation                         | Long term, local effects | DNEL       | 1,2   | mg/m <sup>3</sup> | 24h  |
| Workers / employees | Human - inhalation                         | Long term, local effects | DNEL       | 5,4   | mg/m <sup>3</sup> | 8h   |

**Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based**

| Area of application | Exposure route / Environmental compartment | Effect on health            | Descriptor | Value | Unit              | Note |
|---------------------|--------------------------------------------|-----------------------------|------------|-------|-------------------|------|
| Consumer            | Human - inhalation                         | Long term, local effects    | DNEL       | 1,2   | mg/m <sup>3</sup> | 24h  |
| Consumer            | Human - dermal                             | Long term, systemic effects | DNEL       | 0,74  | mg/kg bw/day      |      |
| Workers / employees | Human - inhalation                         | Long term, local effects    | DNEL       | 5,58  | mg/m <sup>3</sup> | 8h   |
| Workers / employees | Human - dermal                             | Long term, systemic effects | DNEL       | 0,97  | mg/kg bw/day      |      |
| Workers / employees | Human - inhalation                         | Long term, systemic effects | DNEL       | 2,73  | mg/m <sup>3</sup> |      |

**Molybdenum polysulphide long chain alkyl dithiocarbamate complex**

| Area of application | Exposure route / Environmental compartment           | Effect on health | Descriptor | Value  | Unit  | Note |
|---------------------|------------------------------------------------------|------------------|------------|--------|-------|------|
|                     | Environment - sediment, freshwater                   |                  | PNEC       | 195    | mg/kg |      |
|                     | Environment - sediment, marine                       |                  | PNEC       | 19,5   | mg/kg |      |
|                     | Environment - freshwater                             |                  | PNEC       | 0,081  | mg/l  |      |
|                     | Environment - marine                                 |                  | PNEC       | 0,0081 | mg/l  |      |
|                     | Environment - soil                                   |                  | PNEC       | 0,872  | mg/kg |      |
|                     | Environment - sewage treatment plant                 |                  | PNEC       | 10     | mg/l  |      |
|                     | Environment - water, sporadic (intermittent) release |                  | PNEC       | 0,0962 | mg/l  |      |

|                     | Environment - oral (animal feed) |                             | PNEC | 20    | mg/kg feed   |  |
|---------------------|----------------------------------|-----------------------------|------|-------|--------------|--|
| Consumer            | Human - oral                     | Long term, systemic effects | DNEL | 0,5   | mg/kg bw/day |  |
| Consumer            | Human - dermal                   | Long term, systemic effects | DNEL | 1,12  | mg/kg bw/day |  |
| Consumer            | Human - dermal                   | Long term, local effects    | DNEL | 0,056 | mg/cm2       |  |
| Consumer            | Human - inhalation               | Long term, systemic effects | DNEL | 1,76  | mg/m3        |  |
| Workers / employees | Human - dermal                   | Long term, systemic effects | DNEL | 2,24  | mg/kg bw/day |  |
| Workers / employees | Human - dermal                   | Long term, local effects    | DNEL | 0,112 | mg/cm2       |  |
| Workers / employees | Human - inhalation               | Long term, systemic effects | DNEL | 3,52  | mg/m3        |  |

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).  
 (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).  
 (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.  
 \*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.  
 (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

## 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.  
 If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.  
 Applies only if maximum permissible exposure values are listed here.  
 Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.  
 These are specified by e.g. EN 14042.  
 EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

### 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.  
 Wash hands before breaks and at end of work.  
 Keep away from food, drink and animal feedingstuffs.  
 Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:  
 Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.

Skin protection - Hand protection:  
 Protective gloves, oil resistant (EN ISO 374).  
 If applicable  
 Protective nitrile gloves (EN ISO 374).  
 Protective gloves made of polyvinyl alcohol (EN ISO 374).  
 Protective Viton® / fluoroelastomer gloves (EN ISO 374).  
 Minimum layer thickness in mm:  
 0,4  
 Permeation time (penetration time) in minutes:  
 > 480  
 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.  
 The recommended maximum wearing time is 50% of breakthrough time.  
 Protective hand cream recommended.

Page 8 of 22  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 15.11.2021 / 0005  
 Replacing version dated / version: 28.04.2020 / 0004  
 Valid from: 15.11.2021  
 PDF print date: 04.08.2022  
 Top Tec 4310 OW-30

Skin protection - Other:  
 Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:  
 Normally not necessary.  
 With oil mist formation:  
 Filter A2 P2 (EN 14387), code colour brown, white  
 Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:  
 Not applicable

Additional information on hand protection - No tests have been performed.  
 In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.  
 Selection of materials derived from glove manufacturer's indications.  
 Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.  
 Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.  
 In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.  
 The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

### 8.2.3 Environmental exposure controls

No information available at present.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                                                           |                                                      |
|-----------------------------------------------------------|------------------------------------------------------|
| Physical state:                                           | Liquid                                               |
| Colour:                                                   | Brown                                                |
| Odour:                                                    | Characteristic                                       |
| Melting point/freezing point:                             | There is no information available on this parameter. |
| Boiling point or initial boiling point and boiling range: | There is no information available on this parameter. |
| Flammability:                                             | Flammable                                            |
| Lower explosion limit:                                    | There is no information available on this parameter. |
| Upper explosion limit:                                    | There is no information available on this parameter. |
| Flash point:                                              | 230 °C                                               |
| Auto-ignition temperature:                                | There is no information available on this parameter. |
| Decomposition temperature:                                | There is no information available on this parameter. |
| pH:                                                       | Mixture is non-soluble (in water).                   |
| Kinematic viscosity:                                      | 50,00 mm <sup>2</sup> /s (40°C)                      |
| Kinematic viscosity:                                      | 9,5 mm <sup>2</sup> /s (100°C)                       |
| Solubility:                                               | Insoluble                                            |
| Partition coefficient n-octanol/water (log value):        | Does not apply to mixtures.                          |
| Vapour pressure:                                          | There is no information available on this parameter. |
| Density and/or relative density:                          | 0,845 g/ml                                           |
| Relative vapour density:                                  | There is no information available on this parameter. |
| Particle characteristics:                                 | Does not apply to liquids.                           |

### 9.2 Other information

|                    |                           |
|--------------------|---------------------------|
| Explosives:        | Product is not explosive. |
| Oxidising liquids: | No                        |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

The product has not been tested.

### 10.2 Chemical stability

Stable with proper storage and handling.

### 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

### 10.4 Conditions to avoid

See also section 7.



Page 9 of 22  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 15.11.2021 / 0005  
 Replacing version dated / version: 28.04.2020 / 0004  
 Valid from: 15.11.2021  
 PDF print date: 04.08.2022  
 Top Tec 4310 OW-30

Protect from humidity.  
 Strong heat

### 10.5 Incompatible materials

See also section 7.  
 Avoid contact with strong oxidizing agents.

### 10.6 Hazardous decomposition products

See also section 5.2  
 No decomposition when used as directed.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

#### Top Tec 4310 OW-30

| Toxicity / effect                                             | Endpoint | Value | Unit | Organism | Test method | Notes  |
|---------------------------------------------------------------|----------|-------|------|----------|-------------|--------|
| Acute toxicity, by oral route:                                |          |       |      |          |             | n.d.a. |
| Acute toxicity, by dermal route:                              |          |       |      |          |             | n.d.a. |
| Acute toxicity, by inhalation:                                |          |       |      |          |             | n.d.a. |
| Skin corrosion/irritation:                                    |          |       |      |          |             | n.d.a. |
| Serious eye damage/irritation:                                |          |       |      |          |             | n.d.a. |
| Respiratory or skin sensitisation:                            |          |       |      |          |             | n.d.a. |
| Germ cell mutagenicity:                                       |          |       |      |          |             | n.d.a. |
| Carcinogenicity:                                              |          |       |      |          |             | n.d.a. |
| Reproductive toxicity:                                        |          |       |      |          |             | n.d.a. |
| Specific target organ toxicity - single exposure (STOT-SE):   |          |       |      |          |             | n.d.a. |
| Specific target organ toxicity - repeated exposure (STOT-RE): |          |       |      |          |             | n.d.a. |
| Aspiration hazard:                                            |          |       |      |          |             | n.d.a. |
| Symptoms:                                                     |          |       |      |          |             | n.d.a. |

#### Distillates (petroleum), hydrotreated heavy paraffinic

| Toxicity / effect                  | Endpoint | Value | Unit    | Organism               | Test method                                              | Notes                                          |
|------------------------------------|----------|-------|---------|------------------------|----------------------------------------------------------|------------------------------------------------|
| Acute toxicity, by oral route:     | LD50     | >5000 | mg/kg   | Rat                    | OECD 420 (Acute Oral toxicity - Fixe Dose Procedure)     | Analogous conclusion                           |
| Acute toxicity, by dermal route:   | LD50     | >5000 | mg/kg   | Rabbit                 | OECD 402 (Acute Dermal Toxicity)                         | Analogous conclusion                           |
| Acute toxicity, by inhalation:     | LC50     | >5,53 | mg/l/4h | Rat                    | OECD 403 (Acute Inhalation Toxicity)                     | Aerosol, Analogous conclusion                  |
| Skin corrosion/irritation:         |          |       |         | Rabbit                 | OECD 404 (Acute Dermal Irritation/Corrosion)             | Not irritant, Analogous conclusion             |
| Serious eye damage/irritation:     |          |       |         | Rabbit                 | OECD 405 (Acute Eye Irritation/Corrosion)                | Not irritant, Analogous conclusion             |
| Respiratory or skin sensitisation: |          |       |         | Guinea pig             | OECD 406 (Skin Sensitisation)                            | No (skin contact), Analogous conclusion        |
| Germ cell mutagenicity:            |          |       |         | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)               | Negative, Analogous conclusion                 |
| Germ cell mutagenicity:            |          |       |         |                        | OECD 473 (In Vitro Mammalian Chromosome Aberration Test) | Negative, Analogous conclusion Chinese hamster |
| Germ cell mutagenicity:            |          |       |         | Mouse                  | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)    | Negative, Analogous conclusion                 |

Page 10 of 22  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 15.11.2021 / 0005  
 Replacing version dated / version: 28.04.2020 / 0004  
 Valid from: 15.11.2021  
 PDF print date: 04.08.2022  
 Top Tec 4310 OW-30

|                                                                         |       |      |       |        |                                                                |                                                 |
|-------------------------------------------------------------------------|-------|------|-------|--------|----------------------------------------------------------------|-------------------------------------------------|
| Germ cell mutagenicity:                                                 |       |      |       | Mouse  | OECD 474 (Mammalian Erythrocyte Micronucleus Test)             | Negative, Analogous conclusion                  |
| Carcinogenicity:                                                        |       |      |       | Mouse  | OECD 451 (Carcinogenicity Studies)                             | Negative, Analogous conclusion 78 weeks, dermal |
| Reproductive toxicity (Developmental toxicity):                         |       |      |       | Rat    | OECD 414 (Prenatal Developmental Toxicity Study)               | Negative, Analogous conclusion dermal           |
| Reproductive toxicity:                                                  |       |      |       | Rat    | OECD 421 (Reproduction/Developmental Toxicity Screening Test)  | Negative, Analogous conclusion oral             |
| Aspiration hazard:                                                      |       |      |       |        |                                                                | Asp. Tox. 1                                     |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral:     | LOAEL | 125  | mg/kg | Rat    | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | Analogous conclusion                            |
| Symptoms:                                                               |       |      |       |        |                                                                | gastrointestinal disturbances, diarrhoea        |
| Specific target organ toxicity - repeated exposure (STOT-RE), dermal:   | NOAEL | 1000 | mg/kg | Rabbit | OECD 410 (Repeated Dose Dermal Toxicity - 90-Day)              | Analogous conclusion                            |
| Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.: | NOAEL | 0,22 | mg/l  | Rat    |                                                                | Dust, Mist, Analogous conclusion 4 weeks        |

#### 1-decene, trimers, hydrogenated

| Toxicity / effect                  | Endpoint | Value | Unit    | Organism   | Test method                                  | Notes           |
|------------------------------------|----------|-------|---------|------------|----------------------------------------------|-----------------|
| Acute toxicity, by oral route:     | LD50     | >5000 | mg/kg   | Rat        | OECD 401 (Acute Oral Toxicity)               |                 |
| Acute toxicity, by dermal route:   | LD50     | >2000 | mg/kg   | Rat        | OECD 402 (Acute Dermal Toxicity)             |                 |
| Acute toxicity, by inhalation:     | LC50     | >5,2  | mg/l/4h | Rat        | OECD 403 (Acute Inhalation Toxicity)         | Aerosol         |
| Skin corrosion/irritation:         |          |       |         | Rabbit     | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant    |
| Serious eye damage/irritation:     |          |       |         | Rabbit     | OECD 405 (Acute Eye Irritation/Corrosion)    | Not irritant    |
| Respiratory or skin sensitisation: |          |       |         | Guinea pig | OECD 406 (Skin Sensitisation)                | Not sensitising |

#### Distillates (petroleum), solvent-dewaxed light paraffinic

| Toxicity / effect                  | Endpoint | Value | Unit    | Organism               | Test method                                  | Notes             |
|------------------------------------|----------|-------|---------|------------------------|----------------------------------------------|-------------------|
| Acute toxicity, by oral route:     | LD50     | >5000 | mg/kg   | Rat                    | OECD 401 (Acute Oral Toxicity)               |                   |
| Acute toxicity, by dermal route:   | LD50     | >5000 | mg/kg   | Rabbit                 | OECD 402 (Acute Dermal Toxicity)             |                   |
| Acute toxicity, by inhalation:     | LC50     | >5,53 | mg/l/4h | Rat                    | OECD 403 (Acute Inhalation Toxicity)         | Aerosol           |
| Skin corrosion/irritation:         |          |       |         | Rabbit                 | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant      |
| Serious eye damage/irritation:     |          |       |         | Rabbit                 | OECD 405 (Acute Eye Irritation/Corrosion)    | Not irritant      |
| Respiratory or skin sensitisation: |          |       |         | Guinea pig             | OECD 406 (Skin Sensitisation)                | No (skin contact) |
| Germ cell mutagenicity:            |          |       |         | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)   | Negative          |

Page 11 of 22  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 15.11.2021 / 0005  
 Replacing version dated / version: 28.04.2020 / 0004  
 Valid from: 15.11.2021  
 PDF print date: 04.08.2022  
 Top Tec 4310 OW-30

|                         |       |       |            |           |                                                               |                                                |
|-------------------------|-------|-------|------------|-----------|---------------------------------------------------------------|------------------------------------------------|
| Germ cell mutagenicity: |       |       |            | Mammalian | OECD 474 (Mammalian Erythrocyte Micronucleus Test)            | Negative                                       |
| Germ cell mutagenicity: |       |       |            | Mammalian | OECD 473 (In Vitro Mammalian Chromosome Aberration Test)      | Negative, Analogous conclusion Chinese hamster |
| Germ cell mutagenicity: |       |       |            | Mouse     | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)         | Negative                                       |
| Reproductive toxicity:  | NOAEL | >1000 | mg/kg bw/d | Rat       | OECD 421 (Reproduction/Developmental Toxicity Screening Test) |                                                |
| Reproductive toxicity:  | NOAEL | >2000 | mg/kg bw/d | Rat       | OECD 414 (Prenatal Developmental Toxicity Study)              |                                                |
| Aspiration hazard:      |       |       |            |           |                                                               | Yes                                            |
| Symptoms:               |       |       |            |           |                                                               | drying of the skin., vomiting, nausea          |

| <b>Bis(nonylphenyl)amine</b>                                        |                 |              |             |                        |                                                                |                                         |
|---------------------------------------------------------------------|-----------------|--------------|-------------|------------------------|----------------------------------------------------------------|-----------------------------------------|
| <b>Toxicity / effect</b>                                            | <b>Endpoint</b> | <b>Value</b> | <b>Unit</b> | <b>Organism</b>        | <b>Test method</b>                                             | <b>Notes</b>                            |
| Acute toxicity, by oral route:                                      | LD50            | >5000        | mg/kg       | Rat                    | OECD 401 (Acute Oral Toxicity)                                 | Analogous conclusion                    |
| Acute toxicity, by dermal route:                                    | LD50            | >2000        | mg/kg       | Rat                    | OECD 402 (Acute Dermal Toxicity)                               | Analogous conclusion                    |
| Skin corrosion/irritation:                                          |                 |              |             | Rabbit                 | OECD 404 (Acute Dermal Irritation/Corrosion)                   | Not irritant                            |
| Serious eye damage/irritation:                                      |                 |              |             | Rabbit                 | OECD 405 (Acute Eye Irritation/Corrosion)                      | Not irritant                            |
| Respiratory or skin sensitisation:                                  |                 |              |             | Guinea pig             | OECD 406 (Skin Sensitisation)                                  | No (skin contact), Analogous conclusion |
| Germ cell mutagenicity:                                             |                 |              |             | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)                     | Negative, Analogous conclusion          |
| Germ cell mutagenicity:                                             |                 |              |             | Mouse                  | OECD 478 (Genetic Toxicology - Rodent dominant Lethal Test)    | Negative, Analogous conclusion          |
| Germ cell mutagenicity:                                             |                 |              |             | Mammalian              | OECD 473 (In Vitro Mammalian Chromosome Aberration Test)       | Negative, Analogous conclusion          |
| Reproductive toxicity (Developmental toxicity):                     | NOAEL           | 150          | mg/kg bw/d  | Rat                    | OECD 414 (Prenatal Developmental Toxicity Study)               | Negative                                |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL           | <100         | mg/kg bw/d  | Rat                    | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |                                         |

| <b>Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based</b> |                 |              |             |                 |                                      |              |
|-----------------------------------------------------------------------------|-----------------|--------------|-------------|-----------------|--------------------------------------|--------------|
| <b>Toxicity / effect</b>                                                    | <b>Endpoint</b> | <b>Value</b> | <b>Unit</b> | <b>Organism</b> | <b>Test method</b>                   | <b>Notes</b> |
| Acute toxicity, by oral route:                                              | LD50            | >5000        | mg/kg       | Rat             | OECD 401 (Acute Oral Toxicity)       |              |
| Acute toxicity, by dermal route:                                            | LD50            | >5000        | mg/kg       | Rabbit          | OECD 402 (Acute Dermal Toxicity)     |              |
| Acute toxicity, by inhalation:                                              | LC50            | >5,53        | mg/l/4h     | Rat             | OECD 403 (Acute Inhalation Toxicity) |              |

Page 12 of 22  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 15.11.2021 / 0005  
 Replacing version dated / version: 28.04.2020 / 0004  
 Valid from: 15.11.2021  
 PDF print date: 04.08.2022  
 Top Tec 4310 OW-30

|                                                               |  |  |  |                        |                                                                |                                                                     |
|---------------------------------------------------------------|--|--|--|------------------------|----------------------------------------------------------------|---------------------------------------------------------------------|
| Skin corrosion/irritation:                                    |  |  |  | Rabbit                 | OECD 404 (Acute Dermal Irritation/Corrosion)                   | Not irritant, Repeated exposure may cause skin dryness or cracking. |
| Serious eye damage/irritation:                                |  |  |  | Rabbit                 | OECD 405 (Acute Eye Irritation/Corrosion)                      | Not irritant                                                        |
| Respiratory or skin sensitisation:                            |  |  |  | Guinea pig             | OECD 406 (Skin Sensitisation)                                  | No (skin contact)                                                   |
| Germ cell mutagenicity:                                       |  |  |  | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)                     | Negative, Analogous conclusion                                      |
| Germ cell mutagenicity:                                       |  |  |  |                        | OECD 473 (In Vitro Mammalian Chromosome Aberration Test)       | Negative, Analogous conclusion Chinese hamster                      |
| Germ cell mutagenicity:                                       |  |  |  | Mouse                  | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)          | Negative, Analogous conclusion                                      |
| Germ cell mutagenicity:                                       |  |  |  | Mouse                  | OECD 474 (Mammalian Erythrocyte Micronucleus Test)             | Negative, Analogous conclusion                                      |
| Carcinogenicity:                                              |  |  |  |                        | OECD 453 (Combined Chronic Toxicity/Carcinogenicity Studies)   | Negative                                                            |
| Carcinogenicity:                                              |  |  |  | Mouse                  | OECD 451 (Carcinogenicity Studies)                             | Negative, Analogous conclusion                                      |
| Reproductive toxicity:                                        |  |  |  |                        | OECD 414 (Prenatal Developmental Toxicity Study)               | Negative                                                            |
| Reproductive toxicity:                                        |  |  |  |                        | OECD 421 (Reproduction/Developmental Toxicity Screening Test)  | Negative                                                            |
| Reproductive toxicity:                                        |  |  |  | Rat                    | OECD 421 (Reproduction/Developmental Toxicity Screening Test)  | Negative, Analogous conclusion                                      |
| Specific target organ toxicity - repeated exposure (STOT-RE): |  |  |  |                        | OECD 453 (Combined Chronic Toxicity/Carcinogenicity Studies)   | Negative                                                            |
| Specific target organ toxicity - repeated exposure (STOT-RE): |  |  |  |                        | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | Negative                                                            |
| Specific target organ toxicity - repeated exposure (STOT-RE): |  |  |  |                        | OECD 410 (Repeated Dose Dermal Toxicity - 90-Day)              | Negative                                                            |
| Specific target organ toxicity - repeated exposure (STOT-RE): |  |  |  |                        | OECD 411 (Subchronic Dermal Toxicity - 90-day Study)           | Negative                                                            |
| Specific target organ toxicity - repeated exposure (STOT-RE): |  |  |  |                        | OECD 412 (Subacute Inhalation Toxicity - 28-Day Study)         | Negative                                                            |
| Aspiration hazard:                                            |  |  |  |                        |                                                                | Asp. Tox. 1                                                         |

**Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based**

| Toxicity / effect              | Endpoint | Value | Unit  | Organism | Test method                    | Notes |
|--------------------------------|----------|-------|-------|----------|--------------------------------|-------|
| Acute toxicity, by oral route: | LD50     | >5000 | mg/kg | Rat      | OECD 401 (Acute Oral Toxicity) |       |

Page 13 of 22  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 15.11.2021 / 0005  
 Replacing version dated / version: 28.04.2020 / 0004  
 Valid from: 15.11.2021  
 PDF print date: 04.08.2022  
 Top Tec 4310 OW-30

|                                                                       |       |       |                       |                        |                                                                |                                                 |
|-----------------------------------------------------------------------|-------|-------|-----------------------|------------------------|----------------------------------------------------------------|-------------------------------------------------|
| Acute toxicity, by dermal route:                                      | LD50  | >2000 | mg/kg                 | Rabbit                 | OECD 402 (Acute Dermal Toxicity)                               |                                                 |
| Acute toxicity, by inhalation:                                        | LC50  | >5,53 | mg/m <sup>3</sup> /4h | Rat                    | OECD 403 (Acute Inhalation Toxicity)                           | Aerosol                                         |
| Skin corrosion/irritation:                                            |       |       |                       | Rabbit                 | OECD 404 (Acute Dermal Irritation/Corrosion)                   | Not irritant, Analogous conclusion              |
| Serious eye damage/irritation:                                        |       |       |                       | Rabbit                 | OECD 405 (Acute Eye Irritation/Corrosion)                      | Not irritant, Analogous conclusion              |
| Respiratory or skin sensitisation:                                    |       |       |                       | Guinea pig             | OECD 406 (Skin Sensitisation)                                  | No (skin contact), Analogous conclusion         |
| Germ cell mutagenicity:                                               |       |       |                       | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)                     | Negative, Analogous conclusion                  |
| Germ cell mutagenicity:                                               |       |       |                       | Mammalian              | OECD 473 (In Vitro Mammalian Chromosome Aberration Test)       | Negative, Analogous conclusion, Chinese hamster |
| Carcinogenicity:                                                      |       |       |                       | Mouse                  | OECD 451 (Carcinogenicity Studies)                             | Negative, Analogous conclusion                  |
| Reproductive toxicity:                                                | NOAEL | ≥1000 | mg/kg/d               | Rat                    | OECD 421 (Reproduction/Developmental Toxicity Screening Test)  | Negative                                        |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral:   | NOAEL | 125   | mg/kg                 | Rat                    | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | Analogous conclusion                            |
| Aspiration hazard:                                                    |       |       |                       |                        |                                                                | Yes                                             |
| Symptoms:                                                             |       |       |                       |                        |                                                                | nausea and vomiting.                            |
| Specific target organ toxicity - repeated exposure (STOT-RE), dermal: | NOAEL | 30    | mg/kg                 | Rat                    | OECD 411 (Subchronic Dermal Toxicity - 90-day Study)           | Analogous conclusion                            |
| Specific target organ toxicity - repeated exposure (STOT-RE), dermal: | NOAEL | ~1000 | mg/kg bw/d            | Rabbit                 | OECD 410 (Repeated Dose Dermal Toxicity - 90-Day)              | Analogous conclusion                            |

#### Molybdenum polysulphide long chain alkyl dithiocarbamate complex

| Toxicity / effect                  | Endpoint | Value | Unit  | Organism   | Test method                                            | Notes              |
|------------------------------------|----------|-------|-------|------------|--------------------------------------------------------|--------------------|
| Acute toxicity, by oral route:     | LD50     | >2000 | mg/kg | Rat        | OECD 425 (Acute Oral Toxicity - Up-and-Down Procedure) | Female             |
| Skin corrosion/irritation:         |          |       |       | Rabbit     | OECD 404 (Acute Dermal Irritation/Corrosion)           | Skin Irrit. 2      |
| Serious eye damage/irritation:     |          |       |       | Rabbit     | OECD 405 (Acute Eye Irritation/Corrosion)              | Not irritant       |
| Respiratory or skin sensitisation: |          |       |       | Guinea pig | OECD 406 (Skin Sensitisation)                          | Yes (skin contact) |

#### C14-16-18 Alkylphenol

| Toxicity / effect                | Endpoint | Value | Unit  | Organism | Test method                                               | Notes |
|----------------------------------|----------|-------|-------|----------|-----------------------------------------------------------|-------|
| Acute toxicity, by oral route:   | LD50     | >2000 | mg/kg | Rat      | OECD 423 (Acute Oral Toxicity - Acute Toxic Class Method) |       |
| Acute toxicity, by dermal route: | LD50     | >2000 | mg/kg | Rat      | OECD 402 (Acute Dermal Toxicity)                          |       |

Page 14 of 22  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 15.11.2021 / 0005  
 Replacing version dated / version: 28.04.2020 / 0004  
 Valid from: 15.11.2021  
 PDF print date: 04.08.2022  
 Top Tec 4310 OW-30

|                                    |  |  |  |        |                                                                                 |              |
|------------------------------------|--|--|--|--------|---------------------------------------------------------------------------------|--------------|
| Skin corrosion/irritation:         |  |  |  |        | OECD 439 (In Vitro Skin Irritation - Reconstructed Human Epidermis Test Method) | Not irritant |
| Serious eye damage/irritation:     |  |  |  | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion)                                       | Not irritant |
| Respiratory or skin sensitisation: |  |  |  | Mouse  | OECD 429 (Skin Sensitisation - Local Lymph Node Assay)                          | Sensitising  |

## 11.2. Information on other hazards

| Top Tec 4310 OW-30               |          |       |      |          |             |                                                                       |
|----------------------------------|----------|-------|------|----------|-------------|-----------------------------------------------------------------------|
| Toxicity / effect                | Endpoint | Value | Unit | Organism | Test method | Notes                                                                 |
| Endocrine disrupting properties: |          |       |      |          |             | Does not apply to mixtures.                                           |
| Other information:               |          |       |      |          |             | No other relevant information available on adverse effects on health. |

## SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| Top Tec 4310 OW-30                       |          |      |       |      |          |             |                                                                       |
|------------------------------------------|----------|------|-------|------|----------|-------------|-----------------------------------------------------------------------|
| Toxicity / effect                        | Endpoint | Time | Value | Unit | Organism | Test method | Notes                                                                 |
| 12.1. Toxicity to fish:                  |          |      |       |      |          |             | n.d.a.                                                                |
| 12.1. Toxicity to daphnia:               |          |      |       |      |          |             | n.d.a.                                                                |
| 12.1. Toxicity to algae:                 |          |      |       |      |          |             | n.d.a.                                                                |
| 12.2. Persistence and degradability:     |          |      |       |      |          |             | n.d.a.                                                                |
| 12.3. Bioaccumulative potential:         |          |      |       |      |          |             | n.d.a.                                                                |
| 12.4. Mobility in soil:                  |          |      |       |      |          |             | n.d.a.                                                                |
| 12.5. Results of PBT and vPvB assessment |          |      |       |      |          |             | n.d.a.                                                                |
| 12.6. Endocrine disrupting properties:   |          |      |       |      |          |             | Does not apply to mixtures.                                           |
| 12.7. Other adverse effects:             |          |      |       |      |          |             | No information available on other adverse effects on the environment. |

| Distillates (petroleum), hydrotreated heavy paraffinic |           |      |       |      |                     |                                                  |                                     |
|--------------------------------------------------------|-----------|------|-------|------|---------------------|--------------------------------------------------|-------------------------------------|
| Toxicity / effect                                      | Endpoint  | Time | Value | Unit | Organism            | Test method                                      | Notes                               |
| 12.5. Results of PBT and vPvB assessment               |           |      |       |      |                     |                                                  | No PBT substance, No vPvB substance |
| 12.1. Toxicity to fish:                                | LL50      | 96h  | >100  | mg/l | Oncorhynchus mykiss | OECD 203 (Fish, Acute Toxicity Test)             | Analogous conclusion                |
| 12.1. Toxicity to fish:                                | NOEC/NOEL | 28d  | >1000 | mg/l | Oncorhynchus mykiss | QSAR                                             |                                     |
| 12.1. Toxicity to daphnia:                             | NOEC/NOEL | 21d  | 10    | mg/l | Daphnia magna       | QSAR                                             | Analogous conclusion                |
| 12.1. Toxicity to daphnia:                             | EC50      | 48h  | >1000 | mg/l | Daphnia magna       | OECD 202 (Daphnia sp. Acute Immobilisation Test) | Analogous conclusion                |

Page 15 of 22  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 15.11.2021 / 0005  
 Replacing version dated / version: 28.04.2020 / 0004  
 Valid from: 15.11.2021  
 PDF print date: 04.08.2022  
 Top Tec 4310 OW-30

|                                      |           |     |       |      |                                 |                                                                    |                                                 |
|--------------------------------------|-----------|-----|-------|------|---------------------------------|--------------------------------------------------------------------|-------------------------------------------------|
| 12.1. Toxicity to algae:             | EC50      | 48h | >100  | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                            |                                                 |
| 12.1. Toxicity to algae:             | NOEC/NOEL | 72h | >=100 | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                            | Analogous conclusion                            |
| 12.2. Persistence and degradability: |           | 28d | 31    | %    | activated sludge                | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test) | Not readily biodegradable, Analogous conclusion |
| 12.2. Persistence and degradability: |           | 28d | 6     | %    |                                 | OECD 301 B (Ready Biodegradability - Co2 Evolution Test)           | Not readily biodegradable                       |
| 12.3. Bioaccumulative potential:     | Log Pow   |     | 3,9-6 |      |                                 |                                                                    | High                                            |
| Other information:                   | AOX       |     | 0     | %    |                                 |                                                                    |                                                 |

**1-decene, trimers, hydrogenated**

| Toxicity / effect                        | Endpoint | Time | Value | Unit | Organism                  | Test method                                      | Notes                               |
|------------------------------------------|----------|------|-------|------|---------------------------|--------------------------------------------------|-------------------------------------|
| 12.1. Toxicity to fish:                  | LC50     | 96h  | >1000 | mg/l | Oncorhynchus mykiss       | OECD 203 (Fish, Acute Toxicity Test)             |                                     |
| 12.1. Toxicity to daphnia:               | NOELR    | 21d  | 125   | mg/l | Daphnia magna             | OECD 211 (Daphnia magna Reproduction Test)       |                                     |
| 12.1. Toxicity to daphnia:               | EC50     | 48h  | >1000 | mg/l | Mysidopsis bahia          | OECD 202 (Daphnia sp. Acute Immobilisation Test) |                                     |
| 12.1. Toxicity to algae:                 | NOELR    | 72h  | 1000  | mg/l | Selenastrum capricornutum | OECD 201 (Alga, Growth Inhibition Test)          |                                     |
| 12.2. Persistence and degradability:     |          |      |       |      |                           |                                                  | Not readily biodegradable           |
| 12.3. Bioaccumulative potential:         | BCF      |      | >10   |      |                           |                                                  |                                     |
| 12.5. Results of PBT and vPvB assessment |          |      |       |      |                           |                                                  | No PBT substance, No vPvB substance |
| Toxicity to bacteria:                    | EC50     | 3h   | 1000  | mg/l | activated sludge          |                                                  |                                     |

**Distillates (petroleum), solvent-dewaxed light paraffinic**

| Toxicity / effect          | Endpoint  | Time | Value  | Unit | Organism            | Test method                                      | Notes |
|----------------------------|-----------|------|--------|------|---------------------|--------------------------------------------------|-------|
| 12.1. Toxicity to fish:    | LL50      | 96h  | >100   | mg/l | Pimephales promelas | OECD 203 (Fish, Acute Toxicity Test)             |       |
| 12.1. Toxicity to daphnia: | EL50      | 48h  | >10000 | mg/l | Daphnia magna       | OECD 202 (Daphnia sp. Acute Immobilisation Test) |       |
| 12.1. Toxicity to daphnia: | LL50      | 48h  | >1000  | mg/l | Gammarus sp.        | OECD 202 (Daphnia sp. Acute Immobilisation Test) |       |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d  | 10     | mg/l | Daphnia magna       | OECD 211 (Daphnia magna Reproduction Test)       |       |

Page 16 of 22  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 15.11.2021 / 0005  
 Replacing version dated / version: 28.04.2020 / 0004  
 Valid from: 15.11.2021  
 PDF print date: 04.08.2022  
 Top Tec 4310 OW-30

|                                          |           |     |      |      |                                 |                                                                    |                                     |
|------------------------------------------|-----------|-----|------|------|---------------------------------|--------------------------------------------------------------------|-------------------------------------|
| 12.1. Toxicity to algae:                 | NOEC/NOEL | 72h | >100 | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                            |                                     |
| 12.2. Persistence and degradability:     |           | 28d | 31   | %    | activated sludge                | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test) | Inherent                            |
| 12.3. Bioaccumulative potential:         | Log Pow   |     | >3   |      |                                 |                                                                    | Low                                 |
| 12.5. Results of PBT and vPvB assessment |           |     |      |      |                                 |                                                                    | No PBT substance, No vPvB substance |

| Bis(nonylphenyl)amine                    |           |      |              |      |                         |                                                                                          |                                                                              |
|------------------------------------------|-----------|------|--------------|------|-------------------------|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| Toxicity / effect                        | Endpoint  | Time | Value        | Unit | Organism                | Test method                                                                              | Notes                                                                        |
| 12.4. Mobility in soil:                  |           |      |              |      |                         |                                                                                          | Adsorption in ground.                                                        |
| 12.1. Toxicity to fish:                  | LC50      | 96h  | >100         | mg/l | Brachydanio rerio       | OECD 203 (Fish, Acute Toxicity Test)                                                     | Analogous conclusion                                                         |
| 12.1. Toxicity to daphnia:               | EC50      | 48h  | >100         | mg/l | Daphnia magna           | OECD 202 (Daphnia sp. Acute Immobilisation Test)                                         |                                                                              |
| 12.1. Toxicity to algae:                 | NOEC/NOEL | 72h  | >10          | mg/l | Desmodesmus subspicatus |                                                                                          | Analogous conclusion                                                         |
| 12.1. Toxicity to algae:                 | EC50      | 72h  | > 100        | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test)                                                  | Analogous conclusion                                                         |
| 12.2. Persistence and degradability:     |           | 28d  | 24           | %    |                         | OECD 301 C (Ready Biodegradability - Modified MITI Test (I))                             | Not readily biodegradable                                                    |
| 12.2. Persistence and degradability:     |           | 28d  | 1            | %    | activated sludge        | OECD 301 B (Ready Biodegradability - Co2 Evolution Test)                                 | Not readily biodegradable, Analogous conclusion                              |
| 12.3. Bioaccumulative potential:         | Log Pow   |      | >7,6         |      |                         |                                                                                          | A notable biological accumulation potential has to be expected (LogPow > 3). |
| 12.3. Bioaccumulative potential:         | BCF       |      | 1584,89-1730 |      |                         |                                                                                          | High                                                                         |
| 12.5. Results of PBT and vPvB assessment |           |      |              |      |                         |                                                                                          | No PBT substance, No vPvB substance                                          |
| Toxicity to bacteria:                    | EC50      | 3h   | >1000        | mg/l | activated sludge        | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | Analogous conclusion                                                         |

| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based |           |       |        |      |                  |             |           |
|----------------------------------------------------------------------|-----------|-------|--------|------|------------------|-------------|-----------|
| Toxicity / effect                                                    | Endpoint  | Time  | Value  | Unit | Organism         | Test method | Notes     |
| Toxicity to bacteria:                                                | NOEC/NOEL | 10min | > 1,93 | mg/l | activated sludge |             | DIN 38412 |



Page 17 of 22  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 15.11.2021 / 0005  
 Replacing version dated / version: 28.04.2020 / 0004  
 Valid from: 15.11.2021  
 PDF print date: 04.08.2022  
 Top Tec 4310 OW-30

|                                          |           |     |        |      |                                 |                                                          |                                                                              |
|------------------------------------------|-----------|-----|--------|------|---------------------------------|----------------------------------------------------------|------------------------------------------------------------------------------|
| 12.1. Toxicity to fish:                  | NOEC/NOEL | 96h | >=100  | mg/l | Pimephales promelas             | OECD 203 (Fish, Acute Toxicity Test)                     |                                                                              |
| 12.1. Toxicity to fish:                  | LL50      | 96h | > 100  | mg/l | Pimephales promelas             | OECD 203 (Fish, Acute Toxicity Test)                     |                                                                              |
| 12.1. Toxicity to daphnia:               | EL50      | 48h | >10000 | mg/l | Daphnia magna                   | OECD 202 (Daphnia sp. Acute Immobilisation Test)         |                                                                              |
| 12.1. Toxicity to daphnia:               | NOEC/NOEL | 21d | 10     | mg/l | Daphnia magna                   | OECD 211 (Daphnia magna Reproduction Test)               |                                                                              |
| 12.1. Toxicity to algae:                 | NOEC/NOEL | 72h | >=100  | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                  |                                                                              |
| 12.1. Toxicity to algae:                 | EL50      | 48h | >100   | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                  |                                                                              |
| 12.2. Persistence and degradability:     |           |     |        |      |                                 | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | Not readily biodegradable                                                    |
| 12.2. Persistence and degradability:     |           | 28d | 46     | %    |                                 | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) |                                                                              |
| 12.3. Bioaccumulative potential:         | Log Kow   |     | >6     |      |                                 |                                                          | A notable biological accumulation potential has to be expected (LogPow > 3). |
| 12.5. Results of PBT and vPvB assessment |           |     |        |      |                                 |                                                          | No PBT substance, No vPvB substance                                          |

**Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based**

| Toxicity / effect                        | Endpoint  | Time | Value  | Unit | Organism                        | Test method                                      | Notes                               |
|------------------------------------------|-----------|------|--------|------|---------------------------------|--------------------------------------------------|-------------------------------------|
| 12.1. Toxicity to fish:                  | NOEC/NOEL | 14d  | >=1000 | mg/l | Oncorhynchus mykiss             | QSAR                                             |                                     |
| 12.1. Toxicity to fish:                  | LL50      | 96h  | >100   | mg/l | Pimephales promelas             | OECD 203 (Fish, Acute Toxicity Test)             |                                     |
| 12.1. Toxicity to daphnia:               | NOEC/NOEL | 21d  | >=100  | mg/l | Daphnia magna                   | OECD 211 (Daphnia magna Reproduction Test)       | Analogous conclusion                |
| 12.1. Toxicity to daphnia:               | EL50      | 48h  | >10000 | mg/l | Daphnia magna                   | OECD 202 (Daphnia sp. Acute Immobilisation Test) |                                     |
| 12.1. Toxicity to algae:                 | NOEC/NOEL | 72h  | >=100  | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)          | Analogous conclusion                |
| 12.2. Persistence and degradability:     |           | 28d  | >60    | %    |                                 |                                                  | Readily biodegradable               |
| 12.5. Results of PBT and vPvB assessment |           |      |        |      |                                 |                                                  | No PBT substance, No vPvB substance |
| Other information:                       | Log Pow   |      | 6,1    |      |                                 |                                                  |                                     |

Page 18 of 22  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 15.11.2021 / 0005  
 Replacing version dated / version: 28.04.2020 / 0004  
 Valid from: 15.11.2021  
 PDF print date: 04.08.2022  
 Top Tec 4310 OW-30

| Molybdenum polysulphide long chain alkyl dithiocarbamate complex |           |      |       |      |                                 |                                                                                          |                                                         |
|------------------------------------------------------------------|-----------|------|-------|------|---------------------------------|------------------------------------------------------------------------------------------|---------------------------------------------------------|
| Toxicity / effect                                                | Endpoint  | Time | Value | Unit | Organism                        | Test method                                                                              | Notes                                                   |
| 12.1. Toxicity to fish:                                          | NOEC/NOEL | 96h  | 94,8  | mg/l | Oncorhynchus mykiss             | OECD 203 (Fish, Acute Toxicity Test)                                                     |                                                         |
| 12.1. Toxicity to fish:                                          | LL50      | 96h  | >94,8 | mg/l | Oncorhynchus mykiss             | OECD 203 (Fish, Acute Toxicity Test)                                                     | Analogous conclusion                                    |
| 12.1. Toxicity to daphnia:                                       | EL50      | 48h  | 50    | mg/l | Daphnia magna                   | OECD 202 (Daphnia sp. Acute Immobilisation Test)                                         |                                                         |
| 12.1. Toxicity to daphnia:                                       | NOEC/NOEL | 21d  | 100   | mg/l | Daphnia magna                   | OECD 211 (Daphnia magna Reproduction Test)                                               |                                                         |
| 12.1. Toxicity to algae:                                         | EL50      | 72h  | 9,62  | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)                                                  | Analogous conclusion                                    |
| 12.2. Persistence and degradability:                             |           | 28d  | 22,75 | %    |                                 | OECD 301 B (Ready Biodegradability - Co2 Evolution Test)                                 | Not readily biodegradable, Analogous conclusion         |
| 12.3. Bioaccumulative potential:                                 | BCF       |      | 88    |      | Cyprinus caprio                 | OECD 305 (Bioconcentration - Flow-Through Fish Test)                                     | Not to be expected, Analogous conclusion 25°C, 0,05mg/L |
| 12.4. Mobility in soil:                                          |           |      |       |      |                                 |                                                                                          | Adsorption in ground.                                   |
| 12.5. Results of PBT and vPvB assessment                         |           |      |       |      |                                 |                                                                                          | No PBT substance, No vPvB substance                     |
| Toxicity to bacteria:                                            | EC50      | 3h   | >100  | mg/l | activated sludge                | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | Analogous conclusion                                    |

| C14-16-18 Alkylphenol      |          |      |       |      |                                 |                                                  |       |
|----------------------------|----------|------|-------|------|---------------------------------|--------------------------------------------------|-------|
| Toxicity / effect          | Endpoint | Time | Value | Unit | Organism                        | Test method                                      | Notes |
| 12.1. Toxicity to fish:    | LC50     | 96h  | >100  | mg/l | Cyprinus caprio                 | OECD 203 (Fish, Acute Toxicity Test)             |       |
| 12.1. Toxicity to daphnia: | EC50     | 24h  | >100  | mg/l | Daphnia magna                   | OECD 202 (Daphnia sp. Acute Immobilisation Test) |       |
| 12.1. Toxicity to algae:   | EC50     | 72h  | >100  | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test)          |       |

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of.  
 EC disposal code no.:

Page 19 of 22  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 15.11.2021 / 0005  
 Replacing version dated / version: 28.04.2020 / 0004  
 Valid from: 15.11.2021  
 PDF print date: 04.08.2022  
 Top Tec 4310 OW-30

The waste codes are recommendations based on the scheduled use of this product.  
 Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils

Recommendation:

Sewage disposal shall be discouraged.  
 Pay attention to local and national official regulations.  
 E.g. dispose at suitable refuse site.  
 E.g. suitable incineration plant.

### For contaminated packing material

Pay attention to local and national official regulations.

15 01 01 paper and cardboard packaging

15 01 02 plastic packaging

15 01 04 metallic packaging

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

## SECTION 14: Transport information

### General statements

14.1. UN number or ID number: n.a.

### Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a.

14.4. Packing group: n.a.

Classification code: n.a.

LQ: n.a.

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

### Transport by sea (IMDG-code)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a.

14.4. Packing group: n.a.

Marine Pollutant: n.a.

14.5. Environmental hazards: Not applicable

### Transport by air (IATA)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a.

14.4. Packing group: n.a.

14.5. Environmental hazards: Not applicable

### 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

### 14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC): 0,6 %

### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

## SECTION 16: Other information

Page 20 of 22  
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
 Revision date / version: 15.11.2021 / 0005  
 Replacing version dated / version: 28.04.2020 / 0004  
 Valid from: 15.11.2021  
 PDF print date: 04.08.2022  
 Top Tec 4310 OW-30

Revised sections: 1-16

### Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H317 May cause an allergic skin reaction.  
 H304 May be fatal if swallowed and enters airways.  
 H315 Causes skin irritation.  
 H373 May cause damage to organs through prolonged or repeated exposure.  
 H412 Harmful to aquatic life with long lasting effects.  
 H413 May cause long lasting harmful effects to aquatic life.

Asp. Tox. — Aspiration hazard  
 Aquatic Chronic — Hazardous to the aquatic environment - chronic  
 Skin Irrit. — Skin irritation  
 Skin Sens. — Skin sensitization  
 STOT RE — Specific target organ toxicity - repeated exposure

### Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.  
 Guidelines for the preparation of safety data sheets as amended (ECHA).  
 Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).  
 Safety data sheets for the constituent substances.  
 ECHA Homepage - Information about chemicals.  
 GESTIS Substance Database (Germany).  
 German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).  
 EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.  
 National Lists of Occupational Exposure Limits for each country as amended.  
 Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to  
 ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 AOX Adsorbable organic halogen compounds  
 approx. approximately  
 Art., Art. no. Article number  
 ASTM ASTM International (American Society for Testing and Materials)  
 ATE Acute Toxicity Estimate  
 BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)  
 BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)  
 BCF Bioconcentration factor  
 BSEF The International Bromine Council  
 bw body weight  
 CAS Chemical Abstracts Service  
 CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)  
 CMR carcinogenic, mutagenic, reproductive toxic  
 DMEL Derived Minimum Effect Level  
 DNEL Derived No Effect Level  
 DOC Dissolved organic carbon  
 dw dry weight  
 e.g. for example (abbreviation of Latin 'exempli gratia'), for instance  
 EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)  
 EC European Community  
 ECHA European Chemicals Agency

Page 21 of 22  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 15.11.2021 / 0005  
Replacing version dated / version: 28.04.2020 / 0004  
Valid from: 15.11.2021  
PDF print date: 04.08.2022  
Top Tec 4310 OW-30

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect  
EEC European Economic Community  
EINECS European Inventory of Existing Commercial Chemical Substances  
ELINCS European List of Notified Chemical Substances  
EN European Norms  
EPA United States Environmental Protection Agency (United States of America)  
ErCx, EuCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)  
etc. et cetera  
EU European Union  
EVAL Ethylene-vinyl alcohol copolymer  
Fax. Fax number  
gen. general  
GHS Globally Harmonized System of Classification and Labelling of Chemicals  
GWP Global warming potential  
Koc Adsorption coefficient of organic carbon in the soil  
Kow octanol-water partition coefficient  
IARC International Agency for Research on Cancer  
IATA International Air Transport Association  
IBC (Code) International Bulk Chemical (Code)  
IMDG-code International Maritime Code for Dangerous Goods  
incl. including, inclusive  
IUCLID International Uniform Chemical Information Database  
IUPAC International Union for Pure Applied Chemistry  
LC50 Lethal Concentration to 50 % of a test population  
LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)  
Log Koc Logarithm of adsorption coefficient of organic carbon in the soil  
Log Kow, Log Pow Logarithm of octanol-water partition coefficient  
LQ Limited Quantities  
MARPOL International Convention for the Prevention of Marine Pollution from Ships  
n.a. not applicable  
n.av. not available  
n.c. not checked  
n.d.a. no data available  
NIOSH National Institute for Occupational Safety and Health (USA)  
NLP No-longer-Polymer  
NOEC, NOEL No Observed Effect Concentration/Level  
OECD Organisation for Economic Co-operation and Development  
org. organic  
OSHA Occupational Safety and Health Administration (USA)  
PBT persistent, bioaccumulative and toxic  
PE Polyethylene  
PNEC Predicted No Effect Concentration  
ppm parts per million  
PVC Polyvinylchloride  
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)  
REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.  
RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)  
SVHC Substances of Very High Concern  
Tel. Telephone  
TOC Total organic carbon  
UN RTDG United Nations Recommendations on the Transport of Dangerous Goods  
VOC Volatile organic compounds  
vPvB very persistent and very bioaccumulative  
wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.  
No responsibility.

These statements were made by:

**Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90**

Page 22 of 22  
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II  
Revision date / version: 15.11.2021 / 0005  
Replacing version dated / version: 28.04.2020 / 0004  
Valid from: 15.11.2021  
PDF print date: 04.08.2022  
Top Tec 4310 OW-30

---

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.