

## LEDinspect TASK 180 ESSENTIAL



### 180 Lumen output

Uniformed wide beam of bright white light to help illuminate workspaces



### Flexible mounting options

Use the built-in magnets or integrated hanging hook to enable hands free use



### Anti-Slip Coating

Perfect to ensure maximum grip, even in oily conditions



### Bright, durable and hands-free lighting for tight spaces

Illuminate tight spaces and hard-to-reach areas with the OSRAM LEDinspect TASK 180 ESSENTIAL Lamp. This advanced inspection lamp is designed with bright, long-life LEDs that deliver a powerful 180 lumens of light, making it perfect for mechanics, technicians, and DIY enthusiasts who require precision in their workspaces.

It also includes a magnetic base and 360-degree hanging hook for hands-free operation, allowing you to position the lamp easily in any workspace. Encased in durable grippy anti-slip coating, it is built to withstand the rigors of workshop environments. Whether in the garage or on-site, this inspection lamp is your go-to tool for clear, consistent lighting.

# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	LED inspection lights
---	-----------------------

### General Product Information

Global order reference	LEDIL426ESN
------------------------	-------------


### Electrical Data

Nominal wattage	3 W
Nominal voltage	4.5 V

### Photometric Data

Color temperature	6500 K
Nominal luminous flux	180 lm
Light color LED	White

### Physical Attributes & Dimensions



Product weight	146.00 g
Length	35.0 mm
Width	62.0 mm
Height	200.0 mm

### Lifetime Data

Guarantee	2 years
-----------	---------

### Capabilities

Technology	LED
------------	-----

## Product datasheet

### Certificates & standards

Standards	CE, EMC, MSDS, ROHS, UKCA
-----------	---------------------------

### Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	9aa32106-6894-413e-9d46-45e6b54b08cf

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172409728	INSPECTION LAMP	Unpacked 1	35 mm x 62 mm x 200 mm	0.43 dm <sup>3</sup>	146.00 g
4062172409735	INSPECTION LAMP	Shipping carton box 12	280 mm x 224 mm x 242 mm	15.18 dm <sup>3</sup>	2407.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
 User instruction GPRS_Safety symbols instructions

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

# OSRAM