



Product specifications



Gama Profesional

PRO ENGINE PROTECTOR

Wynn's new Pro Engine Protector Mejora la lubricación y las propiedades de limpieza, reduce la fricción y el desgaste. Minimiza la formación de barro y barnices manteniendo la limpieza interna del motor. Mejora la estabilidad del aceite frente a la corrosión, mantiene la viscosidad y protege el motor bajo condiciones extremas prolongando su durabilidad.

Propiedades

- ✓ Reduce la fricción y el desgaste.
- ✓ Previene el LSPI (Pre-ignición a baja velocidad).
- ✓ Protección excepcional del turbo.
- ✓ Reduce la formación de depósitos y barnices en el motor.
- ✓ Mantiene la calidad del aceite motor durante más tiempo.
- ✓ Optimiza el rendimiento del motor.
- ✓ Reduce el consumo de combustible.

Aplicaciones

- ✓ Para todo tipo de motores diésel, gasolina, híbridos y GLP.
- ✓ Especialmente recomendado para motores equipados con turbocompresor y tecnología "Start/Stop".
- ✓ Compatible con todos los tipos de aceite motor, incluidos sintéticos y bajos en cenizas (Low SAPs).
- ✓ Seguro para correas bañadas en aceite.
- ✓ No utilizar en motos con embrague húmedo.

Instrucciones de uso

- ✓ Verterlo en el aceite motor en cada cambio.
- ✓ Se puede utilizar en cualquier momento entre cambios de aceite y cuando se debe rellenar el aceite para restablecer potencia y las propiedades del aceite.
- ✓ Una lata de 325 ml trata hasta 6 litros de aceite.

ITW Additives International – Industriepark West 46 – B-9100 Sint-Niklaas / Belgium
Tel: 32-3-766.60.20 - Fax: 32-3.778.16.56 – E-mail: mail@wynns.eu – Website: www.wynns.com

The data concerning properties and applications of the indicated products are offered in good faith and are based on our research and practical experiences. Due to the versatility of the application possibilities, it is impossible to mention all details and we do not assume any obligations or responsibilities resulting from this. When a new edition appears due to the technical development, the preceding data are no longer valid.



Formato de envasado

W48041 – 12x325 ml – FR/NL/DE/TR/EL/BU

W48044 – 12x325 ml – EN/ES/PT/IT/JA/HU

Product specifications

ITW Additives International – Industriepark West 46 – B-9100 Sint-Niklaas / Belgium
Tel: 32-3-766.60.20 - Fax: 32-3.778.16.56 – E-mail: mail@wynns.eu – Website: www.wynns.com

The data concerning properties and applications of the indicated products are offered in good faith and are based on our research and practical experiences. Due to the versatility of the application possibilities, it is impossible to mention all details and we do not assume any obligations or responsibilities resulting from this. When a new edition appears due to the technical development, the preceding data are no longer valid.

ITW Additives International – Industriepark West 46 – B-9100 Sint-Niklaas / Belgium
Tel: 32-3-766.60.20 - Fax: 32-3.778.16.56 – E-mail: mail@wynns.eu – Website: www.wynns.com

The data concerning properties and applications of the indicated products are offered in good faith and are based on our research and practical experiences. Due to the versatility of the application possibilities, it is impossible to mention all details and we do not assume any obligations or responsibilities resulting from this. When a new edition appears due to the technical development, the preceding data are no longer valid.